



## Denver Health Medicare Choice (HMO D-SNP)

### 2021 Formulary

### (List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Formulary ID: 00021004, Version Number: 16

This formulary was updated on 08/01/2021. For more recent information or other questions, please contact Denver Health Medical Plan, Inc. (DHMP) Health Plan Services, at 303-602-2111 or toll-free 1-877-956-2111 or, for TTY users, 711, 8 a.m. to 8 p.m., seven days a week, or visit [denverhealthmedicalplan.org](http://denverhealthmedicalplan.org).

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Denver Health Medical Plan, Inc. When it refers to “plan” or “our plan,” it means Denver Health Medicare Choice (HMO D-SNP).

This document includes a list of the drugs (formulary) for our plan which is current as of 08/01/2021. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2022, and from time to time during the year.

### **What is the Denver Health Medicare Choice (HMO D-SNP) Formulary?**

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Denver Health Medicare Choice (HMO D-SNP) will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Denver Health Medicare Choice (HMO D-SNP) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Denver Health Medical Plan, Inc. Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary; or add new restrictions to the brand name drug or move it to a different cost sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
  - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Denver Health Medicare Choice (HMO D-SNP) Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2021 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2021 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 08/01/2021. To get updated information about the drugs covered by Denver Health Medicare Choice (HMO D-SNP), please contact us. Our contact information appears on the front and back cover pages. Future formulary changes are sent to you with your monthly Part D Explanation of Benefits. If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, affected members will receive a separate notification. You can find a list of the Future Formulary Changes that will be made to our formulary on our website.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular Agents". If you know what your drug is used for, look for the category name in the list that begins on page number 1. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

Denver Health Medicare Choice (HMO D-SNP) covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Denver Health Medicare Choice (HMO D-SNP) requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval we may not cover the drug.

- **Quantity Limits:** For certain drugs, Denver Health Medicare Choice (HMO D-SNP) limits the amount of the drug that we will cover. For example, our plan provides 90 capsules per 30-day prescription for Pregabalin (Lyrica). This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Denver Health Medicare Choice (HMO D-SNP) plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, our plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Denver Health Medicare Choice (HMO D-SNP) formulary?” on page v for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Health Plan Services and ask if your drug is covered.

If you learn that Denver Health Medicare Choice (HMO D-SNP) does not cover your drug, you have two options:

- You can ask Health Plan Services for a list of similar drugs that are covered by Denver Health Medicare Choice (HMO D-SNP). When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Denver Health Medicare Choice (HMO D-SNP).
- You can ask Denver Health Medicare Choice (HMO D-SNP) to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the Denver Health Medicare Choice (HMO D-SNP) Formulary?**

You can ask Denver Health Medicare Choice (HMO D-SNP) to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Denver Health Medicare Choice (HMO D-SNP) limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Denver Health Medicare Choice (HMO D-SNP) will only approve your request for an exception if the alternative drugs included on the plan's formulary, or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

If you experience a level of care change, such as being admitted or discharged from a long term care facility and you are outside the first 90 days of your coverage, Denver Health Medicare Choice (HMO D-SNP) will provide a one-time fill of non-formulary Part D drugs as described above.

## **For more information**

For more detailed information about your Denver Health Medicare Choice (HMO D-SNP) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Denver Health Medicare Choice (HMO D-SNP), please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## **Denver Health Medicare Choice (HMO D-SNP) Formulary**

The formulary that begins on the next page provides coverage information about the drugs covered by Denver Health Medicare Choice (HMO D-SNP). If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., <ADVAIR DISKUS) and generic drugs are listed in lower-case italics (e.g., *Amoxicillin (Amoxil)*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

The following abbreviations may be found within the body of this document

**COVERAGE NOTES ABBREVIATIONS**

**Utilization Management Restrictions**

<b>ABBREVIATION</b>	<b>DESCRIPTION</b>	<b>EXPLANATION</b>
PA	Prior Authorization Restriction	You (or your physician) are required to get prior authorization from DHMP before you fill your prescription for this drug. Without prior approval, DHMP may not cover this drug.
PA BvD	Prior Authorization Restriction for Part B vs Part D Determination	This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from DHMP. to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, DHMP may not cover this drug.
PA-HRM	Prior Authorization Restriction for High Risk Medications	This drug has been deemed by CMS to be potentially harmful and therefore, a High-Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from DHMP before you fill your prescription for this drug. Without prior approval DHMP may not cover this drug.
PA NSO	Prior Authorization Restriction for New Starts Only	If you are a new member or you have not previously taken this drug, you (or your physician) are required to get prior authorization from DHMP before you fill your prescription for this drug. Without prior approval, DHMP may not cover this drug.
QL	Quantity Limit Restriction	DHMP limits the amount of this drug that is covered per prescription, or within a specific time frame. Without prior approval, DHMP would not cover quantities above the limit.
ST	Step Therapy Restriction	DHMP will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.
LA	Limited Access Drug	This prescription may only be covered at certain pharmacies. For more information consult your Pharmacy Directory or call Health Plan Services at 1-877-956-2111, 8 a.m. – 8 p.m. seven days a week. TTY users should call 711.
NDS	Non-Extended Day Supply	This drug is only able to be filled for a 1-month supply at a time and is not eligible for a day supply greater than 1-month at a time.
NM	No Mail Order	This drug is a specialty medication and is not eligible for a 90-day supply and therefore cannot be filled using 90-day mail order programs.

Drug Name	Drug Tier	Requirements/Limits
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	1	QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	1	QL (180 per 30 days)
<i>buprenorphine hcl injection solution (Buprenex) 0.3 mg/ml</i>	1	
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	1	
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg (Esgic)</i>	1	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	1	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	1	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>codeine sulfate oral tablet 30 mg, 60 mg</i>	1	QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg</i>	1	QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	1	QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	1	QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg (Actiq)</i>	1	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/12hr, 12 mcg/12hr, 25 mcg/12hr, 50 mcg/12hr, 75 mcg/12hr (Duragesic)</i>	1	QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	1	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	1	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	1	QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	1	QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	1	
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	1	QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	1	QL (180 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	1	PA; NM; NDS; QL (30 per 30 days)
<i>lorcet (hydrocodone) oral tablet 5-325 mg</i>	1	QL (240 per 30 days)
<i>lorcet hd oral tablet 10-325 mg</i>	1	QL (180 per 30 days)
<i>lorcet plus oral tablet 7.5-325 mg</i>	1	QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	1	
<i>methadone oral solution 10 mg/5 ml</i>	1	QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	1	QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	1	QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	1	QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i>	1	QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	1	QL (180 per 30 days)
<i>morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml</i>	1	
<i>morphine oral solution 10 mg/5 ml</i>	1	QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	1	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	1	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	1	QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	1	QL (90 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	1	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	1	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	1	QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	1	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oxycodone oral tablet 5 mg</i> (Roxicodone)	1	QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	1	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	1	QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	1	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	1	QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	1	QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	1	QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> (Ultracet)	1	QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	1	QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	1	QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	1	QL (240 per 30 days)
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	1	
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> (Celebrex)	1	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	1	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i> (Cataflam)	1	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	1	QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg</i>	1	QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 50 mg</i>	1	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 75 mg</i>	1	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	1	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	1	
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	1	PA; QL (100 per 28 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	1	
<i>etodolac oral tablet 400 mg</i> (Lodine)	1	
<i>etodolac oral tablet 500 mg</i>	1	
<i>flurbiprofen oral tablet 100 mg</i>	1	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	1	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	
<i>indomethacin oral capsule 25 mg</i>	1	PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule 50 mg</i>	1	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>	1	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	1	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i> (Mobic)	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i> (Relafen)	1	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>naproxen oral tablet, delayed release (EC-Naprosyn) (drlec) 375 mg, 500 mg</i>	1	
<b>PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)</b>	1	PA; NM; NDS; QL (224 per 28 days)
<i>sulindac oral tablet 150 mg, 200 mg</i>	1	
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>glydo mucous membrane jelly in applicator 2 %</i>	1	QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	
<i>lidocaine (pf) intravenous solution 20 mg/ml (2 %)</i> (Xylocaine (Cardiac) (PF))	1	
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)	1	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	1	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	1	PA
<i>lidocaine topical adhesive patch, medicated 5 %</i> (Lidoderm)	1	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	1	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	1	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	1	PA; QL (30 per 30 days)
<b>ZTLIDO TOPICAL ADHESIVE PATCH, MEDICATED 1.8 %</b>	1	PA; QL (90 per 30 days)
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet, delayed release (drlec) 333 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>buprenorphine hcl sublingual tablet</i> 2 mg, 8 mg	1	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film</i> 12-3 mg, 8-2 mg (Suboxone)	1	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film</i> 2-0.5 mg, 4-1 mg (Suboxone)	1	QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual tablet</i> 2-0.5 mg, 8-2 mg	1	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr</i> 150 mg	1	
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	1	QL (336 per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	1	QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)- 1 MG (42)	1	
<i>disulfiram oral tablet</i> 250 mg, 500 mg	1	
LUCEMYRA ORAL TABLET 0.18 MG	1	NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution</i> 0.4 mg/ml	1	
<i>naloxone injection syringe</i> 0.4 mg/ml, 1 mg/ml	1	
<i>naltrexone oral tablet</i> 50 mg	1	
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	1	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	1	QL (1008 per 90 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	1	NM; NDS; QL (0.5 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	1	NM; NDS; QL (1.5 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	QL (150 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	1	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	1	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	1	QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	1	QL (180 per 30 days)
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i>	1	QL (1200 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	1	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	1	QL (10 per 28 days)
<i>diazepam oral concentrate 5 mg/ml</i> (Diazepam Intensol)	1	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	1	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	QL (30 per 30 days)
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	1	
<i>neomycin oral tablet 500 mg</i>	1	
<i>streptomycin intramuscular recon soln 1 gram</i>	1	NM; NDS
<b>TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG</b>	1	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl (Tobi) inhalation solution for nebulization 300 mg/5 ml</i>	1	PA BvD; NM; NDS
<i>tobramycin inhalation solution for (Bethkis) nebulization 300 mg/4 ml</i>	1	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	1	
<b>Antibacterials, Miscellaneous</b>		
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	1	
<b>CLINDAMYCIN 600 MG/50 ML-NS OUTER,SINGLE- USE,L/F 600 MG/50 ML</b>	1	
<b>CLINDAMYCIN 900 MG/50 ML-NS OUTER,SINGLE- USE,L/F 900 MG/50 ML</b>	1	
<i>clindamycin hcl oral capsule 150 mg, (Cleocin HCl) 300 mg, 75 mg</i>	1	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	1	
<b>CLINDAMYCIN IN 5 % DEXTROSE INTRAVENOUS PIGGYBACK 600 MG/50 ML, 900 MG/50 ML</b>	1	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	1	
<i>clindamycin phosphate injection (Cleocin) solution 150 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<i>clindamycin phosphate intravenous solution 300 mg/2 ml</i>	1		
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	1		
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	(Coly-Mycin M Parenteral)	1	PA BvD; NM; NDS
<i>daptomycin intravenous recon soln 500 mg</i>	(Cubicin)	1	NM; NDS
<b>FIRVANQ ORAL RECON SOLN 25 MG/ML</b>	1		
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	(Zyvox)	1	NM; NDS
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	(Zyvox)	1	NM; NDS
<i>linezolid oral tablet 600 mg</i>	(Zyvox)	1	
<i>methenamine hippurate oral tablet 1 gram</i>	(Hiprex)	1	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	(Metro I.V.)	1	
<i>metronidazole oral tablet 250 mg</i>		1	
<i>metronidazole oral tablet 500 mg</i>	(Flagyl)	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	(Macrochantin)	1	QL (120 per 30 days)
<i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i>	(Macrobid)	1	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>		1	
<b>SYNERCID INTRAVENOUS RECON SOLN 500 MG</b>		1	NM; NDS
<i>trimethoprim oral tablet 100 mg</i>		1	
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>		1	
<i>vancomycin oral capsule 125 mg</i>	(Vancocin)	1	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i>	(Vancocin)	1	QL (112 per 14 days)
<b>XIFAXAN ORAL TABLET 200 MG</b>		1	PA; NM; NDS; QL (9 per 30 days)
<b>XIFAXAN ORAL TABLET 550 MG</b>		1	PA; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Cephalosporins</b>		
<i>cefactor oral capsule 250 mg, 500 mg</i>	1	
<i>cefactor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	1	
<i>cefadroxil oral capsule 500 mg</i>	1	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	1	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	
<i>cefdinir oral capsule 300 mg</i>	1	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	1	
<i>cefixime oral capsule 400 mg</i> (Suprax)	1	
<i>cefotaxime injection recon soln 1 gram</i>	1	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	1	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	1	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	1	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	
<i>ceftazidime injection recon soln 1 gram, 2 gram</i> (Fortaz)	1	
<i>ceftazidime injection recon soln 6 gram</i> (Tazicef)	1	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	1	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<b>TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG</b>	1	NM; NDS
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	1	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	1	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	
<b>DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML</b>	1	ST; NM; NDS; QL (100 per 10 days)
<b>DIFICID ORAL TABLET 200 MG</b>	1	ST; NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	1	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	1	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Miscellaneous B-Lactam Antibiotics</b>		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	1	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	1	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	1	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	1	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	1	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	1	
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	1	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	1	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	1	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ampicillin-sulbactam injection recon (Unasyn) soln 1.5 gram, 15 gram, 3 gram</i>	1	
<b>BICILLIN L-A</b> INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	1	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	1	
<i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i>	1	
<i>nafcillin injection recon soln 1 gram</i>	1	
<i>nafcillin injection recon soln 10 gram</i>	1	NM; NDS
<i>nafcillin injection recon soln 2 gram</i>	1	
<i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i>	1	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	1	
<i>penicillin gk 5 million unit plf, latex- (Pfizerpen-G) free 5 million unit</i>	1	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>pfizerpen-g injection recon soln 20 million unit</i>	1	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	1	
<b>Quinolones</b>		
<b>BAXDELA ORAL TABLET 450 MG</b>	1	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin hcl 750 mg tab flc 750 mg</i>	1	
<i>ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg</i>	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	1	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	
<i>levofloxacin intravenous solution 25 mg/ml</i>	1	
<i>levofloxacin oral solution 250 mg/10 ml</i>	1	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin oral tablet 400 mg</i>	1	
<b>Sulfonamides</b>		
<i>sulfadiazine oral tablet 500 mg</i>	1	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	1	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
<b>Tetracyclines</b>		
<i>doxy-100 intravenous recon soln 100 mg</i>	1	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	1	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	1	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	1	
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	1	
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	1	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin)	1	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>doxycycline monohydrate oral tablet 50 mg</i>	1	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	1	
<i>mondoxylene nl oral capsule 100 mg</i>	1	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	1	
<i>tigecycline intravenous recon soln 50 (Tygacil) mg</i>	1	NM; NDS
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	1	NM; NDS
ADCETRIS INTRAVENOUS RECON SOLN 50 MG	1	PA NSO; NM; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	1	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	1	PA BvD
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	1	PA NSO; NM; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	1	PA NSO; NM; NDS; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	1	PA NSO; NM; NDS; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	1	PA NSO; NM; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	1	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	1	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	1	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	1	NM; NDS
<i>arsenic trioxide intravenous solution 2 mg/ml</i> (Trisenox)	1	NM; NDS
ASPARLAS INTRAVENOUS SOLUTION 750 UNIT/ML	1	PA NSO; NM; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	1	PA NSO; NM; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	1	NM; NDS
BALVERSA ORAL TABLET 3 MG	1	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	1	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	1	PA NSO; NM; NDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	1	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	1	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	1	PA NSO; NM; NDS
BESPONSА INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	1	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	1	PA NSO; NM; NDS; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	1	
BLNREP INTRAVENOUS RECON SOLN 100 MG	1	PA NSO; NM; NDS
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	
BLINCYTO INTRAVENOUS KIT 35 MCG	1	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	1	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BOSULIF ORAL TABLET 100 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
<i>clofarabine intravenous solution 20 mg/20 ml</i> (Clolar)	1	NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	1	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	1	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	1	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	1	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	1	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	1	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	1	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	1	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	1	PA NSO; NM; NDS; QL (120 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	1	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	1	PA NSO; NM; LA; NDS
DAURISMO ORAL TABLET 100 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	1	NM; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (Adriamycin)	1	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	1	PA BvD; NM; NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	1	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	1	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	1	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	1	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	1	
EMCYT ORAL CAPSULE 140 MG	1	NM; NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	1	PA NSO; NM; NDS
ENHERTU INTRAVENOUS RECON SOLN 100 MG	1	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	1	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ERIVEDGE ORAL CAPSULE 150 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	1	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	1	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	1	
<i>etoposide intravenous solution 20</i> (Toposar) <i>mg/ml</i>	1	
<i>exemestane oral tablet 25 mg</i> (Aromasin)	1	
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	1	PA NSO; NM; NDS
<i>floxuridine injection recon soln 0.5</i> <i>gram</i>	1	PA BvD
<i>fluorouracil intravenous solution 1</i> <i>gram/20 ml, 5 gram/100 ml, 500</i> <i>mg/10 ml</i>	1	PA BvD
<i>flutamide oral capsule 125 mg</i>	1	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	1	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe</i> (Faslodex) <i>250 mg/5 ml</i>	1	NM; NDS
GAVRETO ORAL CAPSULE 100 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	1	PA NSO; NM; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	1	PA NSO; NM; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	1	PA NSO; NM; NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	1	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	1	PA NSO; NM; NDS; QL (21 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	1	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 30 MG, 45 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
ICLUSIG ORAL TABLET 15 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	1	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	1	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	1	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	1	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	1	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	1	PA NSO; NM; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	1	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	1	PA NSO; NM; NDS; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	1	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	1	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	1	NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	1	PA NSO; NM; NDS
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	1	PA NSO; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	1	PA NSO; NM; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	1	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	1	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	1	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	1	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	1	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	1	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	1	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	1	PA NSO; NM; NDS
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	1	PA NSO; NM; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	1	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	
LEUKERAN ORAL TABLET 2 MG	1	
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	1	NM; NDS
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	1	PA NSO; NM; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	1	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	1	PA NSO; NM; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	1	PA NSO; NM; NDS; QL (240 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	1	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	1	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	1	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	1	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	1	NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	1	NM; NDS
MATULANE ORAL CAPSULE 50 MG	1	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MEKINIST ORAL TABLET 2 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptapurine oral tablet 50 mg</i>	1	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	PA BvD
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	
MONJUVI INTRAVENOUS RECON SOLN 200 MG	1	PA NSO; NM; NDS
MVASI INTRAVENOUS SOLUTION 25 MG/ML	1	PA NSO; NM; NDS
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	1	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	1	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	1	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	1	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	1	PA NSO; NM; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	1	PA NSO; NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	1	NM; NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	1	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ONUREG ORAL TABLET 200 MG, 300 MG	1	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	1	PA NSO; NM; NDS
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	1	PA NSO; NM; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	1	PA NSO; NM; NDS; QL (14 per 21 days)
PEPAXTO INTRAVENOUS RECON SOLN 20 MG	1	PA NSO; NM; NDS; QL (2 per 28 days)
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG-30000 UNIT/15ML	1	PA NSO; NM; NDS; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG-20000 UNIT/10ML	1	PA NSO; NM; NDS; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	1	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	1	PA NSO; NM; NDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	1	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	1	PA NSO; NM; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	1	PA NSO; NM; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	1	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	1	NM; NDS
QINLOCK ORAL TABLET 50 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	1	PA NSO; NM; LA; NDS; QL (28 per 28 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	1	PA NSO; NM; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	1	PA NSO; NM; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	1	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	1	PA NSO; NM; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	1	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	1	PA NSO; NM; NDS; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	1	PA NSO; NM; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	1	NM; NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	1	PA NSO; NM; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG	1	PA NSO; NM; NDS
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	1	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	1	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG	1	
TABRECTA ORAL TABLET 150 MG, 200 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	
TARGRETIN TOPICAL GEL 1 %	1	PA NSO; NM; NDS
TASIGNA ORAL CAPSULE 150 MG, 200 MG	1	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	1	PA NSO; NM; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	1	PA NSO; NM; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	1	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
<i>thiotepa injection recon soln 100 mg, (Tepadina) 15 mg</i>	1	NM; NDS
TIBSOVO ORAL TABLET 250 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	1	
<i>toposar intravenous solution 20 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>toremifene oral tablet 60 mg</i> (Fareston)	1	NM; NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	1	PA NSO; NM; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	1	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	1	NM; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	1	NM; NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	1	NM; NDS; QL (1 per 28 days)
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	1	NM; NDS
TRODELVY INTRAVENOUS RECON SOLN 180 MG	1	PA NSO; NM; NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	1	PA NSO; NM; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	1	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	1	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
UKONIQ ORAL TABLET 200 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	1	PA NSO; NM; NDS
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VELCADE INJECTION RECON SOLN 3.5 MG	1	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	1	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	1	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	1	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	1	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	1	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	1	
VITRAKVI ORAL CAPSULE 100 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	1	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	1	PA BvD; NM; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	1	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	1	PA NSO; NM; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (20 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	1	PA NSO; NM; NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	1	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	1	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	1	PA NSO; NM; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	1	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	1	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	1	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	1	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	1	PA NSO; NM; NDS; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	1	PA NSO; NM; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	1	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	1	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	1	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYDELIG ORAL TABLET 100 MG, 150 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	1	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	1	PA NSO; NM; NDS
ZYTIGA ORAL TABLET 250 MG, 500 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG	1	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	1	ST; NM; NDS; QL (60 per 30 days)
BANZEL ORAL TABLET 200 MG, 400 MG	1	ST; NM; NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	1	ST; QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	1	ST; NM; NDS; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	1	ST; NM; NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	1	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	1	
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	1	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	1	
<i>carbamazepine oral tablet, chewable 100 mg</i>	1	
CELONTIN ORAL CAPSULE 300 MG	1	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	1	PA NSO; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	1	PA NSO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DIACOMIT ORAL CAPSULE 250 MG	1	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	1	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20</i> (Diastat AcuDial) <i>mg, 5-7.5-10 mg</i>	1	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	1	
<i>divalproex oral capsule, delayed rel</i> (Depakote Sprinkles) <i>sprinkle 125 mg</i>	1	
<i>divalproex oral tablet extended</i> (Depakote ER) <i>release 24 hr 250 mg, 500 mg</i>	1	
<i>divalproex oral tablet, delayed</i> (Depakote) <i>release (drlec) 125 mg, 250 mg, 500</i> <i>mg</i>	1	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	1	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i>	1	
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	1	
<i>ethosuximide oral solution 250 mg/5</i> (Zarontin) <i>ml</i>	1	
<i>felbamate oral suspension 600 mg/5</i> (Felbatol) <i>ml</i>	1	
<i>felbamate oral tablet 400 mg, 600</i> (Felbatol) <i>mg</i>	1	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	1	PA NSO; NM; NDS
<i>fosphenytoin injection solution 100</i> (Cerebyx) <i>mg per 2 ml, 500 mg per 10 ml</i>	1	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	1	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	1	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	1	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	1	ST; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	1	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	1	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	1	QL (120 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	1	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	1	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	1	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	1	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	1	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	1	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	1	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	1	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	1	ST
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG	1	ST; NM; NDS
PEGANONE ORAL TABLET 250 MG	1	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	1	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	1	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	1	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> (Lyrica)	1	QL (90 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	1	QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	1	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	1	ST; NM; NDS
<i>rufinamide oral tablet 200 mg, 400 mg</i> (Banzel)	1	ST; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	1	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	1	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	1	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	1	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	1	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	1	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	1	
<i>valproic acid oral capsule 250 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	1	
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	1	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	1	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i>	1	PA NSO; NM; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	1	QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML	1	QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	1	QL (60 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 250MG/DAY(150 MG X1- 100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	1	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	1	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	1	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	1	ST
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	
<i>zonisamide oral capsule 50 mg</i>	1	
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ergoloid oral tablet 1 mg</i>	1	
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	1	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	1	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	1	QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	1	QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	1	QL (360 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	1	QL (60 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	1	ST
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	1	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	1	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	1	QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	1	
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	1	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	1	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	1	
<i>citalopram oral solution 10 mg/5 ml</i>	1	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	1	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	1	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	1	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	
<i>doxepin oral concentrate 10 mg/ml</i>	1	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	1	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	1	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	1	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	1	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	1	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	1	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	1	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	1	
<b>MARPLAN ORAL TABLET 10 MG</b>	1	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	1	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	1	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	1	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	1	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	PA NSO-HRM; AGE (Max 64 Years)
<b>PAXIL ORAL SUSPENSION 10 MG/5 ML</b>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	1	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	1	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	1	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	1	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
<b>SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)</b>	1	PA NSO; NM; NDS
<i>tranlycypromine oral tablet 10 mg</i> (Parnate)	1	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	1	
<b>TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG</b>	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>venlafaxine oral capsule,extended release 24hr 150 mg</i> (Effexor XR)	1	QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	1	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	1	QL (30 per 30 days)
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)	1	
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	1	NM; NDS
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	1	QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	1	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	1	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	1	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	1	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	1	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	1	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	1	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	1	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	1	ST; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KORLYM ORAL TABLET 300 MG	1	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral solution 500 mg/5 ml (Riomet)</i>	1	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	QL (60 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML)	1	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg (Actos)</i>	1	QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	1	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	1	QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	1	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	1	PA; NM; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	1	PA; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	1	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	1	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	1	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	1	ST; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	1	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	1	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10- 1,000 MG, 10-500 MG	1	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5- 1,000 MG, 5-1,000 MG, 5-500 MG	1	QL (60 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	1	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	1	QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30)	1	QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	1	QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	1	QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	1	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70- 30)	1	QL (40 per 28 days)
NOVOLOG MIX 70- 30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	1	QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	1	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	1	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	1	QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	1	QL (15 per 28 days)
<b>Sulfonylureas</b>		
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	1	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	1	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i> (Glucotrol)	1	QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	1	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	1	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	1	PA-HRM; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<b>Antifungals</b>		
<b>Antifungals</b>		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	1	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	1	PA BvD; NM; NDS
<i>amphotericin b injection recon soln 50 mg</i>	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>caspofungin intravenous recon soln</i> (Cancidas) 50 mg, 70 mg	1	NM; NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	1	QL (180 per 30 days)
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	1	QL (19.8 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	1	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	1	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	1	QL (90 per 30 days)
<i>econazole topical cream 1 %</i>	1	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	1	PA BvD
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	1	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan)	1	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	1	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	1	
<i>griseofulvin microsize oral tablet 500 mg</i>	1	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	1	
<i>ketoconazole oral tablet 200 mg</i>	1	
<i>ketoconazole topical cream 2 %</i>	1	QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	1	QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	1	
<b>NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)</b>	1	NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	1	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	1	QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	1	
<i>nystatin topical cream 100,000 unit/gram</i>	1	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	1	QL (60 per 30 days)
<i>nystop topical powder 100,000 unit/gram</i>	1	QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (drlec) 100 mg</i> (Noxafil)	1	NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	1	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	1	NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	1	
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i>	1	
<i>colchicine oral tablet 0.6 mg</i> (Colcris)	1	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	1	ST; QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG	1	QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	1	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	1	
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	1	PA-HRM; AGE (Max 64 Years)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	1	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	1	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen)	1	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	1	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	1	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	PA-HRM; AGE (Max 64 Years)
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	1	
<i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal)	1	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	1	
<i>terconazole vaginal suppository 80 mg</i>	1	
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	1	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	1	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	1	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i> (D.H.E.45)	1	NM; NDS; QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	1	NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	1	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	1	PA; QL (2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	1	PA; QL (3 per 30 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	1	NM; NDS; QL (20 per 28 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	1	PA; QL (18 per 30 days)
REYVOW ORAL TABLET 100 MG, 50 MG	1	PA; QL (8 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	1	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	1	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	1	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	1	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/lactuation</i> (Imitrex)	1	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/lactuation</i> (Imitrex)	1	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	1	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	1	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	1	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	1	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	1	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	1	QL (4 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	1	PA; QL (16 per 30 days)
VYEPTI INTRAVENOUS SOLUTION 100 MG/ML	1	PA; QL (1 per 30 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
CAPASTAT INJECTION RECON SOLN 1 GRAM	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dapsone oral tablet 100 mg, 25 mg</i>	1	
<i>ethambutol oral tablet 100 mg</i>	1	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	1	
<i>isoniazid oral solution 50 mg/5 ml</i>	1	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PRETOMANID ORAL TABLET 200 MG	1	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	1	
<i>pyrazinamide oral tablet 500 mg</i>	1	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	1	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	1	
<i>rifampin oral capsule 150 mg, 300 mg</i>	1	
SIRTURO ORAL TABLET 100 MG, 20 MG	1	PA; NM; NDS
TRECTOR ORAL TABLET 250 MG	1	
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	1	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	1	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	1	PA BvD
<i>aprepitant oral capsule 125 mg</i>	1	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	1	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	1	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	1	PA BvD; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	1	QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dimenhydrinate injection solution 50 mg/ml</i>	1	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	1	PA; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>	1	
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	1	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant))	1	QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	1	
<i>granisetron hcl intravenous solution 1 mg/ml</i>	1	
<i>granisetron hcl oral tablet 1 mg</i>	1	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	1	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	1	
<i>ondansetron hcl oral tablet 24 mg, 8 mg</i>	1	PA BvD
<i>ondansetron hcl oral tablet 4 mg</i> (Zofran)	1	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	1	PA BvD
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	1	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	1	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> (Phenergan)	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 12.5 mg, 50 mg</i> (Promethegan)	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 25 mg</i> (Phenadoz)	1	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	1	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
<i>albendazole oral tablet 200 mg</i> (Albenza)	1	NM; NDS
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	1	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Meproon)	1	NM; NDS
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	1	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	1	
<i>chloroquine phosphate oral tablet 250 mg</i>	1	QL (50 per 30 days)
<i>chloroquine phosphate oral tablet 500 mg</i>	1	QL (25 per 30 days)
COARTEM ORAL TABLET 20-120 MG	1	
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	1	QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	1	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	1	
KRINTAFEL ORAL TABLET 150 MG	1	
<i>mefloquine oral tablet 250 mg</i>	1	
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	1	NM; NDS
<i>paromomycin oral capsule 250 mg</i> (Humatin)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	1	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	1	
PRIMAQUINE ORAL TABLET 26.3 MG	1	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	1	PA; NM; NDS
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	1	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	1	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine injection solution 1 mg/ml</i> (Cogentin)	1	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	1	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	1	
<i>cabergoline oral tablet 0.5 mg</i>	1	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg</i> (Sinemet)	1	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	1	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	1	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	1	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	1	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	1	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	1	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	1	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	1	
<i>entacapone oral tablet 200 mg</i> (Comtan)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG	1	PA; NM; NDS; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 68.5 MG	1	PA; NM; NDS; QL (30 per 30 days)
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	1	PA; NM; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	1	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	1	PA; NM; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	1	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	1	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	1	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, (Mirapex) 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg (Azilect)</i>	1	
<i>ropinirole oral tablet 0.25 mg, 3 mg, (Requip) 5 mg</i>	1	
<i>ropinirole oral tablet 0.5 mg, 1 mg, 2 mg, 4 mg</i>	1	
<i>selegiline hcl oral capsule 5 mg</i>	1	
<i>selegiline hcl oral tablet 5 mg</i>	1	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XADAGO ORAL TABLET 100 MG, 50 MG	1	PA; NM; NDS; QL (30 per 30 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	1	NM; NDS; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	1	NM; NDS; QL (1 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	1	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	1	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	1	QL (60 per 30 days)
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	1	ST; NM; NDS; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	1	ST; NM; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	1	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	1	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	1	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	1	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	1	NM; NDS; QL (3.2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg	1	ST; QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 42 MG	1	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution</i> 25 mg/ml	1	
<i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	1	
<i>clozapine oral tablet</i> 100 mg (Clozaril)	1	QL (270 per 30 days)
<i>clozapine oral tablet</i> 200 mg (Clozaril)	1	QL (135 per 30 days)
<i>clozapine oral tablet</i> 25 mg, 50 mg (Clozaril)	1	QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating</i> 100 mg, 12.5 mg, 25 mg	1	ST; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating</i> 150 mg	1	ST; QL (180 per 30 days)
<i>clozapine oral tablet, disintegrating</i> 200 mg	1	ST; NM; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG	1	ST; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG	1	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS, DOSE PACK 1MG(2)-2MG(2)-4MG(2)-6MG(2)	1	ST
<i>fluphenazine decanoate injection solution</i> 25 mg/ml	1	
<i>fluphenazine hcl injection solution</i> 2.5 mg/ml	1	
<i>fluphenazine hcl oral concentrate</i> 5 mg/ml	1	
<i>fluphenazine hcl oral elixir</i> 2.5 mg/5 ml	1	
<i>fluphenazine hcl oral tablet</i> 1 mg, 10 mg, 2.5 mg, 5 mg	1	
<i>haloperidol decanoate intramuscular solution</i> 100 mg/ml (Haldol Decanoate)	1	
<i>haloperidol decanoate intramuscular solution</i> 100 mg/ml (1 ml)	1	
<i>haloperidol decanoate intramuscular solution</i> 50 mg/ml (Haldol Decanoate)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>haloperidol decanoate intramuscular solution 50 mg/ml(1ml)</i>	1	
<i>haloperidol lactate injection solution (Haldol) 5 mg/ml</i>	1	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	1	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	1	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	1	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	1	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	1	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	1	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	1	NM; NDS; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	1	NM; NDS; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	1	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	1	NM; NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	1	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	
<i>molindone oral tablet 10 mg</i>	1	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	1	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	1	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	1	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg (Zyprexa)</i>	1	QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg (Invega)</i>	1	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg (Invega)</i>	1	QL (60 per 30 days)
<i>paliperidone oral tablet extended release 24hr 9 mg (Invega)</i>	1	NM; NDS; QL (30 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	1	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	1	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	1	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg (Seroquel)</i>	1	QL (90 per 30 days)
REXULTI ORAL TABLET 0.25 MG	1	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	1	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	1	ST; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	1	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	1	NM; NDS; QL (4 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	1	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	1	QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg,</i> (Risperdal) <i>2 mg, 3 mg, 4 mg</i>	1	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating</i> <i>0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	1	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating</i> <i>3 mg, 4 mg</i>	1	QL (120 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	1	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100</i> <i>mg, 25 mg, 50 mg</i>	1	
<i>thiothixene oral capsule 1 mg, 10</i> <i>mg, 2 mg, 5 mg</i>	1	
<i>trifluoperazine oral tablet 1 mg, 10</i> <i>mg, 2 mg, 5 mg</i>	1	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	1	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	1	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	1	ST
<i>ziprasidone hcl oral capsule 20 mg,</i> (Geodon) <i>40 mg, 60 mg, 80 mg</i>	1	QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular</i> (Geodon) <i>recon soln 20 mg/ml (final conc.)</i>	1	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	1	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	1	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	1	NM; NDS; QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	1	
<i>abacavir oral tablet 300 mg</i> (Ziagen)	1	
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	1	
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	1	NM; NDS
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	1	NM; NDS
APTIVUS ORAL CAPSULE 250 MG	1	NM; NDS
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> (Reyataz)	1	
BIKTARVY ORAL TABLET 50- 200-25 MG	1	NM; NDS
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	1	NM; NDS
CIMDUO ORAL TABLET 300- 300 MG	1	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	1	NM; NDS
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	1	
DELSTRIGO ORAL TABLET 100-300-300 MG	1	NM; NDS
DESCOVY ORAL TABLET 200- 25 MG	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>didanosine oral capsule, delayed release (drlec) 125 mg, 200 mg, 250 mg, 400 mg</i>	1	
DOVATO ORAL TABLET 50-300 MG	1	NM; NDS
EDURANT ORAL TABLET 25 MG	1	NM; NDS
<i>efavirenz oral capsule 200 mg</i> (Sustiva)	1	NM; NDS
<i>efavirenz oral capsule 50 mg</i> (Sustiva)	1	
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	1	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	1	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	1	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	1	NM; NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	1	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> (Truvada)	1	NM; NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	1	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	1	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelece)	1	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	1	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	1	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	1	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	1	NM; NDS
INTELECE ORAL TABLET 100 MG, 200 MG	1	NM; NDS
INTELECE ORAL TABLET 25 MG	1	
INVIRASE ORAL TABLET 500 MG	1	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ISENTRESS ORAL POWDER IN PACKET 100 MG	1	
ISENTRESS ORAL TABLET 400 MG	1	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	1	
JULUCA ORAL TABLET 50-25 MG	1	NM; NDS
KALETRA ORAL TABLET 100-25 MG	1	QL (300 per 30 days)
KALETRA ORAL TABLET 200-50 MG	1	NM; NDS; QL (120 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	1	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	1	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	1	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	1	
LEXIVA ORAL SUSPENSION 50 MG/ML	1	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	1	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	1	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	1	NM; NDS; QL (120 per 30 days)
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	1	
<i>nevirapine oral tablet 200 mg</i>	1	
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	1	
<i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Viramune XR)	1	
NORVIR ORAL POWDER IN PACKET 100 MG	1	
NORVIR ORAL SOLUTION 80 MG/ML	1	
ODEFSEY ORAL TABLET 200-25-25 MG	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PIFELTRO ORAL TABLET 100 MG	1	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	1	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	1	NM; NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	1	NM; NDS
PREZISTA ORAL TABLET 75 MG	1	
RESCRIPTOR ORAL TABLET 200 MG	1	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	1	
REYATAZ ORAL POWDER IN PACKET 50 MG	1	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	1	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	1	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	1	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	1	NM; NDS
SELZENTRY ORAL TABLET 25 MG	1	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	1	
STRIBILD ORAL TABLET 150-150-200-300 MG	1	NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	1	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	1	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	1	
TIVICAY ORAL TABLET 10 MG	1	
TIVICAY ORAL TABLET 25 MG, 50 MG	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	1	
TRIUMEQ ORAL TABLET 600-50-300 MG	1	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	1	NM; NDS
VEMLIDY ORAL TABLET 25 MG	1	NM; NDS; QL (30 per 30 days)
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	1	
VIRACEPT ORAL TABLET 250 MG, 625 MG	1	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	1	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	1	NM; NDS
VOCABRIA ORAL TABLET 30 MG	1	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	1	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	1	
<i>zidovudine oral tablet 300 mg</i>	1	
<b>Antivirals, Miscellaneous</b>		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	1	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	1	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	1	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	1	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	1	QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	1	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	1	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	1	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	1	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	1	PA; NM; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	1	QL (4 per 180 days)
<b>Hcv Antivirals</b>		
EPCLUSA ORAL TABLET 200-50 MG, 400-100 MG	1	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	1	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	1	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG, 90-400 MG	1	PA; NM; NDS; QL (28 per 28 days)
<i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i> (Harvoni)	1	PA; NM; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	1	PA; NM; NDS; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i> (Epclusa)	1	PA; NM; NDS; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 150 MG	1	PA; NM; NDS; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 200 MG	1	PA; NM; NDS; QL (56 per 28 days)
SOVALDI ORAL TABLET 200 MG, 400 MG	1	PA; NM; NDS; QL (28 per 28 days)
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	1	PA; NM; NDS
VOSEVI ORAL TABLET 400-100-100 MG	1	PA; NM; NDS; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	1	PA; NM; NDS; QL (30 per 30 days)
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	1	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	1	PA NSO; NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	1	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	1	NM; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	1	NM; NDS
<b>Nucleosides And Nucleotides</b>		
<i>acyclovir oral capsule 200 mg</i>	1	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	1	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	1	
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	1	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	1	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	1	NM; NDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	1	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	1	
<i>ganciclovir sodium intravenous recon soln 500 mg</i> (Cytovene)	1	PA BvD; NM; NDS
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	1	PA BvD; NM; NDS
<i>ribasphere oral capsule 200 mg</i>	1	
<i>ribasphere oral tablet 600 mg</i>	1	NM; NDS
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	1	PA BvD; NM; NDS
<i>ribavirin oral capsule 200 mg</i>	1	
<i>ribavirin oral tablet 200 mg</i>	1	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	1	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	1	
VEKLURY INTRAVENOUS RECON SOLN 100 MG	1	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Blood Products/Modifiers/Volume Expanders</b>		
<b>Anticoagulants</b>		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	1	QL (43 per 42 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	1	
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	1	QL (60 per 30 days)
<i>enoxaparin subcutaneous solution</i> (Lovenox) 300 mg/3 ml	1	QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 100 mg/ml, 150 mg/ml	1	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 120 mg/0.8 ml, 80 mg/0.8 ml	1	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30</i> (Lovenox) <i>mg/0.3 ml</i>	1	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40</i> (Lovenox) <i>mg/0.4 ml</i>	1	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60</i> (Lovenox) <i>mg/0.6 ml</i>	1	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 <i>mg/0.6 ml</i>	1	NM; NDS
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 2.5 mg/0.5 ml	1	
<i>heparin (porcine) injection cartridge</i> 5,000 unit/ml (1 ml)	1	
<i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	1	
<i>heparin (porcine) injection syringe</i> 5,000 unit/ml	1	
<i>heparin, porcine (pf) injection</i> <i>solution 1,000 unit/ml</i>	1	
<i>heparin, porcine (pf) injection</i> <i>syringe 5,000 unit/0.5 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	1	ST; QL (60 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	1	
XARELTO ORAL TABLET 10 MG, 20 MG	1	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	1	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	1	PA; NM; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	1	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	1	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	1	PA; NM; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	1	PA; NM; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	1	PA; NM; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	1	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	1	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	1	PA; NM; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	1	NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MUPLETA ORAL TABLET 3 MG	1	PA; NM; NDS; QL (7 per 7 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	1	PA; NM; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	1	PA; NM; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	1	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	1	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	1	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	1	PA; NM; NDS
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	1	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	1	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	1	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	1	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	1	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	1	PA; NM; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	1	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	1	PA; QL (6 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	1	NM; NDS
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	1	PA; NM; NDS
<b>Hematologic Agents, Miscellaneous</b>		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	1	PA; NM; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	1	
<i>anagrelide oral capsule 1 mg</i>	1	
CABLIVI INJECTION KIT 11 MG	1	PA; NM; NDS; QL (30 per 30 days)
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	1	PA; NM; NDS
<i>protamine intravenous solution 10 mg/ml</i>	1	
SIKLOS ORAL TABLET 1,000 MG, 100 MG	1	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	1	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution</i> (Cyklokapron) <i>1,000 mg/10 ml (100 mg/ml)</i>	1	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	1	QL (30 per 30 days)
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	1	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	1	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	1	QL (30 per 30 days)
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	1	PA BvD
AMINOSYN 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	1	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	1	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	1	PA BvD
AMINOSYN II 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	1	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	1	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
AMINOSYN-PF 7 % (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	1	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD
CLINIMIX 5%/D25W SULFITE- FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX 4.25%-D25W SULF- FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD
CLINIMIX 6%-D5W (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	1	PA BvD
CLINIMIX 8%-D10W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	1	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	1	PA BvD
CLINIMIX E 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	1	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	1	PA BvD
CLINOLIPID INTRAVENOUS EMULSION 20 %	1	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	1	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	1	
<i>dextrose 5%-water iv soln single use 5 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	1	PA BvD
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	1	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	1	PA BvD
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	1	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	1	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	1	PA BvD
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	1	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	1	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	1	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	1	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	1	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	1	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	1	PA; NM; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	
<i>methyldopa oral tablet 250 mg, 500 mg</i>	1	
<i>methyldopa-hydrochlorothiazide oral tablet 250-15 mg, 250-25 mg</i>	1	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	1	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	1	
<b>Angiotensin II Receptor Antagonists</b>		
EDARBI ORAL TABLET 40 MG, 80 MG	1	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	1	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	1	
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	1	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	1	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	1	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	1	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	1	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	1	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	1	
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	
<i>benazepril oral tablet 5 mg</i>	1	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	1	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	1	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	
<i>lisinopril oral tablet 20 mg</i> (Prinivil)	1	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	1	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	
<b>Antiarrhythmic Agents</b>		
<i>amiodarone oral tablet 200 mg, 400 mg</i> (Pacerone)	1	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	1	PA-HRM; AGE (Max 64 Years)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	1	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2%), 50 mg/5 ml (1%)</i>	1	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	1	
<b>MULTAQ ORAL TABLET 400 MG</b>	1	
<i>pacerone oral tablet 200 mg, 400 mg</i>	1	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	1	
<i>procainamide intravenous syringe 100 mg/ml</i>	1	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	1	
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	1	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	1	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	1	
<b>BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG</b>	1	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
<i>labetalol intravenous solution 5 mg/ml</i>	1	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	1	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i> (Lopressor HCT)	1	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	1	
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	1	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>propranolol intravenous solution 1 mg/ml</i>	1	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	1	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	1	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	1	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	1	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	1	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	1	
<b>Calcium-Channel Blocking Agents</b>		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	1	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	1	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	1	
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadylt ER)	1	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	1	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	1	
<i>diltiazem hcl oral tablet 90 mg</i>	1	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	1	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	1	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	1	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	1	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	1	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg</i> (Verelan)	1	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Cardiovascular Agents, Miscellaneous</b>		
CORLANOR ORAL SOLUTION 5 MG/5 ML	1	
CORLANOR ORAL TABLET 5 MG, 7.5 MG	1	
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	1	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	1	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	1	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	1	
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	1	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	1	QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	
<i>hydralazine injection solution 20 mg/ml</i>	1	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)	1	PA; NM; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	1	NM; NDS
<i>milrinone intravenous solution 1 mg/ml</i>	1	PA BvD; NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i> (Ranexa)	1	
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML	1	QL (4 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	1	PA; NM; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	1	PA; NM; NDS; QL (120 per 30 days)
<b>Dihydropyridines</b>		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amlodipine-benazepril oral capsule</i> (Lotrel) 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg	1	
<i>amlodipine-benazepril oral capsule</i> 2.5-10 mg, 5-40 mg	1	
<i>amlodipine-valsartan oral tablet</i> 10- (Exforge) 160 mg, 10-320 mg, 5-160 mg, 5-320 mg	1	
<i>nicardipine oral capsule</i> 20 mg, 30 mg	1	
<i>nifedipine oral capsule</i> 10 mg, 20 mg	1	
<i>nifedipine oral tablet extended release</i> 24hr 30 mg, 60 mg, 90 mg (Procardia XL)	1	
<i>nifedipine oral tablet extended release</i> 30 mg, 60 mg, 90 mg (Adalat CC)	1	
<b>Diuretics</b>		
<i>amiloride oral tablet</i> 5 mg	1	
<i>amiloride-hydrochlorothiazide oral tablet</i> 5-50 mg	1	
<i>bumetanide injection solution</i> 0.25 mg/ml	1	
<i>bumetanide oral tablet</i> 0.5 mg, 1 mg, 2 mg	1	
<i>chlorothiazide oral tablet</i> 500 mg	1	
<i>chlorothiazide sodium intravenous recon soln</i> 500 mg (Diuril IV)	1	
<i>chlorthalidone oral tablet</i> 25 mg, 50 mg	1	
<i>furosemide injection solution</i> 10 mg/ml	1	
<i>furosemide injection syringe</i> 10 mg/ml	1	
<i>furosemide oral solution</i> 10 mg/ml, 40 mg/5 ml (8 mg/ml)	1	
<i>furosemide oral tablet</i> 20 mg, 40 mg, 80 mg (Lasix)	1	
<i>hydrochlorothiazide oral capsule</i> 12.5 mg	1	
<i>hydrochlorothiazide oral tablet</i> 12.5 mg, 25 mg, 50 mg	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
JYNARQUE ORAL TABLET 15 MG, 30 MG	1	PA; NM; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	1	PA; NM; NDS; QL (56 per 28 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	
<i>toremide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	
<b>Dyslipidemics</b>		
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	1	
<i>cholestyramine light oral powder 4 gram</i>	1	
<i>cholestyramine light packet 4 gram</i>	1	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	1	
<i>colestipol oral packet 5 gram</i> (Colestid)	1	
<i>colestipol oral tablet 1 gram</i> (Colestid)	1	
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	1	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>	1	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	1	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	1	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	1	PA; NM; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	1	PA; NM; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	1	PA; NM; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	1	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	
NEXLETOL ORAL TABLET 180 MG	1	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	1	QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	1	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	1	
<i>niacor oral tablet 500 mg</i>	1	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	1	QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	1	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	1	
<i>prevalite oral powder in packet 4 gram</i>	1	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	1	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	1	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	1	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Zocor)	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>simvastatin oral tablet 5 mg</i>	1	QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	1	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	1	QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	1	
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	1	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	1	
<b>Vasodilators</b>		
BIDIL ORAL TABLET 20-37.5 MG	1	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	1	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	1	
<i>isosorbide dinitrate oral tablet extended release 40 mg</i>	1	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	1	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	1	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Minitran)	1	
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	1	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AUBAGIO ORAL TABLET 14 MG, 7 MG	1	PA; NM; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	1	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	1	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	1	PA; NM; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution</i> (Cafcit) 60 mg/3 ml (20 mg/ml)	1	PA BvD
<i>caffeine citrate oral solution</i> 60 mg/3 ml (20 mg/ml)	1	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	1	PA; NM; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	1	PA; NM; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release</i> 12 hr 10 mg (Ampyra)	1	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet</i> 10 mg, 2.5 mg, 5 mg (Focalin)	1	QL (60 per 30 days)
<i>dextroamphetamine oral tablet</i> 10 mg, 5 mg (Zenzedi)	1	QL (180 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release</i> 24hr 10 mg, 15 mg, 5 mg (Adderall XR)	1	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release</i> 24hr 20 mg, 25 mg, 30 mg (Adderall XR)	1	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet</i> 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg (Adderall)	1	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release (drlec)</i> 120 mg (Tecfidera)	1	PA; NM; NDS; QL (14 per 7 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dimethyl fumarate oral capsule, delayed release(drlec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	1	PA; NM; NDS
<i>dimethyl fumarate oral capsule, delayed release(drlec) 240 mg</i> (Tecfidera)	1	PA; NM; NDS; QL (60 per 30 days)
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	1	PA; NM; NDS; QL (15 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>	1	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	1	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	1	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	1	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	1	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	1	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	1	
INGREZZA INITIATION PACK ORAL CAPSULE, DOSE PACK 40 MG (7)- 80 MG (21)	1	PA NSO; NM; NDS
INGREZZA ORAL CAPSULE 40 MG, 80 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	1	PA; NM; NDS; QL (1.2 per 28 days)
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML	1	PA; NM; NDS; QL (6 per 365 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	1	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	1	
<i>lithium carbonate oral tablet extended release 450 mg</i>	1	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	1	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	1	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	1	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	1	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	1	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	1	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	1	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	1	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER PACK ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	1	PA; NM; NDS
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	1	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	1	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	1	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	1	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	1	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	1	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	1	QL (90 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	1	PA; NM; NDS; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	1	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	1	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	1	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	1	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	1	PA; NM; NDS
PONVORY 14-DAY STARTER PACK ORAL TABLETS,DOSE PACK 2 MG (2) - 10 MG (3)	1	PA; NM; NDS
PONVORY ORAL TABLET 20 MG	1	PA; NM; NDS; QL (30 per 30 days)
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	1	PA; NM; NDS; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	1	PA; NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	1	PA; NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	1	PA; NM; NDS
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	1	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	1	QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	1	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	1	
<i>tetrabenazine oral tablet 12.5 mg,</i> (Xenazine) <i>25 mg</i>	1	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	1	PA; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ZEPOSIA ORAL CAPSULE 0.92 MG	1	PA; NM; NDS; QL (30 per 30 days)
ZEPOSIA STARTER KIT ORAL CAPSULE,DOSE PACK 0.23-0.46-0.92 MG	1	PA; NM; NDS
ZEPOSIA STARTER PACK ORAL CAPSULE,DOSE PACK 0.23 MG (4)- 0.46 MG (3)	1	PA; NM; NDS
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	1	
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	1	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	1	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	1	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	1	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ayuna oral tablet 0.15-0.03 mg</i>	1	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	1	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	1	
<i>camila oral tablet 0.35 mg</i>	1	
<i>caziant (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>	1	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	1	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	1	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>cyred eq oral tablet 0.15-0.03 mg</i>	1	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	1	
<i>desog-e.estradiolle.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (Azurette (28))	1	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Apri)	1	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> (Jasmiel (28))	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> (Syeda)	1	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	1	
<b>ELLA ORAL TABLET 30 MG</b>	1	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	1	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	1	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>enskyce oral tablet 0.15-0.03 mg</i>	1	
<i>errin oral tablet 0.35 mg</i>	1	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i> (Kelnor 1/35 (28))	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> (Kelnor 1-50 (28))	1	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> (EluRyng)	1	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	1	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	1	
<i>heather oral tablet 0.35 mg</i>	1	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	1	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	1	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	1	
<i>jencycla oral tablet 0.35 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>juleber oral tablet 0.15-0.03 mg</i>	1	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>kalliga oral tablet 0.15-0.03 mg</i>	1	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	1	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	1	
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> (LoJaimiess)	1	QL (91 per 84 days)
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (Amethia)	1	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	1	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	1	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> (Afirmelle)	1	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> (Altavera (28))	1	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (Iclevia)	1	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse)	1	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	1	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	1	
<i>lojaimiess oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	1	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	1	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	1	
<i>luteria (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>lyleq oral tablet 0.35 mg</i>	1	
<i>lyza oral tablet 0.35 mg</i>	1	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	1	
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>mili oral tablet 0.25-35 mg-mcg</i>	1	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	1	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	
<i>nikki (28) oral tablet 3-0.02 mg</i>	1	
<i>noreth-ee-fe 1-0.02(24)-75 cap inner 1 mg-20 mcg (24)/75 mg (4)</i> (Merzee)	1	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Camila)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> (Aurovela 1.5/30 (21))	1	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Aurovela 1/20 (21))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (Aurovela 24 Fe)	1	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Aurovela Fe 1.5/30 (28))	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Tri-Lo-Estarylla)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Tri Femynor)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Estarylla)	1	
<i>norlyda oral tablet 0.35 mg</i>	1	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	1	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	1	
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	1	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	1	
<i>philith oral tablet 0.4-35 mg-mcg</i>	1	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg, 1-35 mg-mcg</i>	1	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	1	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	1	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	1	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	1	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	1	
<i>syeda oral tablet 3-0.03 mg</i>	1	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tulana oral tablet 0.35 mg</i>	1	
<i>tyblume oral tablet, chewable 0.1 mg- 20 mcg</i>	1	
<i>velivet triphasic regimen (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>	1	
<i>vestura (28) oral tablet 3-0.02 mg</i>	1	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	1	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>vyfemla (28) oral tablet 0.4-35 mg- mcg</i>	1	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	1	
<i>wera (28) oral tablet 0.5-35 mg- mcg</i>	1	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	1	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	1	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	1	
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	1	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	1	
<b>Dental And Oral Agents</b>		
<b>Dental And Oral Agents</b>		
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse) 1	
<i>denta 5000 plus dental cream 1.1 %</i>	1	
<i>dentagel dental gel 1.1 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluoride (sodium) dental solution</i> (PreviDent) 0.2 %	1	
<i>oralone dental paste</i> 0.1 %	1	
<i>paroex oral rinse mucous membrane mouthwash</i> 0.12 %	1	
<i>periogard mucous membrane mouthwash</i> 0.12 %	1	
<i>pilocarpine hcl oral tablet</i> 5 mg, 7.5 mg (Salagen (pilocarpine))	1	
<i>sf 5000 plus dental cream</i> 1.1 %	1	
<i>sodium fluoride-pot nitrate dental paste</i> 1.1-5 % (Fluoridex Sensitivity Relief)	1	
<i>triamcinolone acetanide dental paste</i> (Oralone) 0.1 %	1	
<b>Dermatological Agents</b>		
<b>Dermatological Agents, Other</b>		
<i>acutane oral capsule</i> 10 mg, 20 mg, 30 mg, 40 mg	1	
<i>acitretin oral capsule</i> 10 mg, 25 mg (Soriatane)	1	
<i>acitretin oral capsule</i> 17.5 mg	1	
<i>acyclovir topical ointment</i> 5 % (Zovirax)	1	QL (30 per 30 days)
<b>ALCOHOL PADS TOPICAL PADS, MEDICATED</b>	1	
<i>ammonium lactate topical cream</i> 12 %	1	
<i>ammonium lactate topical lotion</i> 12 % (Skin Treatment)	1	
<i>calcipotriene scalp solution</i> 0.005 %	1	QL (120 per 30 days)
<i>calcipotriene topical cream</i> 0.005 % (Dovonex)	1	QL (120 per 30 days)
<i>fluorouracil topical cream</i> 0.5 % (Carac)	1	NM; NDS
<i>fluorouracil topical cream</i> 5 % (Efudex)	1	
<i>fluorouracil topical solution</i> 2 %, 5 %	1	
<i>imiquimod topical cream in packet</i> 5 % (Aldara)	1	QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd- filled, rapid rel</i> 10 mg	1	NM; NDS
<b>PANRETIN TOPICAL GEL</b> 0.1 %	1	NM; NDS
<b>PICATO TOPICAL GEL</b> 0.015 %	1	QL (3 per 56 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PICATO TOPICAL GEL 0.05 %	1	QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	1	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	1	QL (180 per 30 days)
TOLAK TOPICAL CREAM 4 %	1	
VALCHLOR TOPICAL GEL 0.016 %	1	NM; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	
<b>Dermatological Antibacterials</b>		
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	1	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	1	
<i>ery pads topical swab 2 %</i>	1	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	1	QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>	1	QL (180 per 30 days)
<i>gentamicin topical cream 0.1 %</i>	1	QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	1	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	1	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	1	
<i>metronidazole topical gel 1 %</i> (Metrogel)	1	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	1	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	1	
NEOSPORIN GU IRRIGANT IRRIGATION SOLUTION 40 MG-200,000 UNIT/ML	1	
<i>rosadan topical cream 0.75 %</i>	1	
<i>selenium sulfide topical lotion 2.5 %</i>	1	
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	1	
<i>ssd topical cream 1 %</i>	1	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	1	
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>alclometasone topical cream 0.05 %</i>	1	
<i>alclometasone topical ointment 0.05 %</i>	1	
<i>betamethasone dipropionate topical cream 0.05 %</i>	1	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	1	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	1	
<i>betamethasone valerate topical cream 0.1 %</i>	1	
<i>betamethasone valerate topical lotion 0.1 %</i>	1	
<i>betamethasone valerate topical ointment 0.1 %</i>	1	
<i>betamethasone, augmented topical cream 0.05 %</i>	1	
<i>betamethasone, augmented topical gel 0.05 %</i>	1	
<i>betamethasone, augmented topical lotion 0.05 %</i>	1	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	1	
<i>clobetasol scalp solution 0.05 %</i>	1	
<i>clobetasol topical cream 0.05 %</i> (Temovate)	1	
<i>clobetasol-emollient topical cream 0.05 %</i>	1	
<i>cormax scalp solution 0.05 %</i>	1	
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	1	QL (120 per 30 days)
<b>EUCRISA TOPICAL OINTMENT 2 %</b>	1	
<i>fluocinolone topical cream 0.01 %</i>	1	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	1	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	1	
<i>fluocinonide topical cream 0.05 %</i>	1	
<i>fluocinonide topical solution 0.05 %</i>	1	
<i>fluocinonide-e topical cream 0.05 %</i>	1	
<i>fluticasone propionate topical cream 0.05 %</i> (Cutivate)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluticasone propionate topical ointment 0.005 %</i>	1	
<i>halobetasol propionate topical cream 0.05 %</i>	1	
<i>halobetasol propionate topical ointment 0.05 %</i>	1	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	
<i>hydrocortisone topical cream 2.5 %</i>	1	
<i>hydrocortisone topical lotion 2.5 %</i>	1	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>mometasone topical cream 0.1 %</i>	1	
<i>mometasone topical ointment 0.1 %</i>	1	
<i>mometasone topical solution 0.1 %</i>	1	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	1	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	1	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	1	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	1	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	1	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	1	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	1	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	1	
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	1	
<b>Dermatological Retinoids</b>		
<i>adapalene topical cream 0.1 %</i> (Differin)	1	
<i>adapalene topical gel 0.1 %</i> (Differin)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALTRENO TOPICAL LOTION 0.05 %	1	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	1	
TAZORAC TOPICAL CREAM 0.05 %	1	
<i>tretinoin topical cream 0.025 %</i> (Avita)	1	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	1	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	1	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	1	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	1	PA
<b>Scabicides And Pediculicides</b>		
<i>malathion topical lotion 0.5 %</i> (Ovide)	1	
<i>permethrin topical cream 5 %</i> (Elimite)	1	
<b>Devices</b>		
<b>Devices</b>		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	1	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	1	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	1	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	1	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	1	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	
INSULIN SYRINGE-NEEDLE (Ultilet Insulin Syringe) U-100 SYRINGE 0.3 ML 29 GAUGE	1	
INSULIN SYRINGE-NEEDLE (Advocate Syringes) U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	1	
INSULIN SYRINGE-NEEDLE (Lite Touch Insulin Syringe) U-100 SYRINGE 1/2 ML 28 GAUGE	1	
OMNIPOD DASH 5 PACK POD	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips)	1	
SM STERILE PADS 2" X 2" 2"X2", STERILE 2 X 2 "	1	
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	1	NM; NDS
CERDELGA ORAL CAPSULE 84 MG	1	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	1	NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	1	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	1	NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	1	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	1	PA; NM; NDS
GALAFOLD ORAL CAPSULE 123 MG	1	PA; NM; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	1	PA; NM; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	1	PA BvD; NM; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	1	PA; NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	1	PA; NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	1	NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	1	PA; NM; NDS
ORFADIN ORAL CAPSULE 20 MG	1	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	1	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	1	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	1	PA BvD; NM; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	1	PA; NM; NDS
<i>sapropterin oral tablet, soluble 100</i> (Kuvan) <i>mg</i>	1	NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	1	PA; NM; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	1	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	1	NM; NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	1	
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
<i>apraclonidine ophthalmic (eye)</i> <i>drops 0.5 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	1	
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	1	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	1	
<b>CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %</b>	1	NM; NDS
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	1	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	1	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	1	QL (15 per 10 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)	1	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Eye Allergy Itch Relief)	1	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	1	
<b>TEPEZZA INTRAVENOUS RECON SOLN 500 MG</b>	1	PA; NM; NDS
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>		
<i>acetic acid otic (ear) solution 2 %</i>	1	
<i>acetic acid-aluminum acetate otic (ear) drops 2 %</i>	1	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	1	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	1	
<b>BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.6 %</b>	1	ST
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan)	1	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> (Ciprodex)	1	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	1	QL (3.5 per 4 days)
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	1	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	1	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	1	
<b>NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %</b>	1	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	1	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	1	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	1	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	1	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	1	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	1	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	1	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	1	
<i>ofloxacin ophthalmic (eye) drops (Ocuflox) 0.3 %</i>	1	
<i>ofloxacin otic (ear) drops 0.3 %</i>	1	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	1	
<i>polymyxin b sulf-trimethoprim (Polytrim) ophthalmic (eye) drops 10,000 unit-1 mg/ml</i>	1	
<i>sulfacetamide sodium ophthalmic (Bleph-10) (eye) drops 10 %</i>	1	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	1	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	1	
<i>tobramycin ophthalmic (eye) drops (Tobrex) 0.3 %</i>	1	
<i>tobramycin-dexamethasone (TobraDex) ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	1	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	1	
<b>ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %</b>	1	
<b>ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %</b>	1	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
<b>ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %</b>	1	ST
<b>BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %</b>	1	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	1	
<b>DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %</b>	1	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	1	QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	1	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	QL (16 per 30 days)
<b>ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %</b>	1	
<b>INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %</b>	1	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	1	QL (10 per 25 days)
<b>LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %</b>	1	
<b>LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %</b>	1	
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	1	
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Nasonex)	1	QL (34 per 28 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	1	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	1	
<b>PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %</b>	1	
<b>RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %</b>	1	QL (60 per 30 days)
<b>XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION</b>	1	ST; QL (32 per 30 days)
<b>XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %</b>	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Gastrointestinal Agents</b>		
<b>Antiulcer Agents And Acid Suppressants</b>		
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	1	
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	1	
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	1	
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	1	
<i>famotidine intravenous solution 10 mg/ml</i>	1	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule, delayed release(drlec) 15 mg</i> (Prevacid)	1	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(drlec) 30 mg</i> (Prevacid)	1	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	1	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	1	
<i>omeprazole oral capsule, delayed release(drlec) 10 mg, 20 mg, 40 mg</i>	1	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid)	1	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	1	
<i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i> (Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i> (Protonix)	1	QL (60 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	1	
<b>Gastrointestinal Agents, Other</b>		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	1	NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>	1	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	1	
<i>dicyclomine oral capsule 10 mg</i>	1	
<i>dicyclomine oral solution 10 mg/5 ml</i>	1	
<i>dicyclomine oral tablet 20 mg</i>	1	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	1	PA-HRM; AGE (Max 64 Years)
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	1	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml</i>	1	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	1	PA; NM; NDS
<i>generlac oral solution 10 gram/15 ml</i>	1	
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	1	
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	1	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	1	
<i>kionex oral powder</i>	1	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	1	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	1	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	1	QL (90 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	1	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	1	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	1	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	1	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	1	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	1	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	1	PA; NM; NDS
RELISTOR ORAL TABLET 150 MG	1	PA; NM; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	1	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	1	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	1	PA; NM; NDS; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	1	NM; NDS
<i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i>	1	
<i>sodium polystyrene sulfonate oral powder</i>	1	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	1	
<i>ursodiol oral capsule 300 mg</i>	1	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	1	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	1	
VIBERZI ORAL TABLET 100 MG, 75 MG	1	ST; NM; NDS; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	1	PA; NM; NDS; QL (90 per 30 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	1	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	1	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gavilyte-n oral recon soln 420 gram</i>	1	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13- 1.6 GRAM	1	
SUTAB ORAL TABLET 1.479- 0.188- 0.225 GRAM	1	
<i>trilyte with flavor packets oral recon soln 420 gram</i>	1	
<b>Phosphate Binders</b>		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	1	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	1	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	1	
<i>sevelamer carbonate oral powder in (Renvela) packet 0.8 gram, 2.4 gram</i>	1	NM; NDS
<i>sevelamer carbonate oral tablet 800 (Renvela) mg</i>	1	
<i>sevelamer hcl oral tablet 400 mg</i>	1	
<i>sevelamer hcl oral tablet 800 mg (Renagel)</i>	1	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	1	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	1	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	1	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	
<i>oxybutynin chloride oral tablet 5 mg</i>	1	
<i>oxybutynin chloride oral tablet (Ditropan XL) extended release 24hr 10 mg, 5 mg</i>	1	
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	1	
<i>tolterodine oral capsule,extended (Detrol LA) release 24hr 2 mg, 4 mg</i>	1	
<i>tolterodine oral tablet 1 mg, 2 mg (Detrol)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	1	
<i>trosipium oral tablet 20 mg</i>	1	
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	1	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
THIOLA EC ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG, 300 MG	1	PA; NM; NDS
<i>tiopronin oral tablet 100 mg</i> (Thiola)	1	NM; NDS
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
<i>clovique oral capsule 250 mg</i>	1	PA; NM; NDS; QL (240 per 30 days)
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	1	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	1	PA; NM; NDS
<i>deferasirox oral tablet, dispersible 125 mg</i> (Exjade)	1	PA
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> (Exjade)	1	PA; NM; NDS
<i>deferiprone oral tablet 500 mg</i> (Ferriprox)	1	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram</i>	1	PA
<i>deferoxamine injection recon soln 500 mg</i> (Desferal)	1	PA
FERRIPROX ORAL SOLUTION 100 MG/ML	1	PA; NM; NDS
FERRIPROX ORAL TABLET 1,000 MG	1	PA; NM; NDS
<i>penicillamine oral capsule 250 mg</i> (Cuprimine)	1	PA; NM; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	1	PA; NM; NDS
<i>trientine oral capsule 250 mg</i> (Clovique)	1	PA; NM; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>		
<b>Androgens</b>		
ANADROL-50 ORAL TABLET 50 MG	1	PA; NM; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	1	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	1	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	1	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i> (Vogelxo)	1	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i> (AndroGel)	1	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i> (AndroGel)	1	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i>	1	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	1	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	1	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG	1	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	PA-HRM; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	1	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	1	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	1	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvafem)	1	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	1	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Amabelz)	1	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	1	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	1	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	1	PA-HRM; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG	1	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	1	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	1	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	1	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	1	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	1	
<i>yuvafem vaginal tablet 10 mcg</i>	1	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>a-hydrocort injection recon soln 100 mg</i>	1	
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	1	
<i>cortisone oral tablet 25 mg</i>	1	
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	1	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	1	
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	1	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	1	PA; NM; NDS; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	1	PA; NM; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	1	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	1	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	1	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	1	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	1	
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	1	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg</i> (Solu-Medrol)	1	
<i>prednisolone 15 mg/5 ml soln alf, dlf 15 mg/5 ml (3 mg/ml)</i>	1	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	1	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	1	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	1	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	1	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	
<b>SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML</b>	1	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	1	
<b>Pituitary</b>		
<b>BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML</b>	1	NM; NDS
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	1	
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	1	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	1	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	1	
<b>EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG, 2 MG</b>	1	PA; NM; NDS; QL (60 per 30 days)
<b>EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG</b>	1	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	1	PA; NM; NDS
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	1	PA; NM; NDS
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	1	PA; NM; NDS
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	1	PA; NM; NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	1	NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	1	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	1	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	1	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	1	NM; NDS
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	1	QL (30 per 30 days)
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NORDITROPIN FLEXP RO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	1	PA; NM; NDS
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	1	PA; NM; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	1	
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	1	
<i>octreotide acetate injection syringe</i> <i>100 mcg/ml (1 ml), 50 mcg/ml (1</i> <i>ml), 500 mcg/ml (1 ml)</i>	1	
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	1	PA; NM; NDS
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	1	PA
ORGOVYX ORAL TABLET 120 MG	1	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	1	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	1	PA; NM; NDS; QL (56 per 28 days)
SAIZEN CLICK.EASY SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	1	PA; NM; NDS
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	1	PA; NM; NDS
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	1	NM; NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	1	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	1	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	1	PA NSO; NM; NDS; QL (1 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML	1	PA; NM; NDS; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	1	PA; NM; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	1	NM; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	1	NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	1	NM; NDS; QL (1 per 168 days)
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	1	PA; NM; NDS
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	1	PA
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	1	PA; NM; NDS
<b>Progestins</b>		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	1	QL (10 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydroxyprogesterone cap(ppres) intramuscular oil 250 mg/ml</i> (Makena)	1	NM; NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	1	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	1	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	1	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	1	
<i>progesterone intramuscular oil 50 mg/ml</i>	1	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	1	
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	1	
<i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole)	1	
<i>propylthiouracil oral tablet 50 mg</i>	1	
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	1	PA; NM; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	1	PA; NM; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	1	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AVSOLA INTRAVENOUS RECON SOLN 100 MG	1	PA; NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	1	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	1	PA BvD
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	1	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	1	PA; NM; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	1	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	1	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	1	PA; NM; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	1	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	1	PA BvD
<i>cyclosporine modified oral capsule 50 mg</i>	1	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	1	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	1	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	1	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML	1	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	1	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	1	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	1	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	1	PA; NM; NDS
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.25 mg</i>	1	PA BvD
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.5 mg, 0.75 mg</i>	1	PA BvD; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	1	PA BvD; NM; NDS
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	1	PA BvD
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	1	PA; NM; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	1	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	1	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	1	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	1	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i>	1	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	1	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	1	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	1	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	1	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	1	PA; NM; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	1	PA; NM; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	1	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	1	PA; NM; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	1	PA; NM; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	1	PA; NM; NDS
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	1	
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	1	PA BvD; NM; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	1	PA; NM; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	1	PA; NM; NDS
IMOGAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	1	
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	1	PA; NM; NDS
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	1	
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	1	PA; NM; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	1	PA; NM; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	1	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	1	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	1	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	1	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	1	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	1	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	1	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	1	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OLUMIANT ORAL TABLET 1 MG, 2 MG	1	PA; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	1	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	1	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	1	PA; NM; NDS
OTEZLA ORAL TABLET 30 MG	1	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	1	PA; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	1	PA BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	1	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	1	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	1	
REMICADE INTRAVENOUS RECON SOLN 100 MG	1	PA; NM; NDS
RENFLIXIS INTRAVENOUS RECON SOLN 100 MG	1	PA; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	1	NM; NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	1	PA; NM; NDS
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	1	PA; NM; NDS
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	1	PA; NM; NDS
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	1	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	1	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	1	PA BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	1	PA BvD; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	1	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML	1	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	1	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	1	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	1	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	1	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	1	PA BvD
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 80 MG/ML	1	PA; NM; NDS
TALTZ SYRINGE (2 PACK) SUBCUTANEOUS SYRINGE 80 MG/ML	1	PA; NM; NDS
TALTZ SYRINGE (3 PACK) SUBCUTANEOUS SYRINGE 80 MG/ML	1	PA; NM; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	1	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	1	PA; NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	1	PA; NM; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	1	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	1	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	1	PA; NM; NDS
ZORTRESS ORAL TABLET 1 MG	1	PA BvD; NM; NDS
<b>Vaccines</b>		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	1	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	1	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	1	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	1	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	1	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	1	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	1	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	1	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	1	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	1	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML	1	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	1	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	1	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	1	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF- MCG-LF/0.5ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	1	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	1	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	1	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	1	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	1	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	1	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	1	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	1	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	1	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	1	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	1	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	1	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	1	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	1	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	1	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	1	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	1	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	1	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	1	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	1	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	1	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	1	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	1	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	1	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	1	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	1	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	1	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	1	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	1	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	1	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	1	QL (1 per 365 days)
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alose tron oral tablet 0.5 mg</i> (Lotronex)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>alosetron oral tablet 1 mg</i> (Lotronex)	1	NM; NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	1	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i> (Entocort EC)	1	
<i>colocort rectal enema 100 mg/60 ml</i>	1	
<b>DIPENTUM ORAL CAPSULE 250 MG</b>	1	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	1	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	1	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	1	
<i>mesalamine oral tablet, delayed release (drlec) 1.2 gram</i> (Lialda)	1	
<i>mesalamine oral tablet, delayed release (drlec) 800 mg</i> (Asacol HD)	1	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	1	NM; NDS
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	1	
<i>sulfasalazine oral tablet, delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	1	
<b>UCERIS RECTAL FOAM 2 MG/ACTUATION</b>	1	
<b>Irrigating Solutions</b>		
<b>Irrigating Solutions</b>		
<b>LACTATED RINGERS IRRIGATION SOLUTION</b>	1	
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) injection solution 200 unit/ml</i> (Miacalcin)	1	NM; NDS
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/lactuation</i>	1	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	1	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	1	
<i>cinacalcet oral tablet 30 mg</i> (Sensipar)	1	QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i> (Sensipar)	1	NM; NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	1	NM; NDS; QL (120 per 30 days)
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)	1	
EVENITY SUBCUTANEOUS SYRINGE 105 MG/1.17 ML, 210MG/2.34ML ( 105MG/1.17MLX2)	1	PA; NM; NDS; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (620MCG/2.48ML)	1	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	1	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	1	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	1	QL (1 per 28 days)
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	1	NM; NDS
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	1	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	1	
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	1	
<i>paricalcitol oral capsule 4 mcg</i>	1	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	1	ST; QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	1	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	1	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg</i>	1	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	1	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	1	QL (4 per 28 days)
<i>risedronate oral tablet 5 mg</i> (Actonel)	1	QL (30 per 30 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia)	1	QL (4 per 28 days)
<b>TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)</b>	1	PA; QL (1.56 per 30 days)
<b>XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)</b>	1	PA; NM; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	1	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	1	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	1	QL (100 per 300 days)
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
<b>ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML</b>	1	PA; NM; NDS
<b>BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG</b>	1	PA; NM; NDS
<b>BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML</b>	1	PA; NM; NDS; QL (8 per 28 days)
<b>BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML</b>	1	PA; NM; NDS; QL (8 per 28 days)
<b>CYSTADANE ORAL POWDER 1 GRAM/1.7 ML</b>	1	NM; NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	1	
<b>ELMIRON ORAL CAPSULE 100 MG</b>	1	NM; NDS; QL (90 per 30 days)
<b>ENDARI ORAL POWDER IN PACKET 5 GRAM</b>	1	PA; NM; NDS; QL (180 per 30 days)
<b>EVRYSOI ORAL RECON SOLN 0.75 MG/ML</b>	1	PA; NM; NDS
<b>EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML</b>	1	PA; NM; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fomepizole intravenous solution 1 gram/ml</i>	1	NM; NDS
GVOKE HYPOPEN 1PK 0.5 MG/0.1 ML 0.5 MG/0.1 ML	1	
GVOKE HYPOPEN 1-PK 1 MG/0.2 ML 1 MG/0.2 ML	1	
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	1	
GVOKE PFS 1PK 0.5 MG/0.1 ML SYR 0.5 MG/0.1 ML	1	
GVOKE PFS 1-PK 1 MG/0.2 ML SYR 1 MG/0.2 ML	1	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	1	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	1	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)	1	
KEVEYIS ORAL TABLET 50 MG	1	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	1	
<i>leucovorin calcium injection solution 10 mg/ml</i>	1	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	1	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	1	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	1	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	1	NM; NDS
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	1	
MESNEX ORAL TABLET 400 MG	1	NM; NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pyridostigmine bromide oral syrup</i> (Mestinon) 60 mg/5 ml	1	
<i>pyridostigmine bromide oral tablet</i> 30 mg	1	
<i>pyridostigmine bromide oral tablet</i> (Mestinon) 60 mg	1	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	1	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	1	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	1	NM; NDS
TYBOST ORAL TABLET 150 MG	1	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	1	NM; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	1	PA; NM; NDS; QL (120 per 30 days)
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	1	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	1	
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	1	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	1	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dorzolamide ophthalmic (eye) drops</i> (Trusopt) 2 %	1	
<i>dorzolamide-timolol ophthalmic (eye) drops</i> 22.3-6.8 mg/ml (Cosopt)	1	
<i>latanoprost ophthalmic (eye) drops</i> 0.005 % (Xalatan)	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops</i> 0.5 %	1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	1	QL (2.5 per 25 days)
<i>metipranolol ophthalmic (eye) drops</i> 0.3 %	1	
<i>pilocarpine hcl ophthalmic (eye) drops</i> 1 %, 2 %, 4 % (Isopto Carpine)	1	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	1	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	1	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	1	
<i>timolol maleate ophthalmic (eye) drops</i> 0.25 %, 0.5 % (Timoptic)	1	
<i>timolol maleate ophthalmic (eye) gel forming solution</i> 0.25 %, 0.5 % (Timoptic-XE)	1	
<i>travoprost (benzalkonium) ophthalmic (eye) drops</i> 0.004 %	1	QL (2.5 per 25 days)
<i>travoprost ophthalmic (eye) drops</i> 0.004 % (Travatan Z)	1	QL (2.5 per 25 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>calcium chloride intravenous syringe</i> 100 mg/ml (10 %)	1	
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	1	
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	1	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	1	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	1	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	1	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	1	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	1	PA BvD
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	1	PA BvD
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	1	PA BvD
<i>magnesium sulfate injection syringe 4 meq/ml</i>	1	PA BvD
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	1	
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	1	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	1	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	1	
<i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i>	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	1	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	1	
<i>potassium chloride oral tablet extended release 10 meq, 8 meq</i> (K-Tab)	1	
<i>potassium chloride oral tablet, er particles/crystals 10 meq</i> (Klor-Con M10)	1	
<i>potassium chloride oral tablet, er particles/crystals 20 meq</i> (Klor-Con M20)	1	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	1	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	1	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	1	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	1	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	1	
<b>Respiratory Tract Agents</b>		
<b>Anti-Inflammatories, Inhaled</b>		
<b>Corticosteroids</b>		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	1	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115- 21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	1	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	1	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	1	PA BvD
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	1	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	1	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	1	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	1	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	1	QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	1	QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	1	QL (21.2 per 28 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	1	QL (30.6 per 30 days)
<b>Antileukotrienes</b>		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	1	
<b>Bronchodilators</b>		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	1	PA BvD; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcglactuation</i> (ProAir HFA)	1	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcglactuation</i> (nda020503)	1	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcglactuation</i> (nda020983)	1	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i>	1	PA BvD; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	1	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	1	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	1	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	1	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	1	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	1	QL (10.7 per 28 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	1	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	PA BvD; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	1	PA BvD; QL (540 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	1	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	1	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	1	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	1	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	1	QL (4 per 28 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	1	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	1	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	1	NM; NDS
<i>theophylline oral solution 80 mg/15 ml</i>	1	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	1	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	1	QL (60 per 30 days)
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine intravenous solution (Acetadote) 200 mg/ml (20%)</i>	1	
<i>acetylcysteine solution 100 mg/ml (10%), 200 mg/ml (20%)</i>	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	1	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	1	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	1	PA BvD
DALIRESP ORAL TABLET 250 MCG	1	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	1	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	1	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	1	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	1	PA; NM; NDS; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	1	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	1	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	1	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	1	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	1	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	1	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	1	PA; NM; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	1	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	1	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	1	PA; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,L/F,SUV 1,000 MG (+/-)/20 ML	1	PA BvD; NM; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	1	PA BvD; NM; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	1	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	1	PA; NM; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	1	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	1	PA; NM; NDS
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 20 mg</i>	1	
<i>chlorzoxazone oral tablet 250 mg</i>	1	PA-HRM; NM; NDS; AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 500 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg</i>	1	
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	1	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg</i>	1	
<i>tizanidine oral tablet 2 mg</i>	1	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	1	PA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	1	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	1	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	1	PA; NM; NDS; QL (150 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	1	PA; NM; NDS; QL (30 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	1	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	1	PA; NM; LA; NDS; QL (540 per 30 days)
XYWAV ORAL SOLUTION 0.5 GRAM/ML	1	PA; NM; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)
<b>Vasodilating Agents</b>		
<b>Vasodilating Agents</b>		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	1	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	1	PA; NM; NDS; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	1	PA; NM; NDS; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg</i> (Flolan)	1	PA
<i>epoprostenol (glycine) intravenous recon soln 1.5 mg</i> (Flolan)	1	PA; NM; NDS
OPSUMIT ORAL TABLET 10 MG	1	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio)	1	PA; NM; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	1	PA; QL (90 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	1	PA; NM; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	1	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	1	PA; NM; NDS; QL (112 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>treprostinil sodium injection solution</i> (Remodulin) 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml	1	PA; NM; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	1	PA; NM; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	1	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	1	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	1	PA; NM; NDS
<b>Vitamins And Minerals</b>		
<b>Vitamins And Minerals</b>		
SE-NATAL-19 ORAL TABLET 29 MG IRON- 1 MG	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

## INDEX

<i>abacavir</i> .....	59	<i>a-hydrocort</i> .....	114	<i>amethia lo</i> .....	88
<i>abacavir-lamivudine</i> .....	59	AIMOVIG		<i>amiloride</i> .....	80
<i>abacavir-lamivudine-</i>		AUTOINJECTOR.....	47	<i>amiloride-hydrochlorothiazide</i> ..	80
<i>zidovudine</i> .....	59	AJOVY AUTOINJECTOR....	47	AMINOSYN 10 %.....	69
ABELCET.....	44	AJOVY SYRINGE.....	47	AMINOSYN 7 % WITH	
ABILIFY MAINTENA.....	54	AKYNZEO		ELECTROLYTES.....	70
ABRAXANE.....	17	(FOSNETUPITANT).....	49	AMINOSYN 8.5 %.....	70
<i>acamprosate</i> .....	7	AKYNZEO		AMINOSYN 8.5 %-	
<i>acarbose</i> .....	40	(NETUPITANT).....	49	ELECTROLYTES.....	70
<i>accutane</i> .....	96	<i>ala-cort</i> .....	97	AMINOSYN II 10 %.....	70
<i>acebutolol</i> .....	76	<i>albendazole</i> .....	51	AMINOSYN II 15 %.....	70
<i>acetaminophen-codeine</i> .....	3	<i>albuterol sulfate</i> .....	139, 140	AMINOSYN II 7 %.....	70
<i>acetazolamide</i> .....	135	<i>alclometasone</i> .....	98	AMINOSYN II 8.5 %.....	70
<i>acetazolamide sodium</i> .....	135	ALCOHOL PADS.....	96	AMINOSYN II 8.5 %-	
<i>acetic acid</i> .....	103	ALDURAZYME.....	101	ELECTROLYTES.....	70
<i>acetic acid-aluminum acetate</i> ..	103	ALECENSA.....	17	AMINOSYN M 3.5 %.....	70
<i>acetylcysteine</i> .....	141	<i>alendronate</i> .....	131	AMINOSYN-HBC 7%.....	70
<i>acitretin</i> .....	96	<i>alfuzosin</i> .....	111	AMINOSYN-PF 10 %.....	71
ACTEMRA.....	119	ALIMTA.....	17	AMINOSYN-PF 7 %	
ACTEMRA ACTPEN.....	119	ALINIA.....	51	(SULFITE-FREE).....	71
ACTHIB (PF).....	126	ALIQOPA.....	17	AMINOSYN-RF 5.2 %.....	71
ACTIMMUNE.....	133	<i>aliskiren</i> .....	83	<i>amiodarone</i> .....	76
<i>acyclovir</i> .....	65, 96	<i>allopurinol</i> .....	46	AMITIZA.....	107
<i>acyclovir sodium</i> .....	65	<i>alose tron</i> .....	130, 131	<i>amitriptyline</i> .....	37
ADACEL(TDAP		ALPHAGAN P.....	135	<i>amlodipine</i> .....	79
ADOLESN/ADULT)(PF)....	126	<i>alprazolam</i> .....	9	<i>amlodipine-benazepril</i> .....	80
ADAKVEO.....	69	ALREX.....	105	<i>amlodipine-valsartan</i> .....	80
<i>adapalene</i> .....	99	<i>altavera (28)</i> .....	88	<i>ammonium lactate</i> .....	96
ADCETRIS.....	17	ALTRENO.....	100	<i>amoxapine</i> .....	37
<i>adefovir</i> .....	65	ALUNBRIG.....	17	<i>amoxicillin</i> .....	14
ADEMPAS.....	144	<i>alyacen 1/35 (28)</i> .....	88	<i>amoxicillin-pot clavulanate</i> .....	14
<i>adriamycin</i> .....	17	<i>alyacen 7/7/7 (28)</i> .....	88	<i>amphotericin b</i> .....	44
<i>adrucil</i> .....	17	<i>alyq</i> .....	144	<i>ampicillin</i> .....	14
ADVAIR DISKUS.....	138	<i>amabelz</i> .....	112	<i>ampicillin sodium</i> .....	14
ADVAIR HFA.....	138	<i>amantadine hcl</i> .....	52	<i>ampicillin-sulbactam</i> .....	15
AFINITOR.....	17	AMBISOME.....	44	ANADROL-50.....	112
AFINITOR DISPERZ.....	17	<i>ambrisentan</i> .....	144	<i>anagrelide</i> .....	69
<i>afirmelle</i> .....	88	<i>amethia</i> .....	88	<i>anastrozole</i> .....	18

ANORO ELLIPTA.....	140	AVASTIN.....	18	<i>betamethasone dipropionate</i> .....	98
APOKYN.....	52	<i>aviane</i> .....	88	<i>betamethasone valerate</i> .....	98
<i>apraclonidine</i> .....	102	AVONEX.....	84	<i>betamethasone, augmented</i> .....	98
<i>aprepitant</i> .....	49	AVSOLA.....	120	BETASERON.....	84
<i>apri</i> .....	88	<i>ayuna</i> .....	89	<i>betaxolol</i> .....	76
APTIOM.....	32	AYVAKIT.....	18	<i>bethanechol chloride</i> .....	110
APTIVUS.....	59	<i>azacitidine</i> .....	18	BEVYXXA.....	66
APTIVUS (WITH VITAMIN		<i>azathioprine</i> .....	120	<i>bexarotene</i> .....	18
E).....	59	<i>azathioprine sodium</i> .....	120	BEXSERO.....	126
<i>aranelle (28)</i> .....	88	<i>azelastine</i> .....	103	<i>bicalutamide</i> .....	18
ARCALYST.....	119	<i>azithromycin</i> .....	13	BICILLIN L-A.....	15
<i>aripiprazole</i> .....	54	AZOPT.....	135	BIDIL.....	83
ARISTADA.....	54	<i>aztreonam</i> .....	14	BIKTARVY.....	59
ARISTADA INITIO.....	54	<i>azurette (28)</i> .....	89	<i>bisoprolol fumarate</i> .....	76
<i>armodafinil</i> .....	143	<i>bacitracin</i> .....	103	<i>bisoprolol-hydrochlorothiazide</i> ..	77
ARNUITY ELLIPTA.....	138	<i>bacitracin-polymyxin b</i> .....	103	BLENREP.....	18
<i>arsenic trioxide</i> .....	18	<i>baclofen</i> .....	143	<i>bleomycin</i> .....	18
<i>asenapine maleate</i> .....	55	<i>balsalazide</i> .....	131	<i>bleph-10</i> .....	103
<i>ashlyna</i> .....	88	BALVERSA.....	18	BLINCYTO.....	18
ASPARLAS.....	18	<i>balziva (28)</i> .....	89	<i>blisovi 24 fe</i> .....	89
<i>aspirin-dipyridamole</i> .....	69	BANZEL.....	32	<i>blisovi fe 1.5/30 (28)</i> .....	89
ASSURE ID INSULIN		BAVENCIO.....	18	<i>blisovi fe 1/20 (28)</i> .....	89
SAFETY.....	100	BAXDELA.....	15	BOOSTRIX TDAP.....	126, 127
<i>atazanavir</i> .....	59	BCG VACCINE, LIVE (PF)	126	BORTEZOMIB.....	18
<i>atenolol</i> .....	76	BD ULTRA-FINE NANO		BOSULIF.....	19
<i>atenolol-chlorthalidone</i> .....	76	PEN NEEDLE.....	100	BRAFTOVI.....	19
<i>atomoxetine</i> .....	83	BD VEO INSULIN SYR		BREO ELLIPTA.....	139
<i>atorvastatin</i> .....	81	(HALF UNIT).....	100	BREZTRI AEROSPHERE..	140
<i>atovaquone</i> .....	51	BD VEO INSULIN		<i>briellyn</i> .....	89
<i>atovaquone-proguanil</i> .....	51	SYRINGE UF.....	100	BRILINTA.....	69
<i>atropine</i> .....	103	<i>bekyree (28)</i> .....	89	<i>brimonidine</i> .....	135
ATROVENT HFA.....	140	BELEODAQ.....	18	BRIVIACT.....	32
AUBAGIO.....	84	BELSOMRA.....	144	<i>bromocriptine</i> .....	52
<i>aubra eq</i> .....	88	<i>benazepril</i> .....	75	BROMSITE.....	105
<i>aurovela 1.5/30 (21)</i> .....	88	BENDEKA.....	18	BRONCHITOL.....	142
<i>aurovela 1/20 (21)</i> .....	88	BENLYSTA.....	133	BRUKINSA.....	19
<i>aurovela 24 fe</i> .....	88	<i>benztropine</i> .....	52	<i>budesonide</i> .....	131, 139
<i>aurovela fe 1.5/30 (28)</i> .....	88	BESIVANCE.....	103	<i>bumetanide</i> .....	80
<i>aurovela fe 1-20 (28)</i> .....	88	BESPONSA.....	18	<i>buprenorphine hcl</i> .....	3, 8
AUSTEDO.....	84	<i>betamethasone acet,sod phos</i> ..	114	<i>buprenorphine-naloxone</i> .....	8

<i>bupropion hcl</i> .....	37	<i>cefepime</i> .....	12	CINQAIR.....	142
<i>bupropion hcl (smoking deter)</i> ...	8	<i>cefixime</i> .....	12	CINRYZE.....	67
<i>bupirone</i> .....	9	<i>cefotaxime</i> .....	12	CINVANTI.....	49
<i>butalbital-acetaminophen-caff</i> ....	3	<i>cefoxitin</i> .....	12	<i>ciprofloxacin</i> .....	16
<i>butalbital-aspirin-caffeine</i> .....	3	<i>cefpodoxime</i> .....	12	<i>ciprofloxacin hcl</i> .....	15, 104
BYNFEZIA.....	115	<i>cefprozil</i> .....	12	<i>ciprofloxacin in 5 % dextrose</i> ...	15
BYSTOLIC.....	77	<i>ceftazidime</i> .....	12	<i>ciprofloxacin-dexamethasone</i> .	104
CABENUVA.....	59	<i>ceftriaxone</i> .....	12	<i>citalopram</i> .....	37
<i>cabergoline</i> .....	52	<i>cefuroxime axetil</i> .....	12	<i>clarithromycin</i> .....	13
CABLIVI.....	69	<i>cefuroxime sodium</i> .....	13	CLENPIQ.....	109
CABOMETYX.....	19	<i>celecoxib</i> .....	5	<i>clindamycin hcl</i> .....	10
<i>caffeine citrate</i> .....	84	CELONTIN.....	32	CLINDAMYCIN IN 0.9 %	
<i>calcipotriene</i> .....	96	<i>cephalexin</i> .....	13	SOD CHLOR.....	10
<i>calcitonin (salmon)</i> .....	131	CERDELGA.....	101	<i>clindamycin in 5 % dextrose</i> .....	10
<i>calcitriol</i> .....	131, 132	CEREZYME.....	101	CLINDAMYCIN IN 5 %	
<i>calcium acetate (phosphat bind)</i> .....	110	CHANTIX.....	8	DEXTROSE.....	10
<i>calcium chloride</i> .....	136	CHANTIX CONTINUING		<i>clindamycin phosphate</i>	
CALDOLOR.....	5	MONTH BOX.....	8	.....	10, 11, 47, 97
CALQUENCE.....	19	CHANTIX STARTING		CLINIMIX 5%/D15W	
<i>camila</i> .....	89	MONTH BOX.....	8	SULFITE FREE.....	71
CAPASTAT.....	48	<i>chateal eq (28)</i> .....	89	CLINIMIX 5%/D25W	
CAPLYTA.....	55	<i>chloramphenicol sod succinate</i> ..	10	SULFITE-FREE.....	71
CAPRELSA.....	19	<i>chlordiazepoxide hcl</i> .....	9	CLINIMIX 4.25%/D10W	
<i>captopril</i> .....	75	<i>chlorhexidine gluconate</i> .....	95	SULF FREE.....	71
CARBAGLU.....	108	<i>chloroquine phosphate</i> .....	51	CLINIMIX 4.25%/D5W	
<i>carbamazepine</i> .....	32	<i>chlorothiazide</i> .....	80	SULFIT FREE.....	71
<i>carbidopa-levodopa</i> .....	52	<i>chlorothiazide sodium</i> .....	80	CLINIMIX 4.25%-D25W	
<i>carbidopa-levodopa-</i>		<i>chlorpromazine</i> .....	55	SULF-FREE.....	71
<i>entacapone</i> .....	52	<i>chlorthalidone</i> .....	80	CLINIMIX 5%-	
<i>carteolol</i> .....	135	<i>chlorzoxazone</i> .....	143	D20W(SULFITE-FREE).....	71
<i>cartia xt</i> .....	78	<i>cholestyramine (with sugar)</i> ....	81	CLINIMIX 6%-D5W	
<i>carvedilol</i> .....	77	<i>cholestyramine light</i> .....	81	(SULFITE-FREE).....	71
<i>caspofungin</i> .....	45	<i>ciclopirox</i> .....	45	CLINIMIX 8%-	
CAYSTON.....	14	<i>cilostazol</i> .....	69	D10W(SULFITE-FREE).....	71
<i>caziant (28)</i> .....	89	CIMDUO.....	59	CLINIMIX 8%-	
<i>cefaclor</i> .....	12	<i>cimetidine hcl</i> .....	107	D14W(SULFITE-FREE).....	72
<i>cefadroxil</i> .....	12	CIMZIA.....	120	CLINIMIX E 2.75%/D5W	
<i>cefazolin</i> .....	12	CIMZIA POWDER FOR		SULF FREE.....	72
<i>cefdinir</i> .....	12	RECONST.....	120	CLINIMIX E 4.25%/D10W	
		<i>cinacalcet</i> .....	132	SUL FREE.....	72

CLINIMIX E 4.25%/D5W	CORLANOR.....	79	<i>deblitane</i> .....	89
SULF FREE.....	<i>cormax</i> .....	98	<i>decitabine</i> .....	20
CLINIMIX E 5%/D15W	<i>cortisone</i> .....	114	<i>deferasirox</i> .....	111
SULFIT FREE.....	COSENTYX.....	120	<i>deferiprone</i> .....	111
CLINIMIX E 5%/D20W	COSENTYX (2 SYRINGES)		<i>deferoxamine</i> .....	111
SULFIT FREE.....	.....	120	DELSTRIGO.....	59
CLINIMIX E 8%-D10W	COSENTYX PEN (2 PENS)	120	<i>denta 5000 plus</i> .....	95
SULFITEFREE.....	COTELLIC.....	19	<i>dentagel</i> .....	95
CLINIMIX E 8%-D14W	CREON.....	101	DEPO-PROVERA.....	118
SULFITEFREE.....	CRIXIVAN.....	59	DESCOVY.....	59
CLINOLIPID.....	<i>cromolyn</i> .....	103, 108, 142	<i>desipramine</i> .....	38
<i>clobazam</i> .....	<i>cryselle (28)</i> .....	89	<i>desmopressin</i> .....	115
<i>clobetasol</i> .....	<i>cyclafem 1/35 (28)</i> .....	89	<i>desog-e.estradiolle.estradiol</i> ....	89
<i>clobetasol-emollient</i> .....	<i>cyclafem 7/7/7 (28)</i> .....	89	<i>desogestrel-ethinyl estradiol</i> ....	89
<i>clofarabine</i> .....	<i>cyclobenzaprine</i> .....	143	<i>desoximetasone</i> .....	98
<i>clomipramine</i> .....	<i>cyclopentolate</i> .....	103	<i>desvenlafaxine succinate</i> .....	38
<i>clonazepam</i> .....	<i>cyclophosphamide</i> .....	19	<i>dexamethasone</i> .....	114
<i>clonidine</i> .....	CYCLOPHOSPHAMIDE.....	19	<i>dexamethasone sodium phos</i>	
<i>clonidine hcl</i> .....	<i>cyclosporine</i> .....	120	<i>(pf)</i> .....	114
<i>clopidogrel</i> .....	<i>cyclosporine modified</i> .....	120	<i>dexamethasone sodium</i>	
<i>clorazepate dipotassium</i> .....	<i>cyproheptadine</i> .....	46	<i>phosphate</i> .....	105, 114
<i>clotrimazole</i> .....	CYRAMZA.....	19	<i>dexmethylphenidate</i> .....	84
<i>clotrimazole-betamethasone</i> ....	<i>cyred eq</i> .....	89	<i>dextroamphetamine</i> .....	84
<i>clovique</i> .....	CYSTADANE.....	133	<i>dextroamphetamine-</i>	
<i>clozapine</i> .....	CYSTARAN.....	103	<i>amphetamine</i> .....	84
COARTEM.....	<i>dalfampridine</i> .....	84	<i>dextrose 10 % in water (d10w)</i> .72	
<i>codeine sulfate</i> .....	DALIRESP.....	142	<i>dextrose 5 % in water (d5w)</i> ....	72
<i>colchicine</i> .....	<i>danazol</i> .....	112	DIACOMIT.....	33
<i>colesevelam</i> .....	<i>dantrolene</i> .....	143	<i>diazepam</i> .....	9, 33
<i>colestipol</i> .....	DANYELZA.....	20	<i>diazepam intensol</i> .....	9
<i>colistin (colistimethate na)</i> ....	<i>dapsone</i> .....	49	<i>diazoxide</i> .....	133
<i>colocort</i> .....	DAPTACEL (DTAP		<i>diclofenac epolamine</i> .....	5
COMBIGAN.....	PEDIATRIC) (PF).....	127	<i>diclofenac potassium</i> .....	5
COMBIVENT RESPIMAT ..	<i>daptomycin</i> .....	11	<i>diclofenac sodium</i> .....	6, 106
COMETRIQ.....	DARZALEX.....	20	<i>dicloxacillin</i> .....	15
COMPLERA.....	DARZALEX FASPRO.....	20	<i>dicyclomine</i> .....	108
<i>compro</i> .....	<i>dasetta 1/35 (28)</i> .....	89	<i>didanosine</i> .....	60
<i>constulose</i> .....	<i>dasetta 7/7/7 (28)</i> .....	89	DIFICID.....	13
COPAXONE.....	DAURISMO.....	20	<i>digitek</i> .....	79
COPIKTRA.....	<i>daysee</i> .....	89	<i>digox</i> .....	79

<i>digoxin</i> .....	79	DUPIXENT SYRINGE.....	120	ENBREL MINI.....	120
<i>dihydroergotamine</i> .....	47	DUREZOL.....	106	ENBREL SURECLICK.....	121
<i>diltiazem hcl</i> .....	78	<i>dutasteride</i> .....	111	ENDARI.....	133
<i>dilt-xr</i> .....	78	<i>econazole</i> .....	45	<i>endocet</i> .....	3
<i>dimenhydrinate</i> .....	50	EDARBI.....	74	ENGERIX-B (PF).....	127
<i>dimethyl fumarate</i> .....	84, 85	EDARBYCLOR.....	74	ENGERIX-B PEDIATRIC (PF).....	127
DIPENTUM.....	131	EDURANT.....	60	ENHERTU.....	20
<i>diphenhydramine hcl</i> .....	46	<i>efavirenz</i> .....	60	<i>enoxaparin</i> .....	66
<i>diphenoxylate-atropine</i> .....	108	<i>efavirenz-emtricitabin-tenofov</i> ..	60	<i>enpresse</i> .....	90
<i>dipyridamole</i> .....	69	<i>efavirenz-lamivu-tenofov disop</i> ..	60	<i>enskyce</i> .....	90
<i>disopyramide phosphate</i> .....	76	EGRIFTA.....	115	<i>entacapone</i> .....	52
<i>disulfiram</i> .....	8	EGRIFTA SV.....	115	<i>entecavir</i> .....	65
<i>divalproex</i> .....	33	ELAPRASE.....	101	ENTRESTO.....	74
<i>dofetilide</i> .....	76	ELIGARD.....	20	<i>enulose</i> .....	108
<i>donepezil</i> .....	36	ELIGARD (3 MONTH).....	20	EPCLUSA.....	64
DOPTELET (10 TAB PACK).....	67	ELIGARD (4 MONTH).....	20	EPIDIOLEX.....	33
DOPTELET (15 TAB PACK).....	67	ELIGARD (6 MONTH).....	20	<i>epinastine</i> .....	103
DOPTELET (30 TAB PACK).....	67	<i>elinest</i> .....	90	<i>epinephrine</i> .....	79
<i>dorzolamide</i> .....	136	ELIQUIS.....	66	<i>epitol</i> .....	33
<i>dorzolamide-timolol</i> .....	136	ELIQUIS DVT-PE TREAT 30D START.....	66	EPIVIR HBV.....	60
<i>dotti</i> .....	112	ELITEK.....	101	<i>eplerenone</i> .....	83
DOVATO.....	60	ELLA.....	90	<i>epoprostenol (glycine)</i> .....	144
<i>doxazosin</i> .....	74	ELMIRON.....	133	ERBITUX.....	20
<i>doxepin</i> .....	38	<i>eluryng</i> .....	90	<i>ergoloid</i> .....	37
<i>doxercalciferol</i> .....	132	EMCYT.....	20	ERGOMAR.....	48
<i>doxorubicin</i> .....	20	EMEND.....	50	ERIVEDGE.....	21
<i>doxorubicin, peg-liposomal</i> .....	20	EMFLAZA.....	114	ERLEADA.....	21
<i>doxy-100</i> .....	16	EMGALITY PEN.....	47	<i>erlotinib</i> .....	21
<i>doxycycline hyclate</i> .....	16	EMGALITY SYRINGE...47, 48		<i>errin</i> .....	90
<i>doxycycline monohydrate</i> ... 16, 17		<i>emoquette</i> .....	90	<i>ertapenem</i> .....	14
DRIZALMA SPRINKLE.....	38	EMPLICITI.....	20	<i>ery pads</i> .....	97
<i>dronabinol</i> .....	50	EMSAM.....	38	<i>erythromycin</i> .....	13, 104
<i>droperidol</i> .....	50	<i>emtricitabine</i> .....	60	<i>erythromycin ethylsuccinate</i> .....	13
<i>drospirenone-ethinyl estradiol</i> .....	89, 90	<i>emtricitabine-tenofovir (tdf)</i> ...	60	<i>erythromycin with ethanol</i> .....	97
DROXIA.....	20	EMTRIVA.....	60	ESBRIET.....	142
<i>droxidopa</i> .....	74	<i>enalapril maleate</i> .....	75	<i>escitalopram oxalate</i> .....	38
DUAVEE.....	112	<i>enalaprilat</i> .....	75	<i>esomeprazole sodium</i> .....	107
<i>duloxetine</i> .....	38	<i>enalapril-hydrochlorothiazide</i> ... 75		<i>estarylla</i> .....	90
DUPIXENT PEN.....	120	ENBREL.....	121	<i>estradiol</i> .....	113

<i>estradiol valerate</i> .....	113	<i>fentanyl citrate</i> .....	3	<i>fosaprepitant</i> .....	50
<i>estradiol-norethindrone acet</i> ...	113	FERRIPROX.....	111	<i>foscarnet</i> .....	63
<i>eszopiclone</i> .....	144	FETZIMA.....	38	<i>fosinopril</i> .....	75
<i>ethambutol</i> .....	49	FIASP FLEXTOUCH U-100		<i>fosphenytoin</i> .....	33
<i>ethosuximide</i> .....	33	INSULIN.....	42	FOTIVDA.....	21
<i>ethynodiol diac-eth estradiol</i> .....	90	FIASP PENFILL U-100		FREAMINE HBC 6.9 %.....	73
<i>etodolac</i> .....	6	INSULIN.....	42	FREAMINE III 10 %.....	73
<i>etonogestrel-ethinyl estradiol</i> ....	90	FIASP U-100 INSULIN.....	42	FULPHILA.....	67
ETOPOPHOS.....	21	<i>finasteride</i> .....	111	<i>fulvestrant</i> .....	21
<i>etoposide</i> .....	21	FINTEPLA.....	33	<i>furosemide</i> .....	80
<i>etravirine</i> .....	60	FIRVANQ.....	11	FUZEON.....	60
EUCRISA.....	98	FLEBOGAMMA DIF.....	121	<i>fyavolv</i> .....	113
EVENITY.....	132	<i>flecainide</i> .....	76	FYCOMPA.....	33
<i>everolimus</i> ( <i>immunosuppressive</i> ).....	121	FLOVENT DISKUS.....	139	<i>gabapentin</i> .....	34
EVOTAZ.....	60	FLOVENT HFA.....	139	GALAFOLD.....	101
EVRYSDI.....	133	<i>floxuridine</i> .....	21	<i>galantamine</i> .....	37
<i>exemestane</i> .....	21	<i>fluconazole</i> .....	45	GAMASTAN.....	121
EXONDYS-51.....	133	<i>fluconazole in nacl (iso-osm)</i> ..	45	GAMIFANT.....	121
EXTAVIA.....	85	<i>flucytosine</i> .....	45	GAMMAGARD LIQUID...	121
<i>ezetimibe</i> .....	81	<i>fludrocortisone</i> .....	114	GAMMAGARD S-D (IGA < 1 MCG/ML).....	121
FABRAZYME.....	101	<i>flumazenil</i> .....	85	GAMMAPLEX.....	121
<i>falmina (28)</i> .....	90	<i>flunisolide</i> .....	106	GAMMAPLEX (WITH SORBITOL).....	121
<i>famciclovir</i> .....	65	<i>fluocinolone</i> .....	98	<i>ganciclovir sodium</i> .....	65
<i>famotidine</i> .....	107	<i>fluocinonide</i> .....	98	GARDASIL 9 (PF).....	127
<i>famotidine (pf)</i> .....	107	<i>fluocinonide-e</i> .....	98	GATTEX 30-VIAL.....	108
<i>famotidine (pf)-nacl (iso-os)</i>	107	<i>fluoride (sodium)</i> .....	96	GAUZE PAD.....	100
FANAPT.....	55	<i>fluorometholone</i> .....	106	<i>gavilyte-c</i> .....	109
FARXIGA.....	40	<i>fluorouracil</i> .....	21, 96	<i>gavilyte-g</i> .....	109
FARYDAK.....	21	<i>fluoxetine</i> .....	38	<i>gavilyte-n</i> .....	110
FASENRA.....	142	<i>fluphenazine decanoate</i> .....	55	GAVRETO.....	21
FASENRA PEN.....	142	<i>fluphenazine hcl</i> .....	55	GAZYVA.....	21
<i>febuxostat</i> .....	46	<i>flurbiprofen</i> .....	6	<i>gemfibrozil</i> .....	81
<i>felbamate</i> .....	33	<i>flurbiprofen sodium</i> .....	106	<i>generlac</i> .....	108
FEMRING.....	113	<i>flutamide</i> .....	21	<i>gengraf</i> .....	121
<i>femynor</i> .....	90	<i>fluticasone propionate</i> . 98, 99,	106	GENOTROPIN.....	116
<i>fenofibrate</i> .....	81	<i>fluvoxamine</i> .....	38	GENOTROPIN	
<i>fenofibrate micronized</i> .....	81	<i>fomepizole</i> .....	134	MINIQUICK.....	116
<i>fenofibrate nanocrystallized</i> .....	81	<i>fondaparinux</i> .....	66	<i>gentak</i> .....	104
<i>fentanyl</i> .....	3	FORTEO.....	132		
		<i>fosamprenavir</i> .....	60		

<i>gentamicin</i> .....	9, 97, 104	HARVONI.....	64	<i>hydroxychloroquine</i> .....	51
<i>gentamicin sulfate (ped) (pf)</i> ...	10	HAVRIX (PF).....	127	<i>hydroxyprogesterone</i>	
<i>gentamicin sulfate (pf)</i> .....	10	<i>heather</i> .....	90	<i>cap(ppres)</i> .....	119
GENVOYA.....	60	<i>heparin (porcine)</i> .....	66	<i>hydroxyurea</i> .....	21
GILENYA.....	85	<i>heparin, porcine (pf)</i> .....	66	<i>hydroxyzine hcl</i> .....	46, 47
GILOTRIF.....	21	HEPATAMINE 8%.....	73	<i>hydroxyzine pamoate</i> .....	134
GIVLAARI.....	69	HERCEPTIN.....	21	HYPERRAB (PF).....	122
<i>glatiramer</i> .....	85	HERCEPTIN HYLECTA.....	21	HYPERRAB S/D (PF).....	122
<i>glatopa</i> .....	85	HERZUMA.....	21	HYQVIA.....	123
<i>glimepiride</i> .....	44	HETLIOZ.....	144	<i>ibandronate</i> .....	132
<i>glipizide</i> .....	44	HETLIOZ LQ.....	144	IBRANCE.....	21, 22
<i>glipizide-metformin</i> .....	44	HIBERIX (PF).....	127	<i>ibu</i> .....	6
<i>glyburide</i> .....	44	HUMATROPE.....	116	<i>ibuprofen</i> .....	6
<i>glyburide micronized</i> .....	44	HUMIRA.....	122	<i>icatibant</i> .....	79
<i>glyburide-metformin</i> .....	44	HUMIRA PEN.....	122	<i>iclevia</i> .....	90
<i>glycopyrrolate</i> .....	108	HUMIRA PEN CROHNS- UC-HS START.....	121	ICLUSIG.....	22
<i>glydo</i> .....	7	HUMIRA PEN PSOR- UVEITS-ADOL HS.....	122	IDHIFA.....	22
GOCOVRI.....	53	HUMIRA(CF).....	122	<i>ifosfamide</i> .....	22
<i>granisetron (pf)</i> .....	50	HUMIRA(CF) PEDI CROHNS STARTER.....	122	ILARIS (PF).....	123
<i>granisetron hcl</i> .....	50	HUMIRA(CF) PEN.....	122	ILEVRO.....	106
GRANIX.....	67	HUMIRA(CF) PEN CROHNS-UC-HS.....	122	ILUMYA.....	123
<i>griseofulvin microsize</i> .....	45	HUMIRA(CF) PEN PEDIATRIC UC.....	122	<i>imatinib</i> .....	22
<i>guanfacine</i> .....	74, 85	HUMIRA(CF) PEN PSOR- UV-ADOL HS.....	122	IMBRUVICA.....	22
GVOKE HYPOPEN 1- PACK.....	134	HUMULIN R U-500 (CONC) INSULIN.....	42	IMFINZI.....	22
GVOKE HYPOPEN 2- PACK.....	134	HUMULIN R U-500 (CONC) KWIKPEN.....	42	<i>imipenem-cilastatin</i> .....	14
GVOKE PFS 1-PACK SYRINGE.....	134	<i>hydralazine</i> .....	79	<i>imipramine hcl</i> .....	39
GVOKE PFS 2-PACK SYRINGE.....	134	<i>hydrochlorothiazide</i> .....	80	<i>imiquimod</i> .....	96
HAEGARDA.....	67	<i>hydrocodone-acetaminophen</i> .....	3	IMLYGIC.....	22
<i>hailey</i> .....	90	<i>hydrocodone-ibuprofen</i> .....	3	IMOGAM RABIES-HT (PF) .....	123
<i>hailey 24 fe</i> .....	90	<i>hydrocortisone</i> .....	99, 114, 131	IMOVAX RABIES VACCINE (PF).....	127
<i>hailey fe 1.5/30 (28)</i> .....	90	<i>hydromorphone</i> .....	4	IMPAVIDO.....	51
<i>hailey fe 1/20 (28)</i> .....	90	<i>hydromorphone (pf)</i> .....	4	INBRIJA.....	53
<i>halobetasol propionate</i> .....	99			<i>incassia</i> .....	90
<i>haloperidol</i> .....	56			INCRELEX.....	116
<i>haloperidol decanoate</i> .....	55, 56			<i>indapamide</i> .....	81
<i>haloperidol lactate</i> .....	56			<i>indomethacin</i> .....	6

INFANRIX (DTAP) (PF)	<i>jaimiess</i> .....	90	<i>kionex</i> .....	108
..... 127, 128	JAKAFI.....	23	<i>kionex (with sorbitol)</i> .....	108
INFLECTRA.....	<i>jantoven</i> .....	67	KISQALI.....	23
INGREZZA.....	JANUMET.....	40	KISQALI FEMARA CO-	
INGREZZA INITIATION	JANUMET XR.....	40	PACK.....	23
PACK.....	JANUVIA.....	40	<i>klor-con m10</i> .....	137
INLYTA.....	JARDIANCE.....	40	<i>klor-con m15</i> .....	137
INQOVI.....	<i>jasmiel (28)</i> .....	90	<i>klor-con m20</i> .....	137
INREBIC.....	JEMPERLI.....	23	KORLYM.....	41
INSULIN SYRINGE-	<i>jencycla</i> .....	90	KOSELUGO.....	23
NEEDLE U-100.....	JENTADUETO.....	40	KRINTAFEL.....	51
INTELENCE.....	JENTADUETO XR.....	40	KRYSTEXXA.....	101
INTRALIPID.....	<i>jinteli</i> .....	113	<i>kurvelo (28)</i> .....	91
INTRON A.....	<i>juleber</i> .....	91	KYNMOBI.....	53
<i>introvale</i> .....	JULUCA.....	61	KYPROLIS.....	23
INVEGA SUSTENNA.....	<i>junel 1.5/30 (21)</i> .....	91	<i>l norgestle.estradiol-e.estrad</i> .....	91
INVEGA TRINZA.....	<i>junel 1/20 (21)</i> .....	91	<i>labetalol</i> .....	77
INVELTYS.....	<i>junel fe 1.5/30 (28)</i> .....	91	LACTATED RINGERS.....	131
INVIRASE.....	<i>junel fe 1/20 (28)</i> .....	91	<i>lactulose</i> .....	108
IONOSOL-B IN D5W.....	<i>junel fe 24</i> .....	91	<i>lamivudine</i> .....	61
IONOSOL-MB IN D5W.....	JUXTAPID.....	82	<i>lamivudine-zidovudine</i> .....	61
IPOL.....	JYNARQUE.....	81	<i>lamotrigine</i> .....	34
<i>ipratropium bromide</i> .....	KABIVEN.....	73	<i>lansoprazole</i> .....	107
<i>ipratropium-albuterol</i> .....	KALETRA.....	61	LANTUS SOLOSTAR U-100	
<i>irbesartan</i> .....	<i>kalliga</i> .....	91	INSULIN.....	42
<i>irbesartan-hydrochlorothiazide</i> .....	KALYDECO.....	142	LANTUS U-100 INSULIN.....	42
IRESSA.....	KANJINTI.....	23	<i>lapatinib</i> .....	23
ISENTRESS.....	KANUMA.....	101	<i>larin 1.5/30 (21)</i> .....	91
ISENTRESS HD.....	<i>kariva (28)</i> .....	91	<i>larin 1/20 (21)</i> .....	91
<i>isibloom</i> .....	KEDRAB (PF).....	123	<i>larin 24 fe</i> .....	91
ISOLYTE-P IN 5 %	<i>kelnor 1/35 (28)</i> .....	91	<i>larin fe 1.5/30 (28)</i> .....	91
DEXTROSE.....	<i>kelnor 1-50 (28)</i> .....	91	<i>larin fe 1/20 (28)</i> .....	91
ISOLYTE-S.....	KESIMPTA PEN.....	85	<i>larissia</i> .....	91
<i>isoniazid</i> .....	<i>ketoconazole</i> .....	45	<i>latanoprost</i> .....	136
<i>isosorbide dinitrate</i> .....	<i>ketorolac</i> .....	6, 106	LATUDA.....	56
<i>isosorbide mononitrate</i> .....	KEVEYIS.....	134	LAZANDA.....	4
<i>itraconazole</i> .....	KEVZARA.....	123	<i>ledipasvir-sofosbuvir</i> .....	64
<i>ivermectin</i> .....	KEYTRUDA.....	23	<i>leflunomide</i> .....	123
IXEMPRA.....	KINERET.....	123	LEMTRADA.....	85
IXIARO (PF).....	KINRIX (PF).....	128	LENVIMA.....	23

<i>lessina</i> .....	91	<i>lorazepam</i> .....	9	<i>maprotiline</i> .....	39
<i>letrozole</i> .....	24	LORBRENA.....	24	<i>marlissa (28)</i> .....	92
<i>leucovorin calcium</i> .....	134	<i>lorcet (hydrocodone)</i> .....	4	MARPLAN.....	39
LEUKERAN.....	24	<i>lorcet hd</i> .....	4	MATULANE.....	24
LEUKINE.....	67	<i>lorcet plus</i> .....	4	MAVENCLAD (10 TABLET PACK).....	85
<i>leuprolide</i> .....	24	<i>loryna (28)</i> .....	92	MAVENCLAD (4 TABLET PACK).....	86
<i>levetiracetam</i> .....	34	<i>losartan</i> .....	74	MAVENCLAD (5 TABLET PACK).....	86
<i>levobunolol</i> .....	136	<i>losartan-hydrochlorothiazide</i> ....	74	MAVENCLAD (6 TABLET PACK).....	86
<i>levocarnitine</i> .....	134	LOTEMAX.....	106	MAVENCLAD (7 TABLET PACK).....	86
<i>levocarnitine (with sugar)</i> .....	134	LOTEMAX SM.....	106	MAVENCLAD (8 TABLET PACK).....	86
<i>levocetirizine</i> .....	47	<i>loteprednol etabonate</i> .....	106	MAVENCLAD (9 TABLET PACK).....	86
<i>levofloxacin</i> .....	16, 104	<i>lovastatin</i> .....	82	MAVYRET.....	64
<i>levofloxacin in d5w</i> .....	16	<i>low-ogestrel (28)</i> .....	92	MAYZENT.....	86
<i>levoleucovorin calcium</i> .....	134	<i>loxapine succinate</i> .....	57	MAYZENT STARTER PACK.....	86
<i>levonest (28)</i> .....	91	<i>lo-zumandimine (28)</i> .....	92	<i>meclizine</i> .....	50
<i>levonorgestrel-ethinyl estrad</i> ....	92	<i>lubiprostone</i> .....	108	<i>medroxyprogesterone</i> .....	119
<i>levonorg-eth estrad triphasic</i> ....	92	LUCEMYRA.....	8	<i>mefenamic acid</i> .....	6
<i>levora-28</i> .....	92	LUMAKRAS.....	24	<i>mefloquine</i> .....	51
<i>levothyroxine</i> .....	119	LUMIGAN.....	136	<i>megestrol</i> .....	24, 119
LEXIVA.....	61	LUMOXITI.....	24	MEKINIST.....	24, 25
LIBTAYO.....	24	LUPRON DEPOT.....	24, 116	MEKTOVI.....	25
<i>lidocaine</i> .....	7	LUPRON DEPOT (3 MONTH).....	24, 116	<i>meloxicam</i> .....	6
<i>lidocaine (pf)</i> .....	7, 76	LUPRON DEPOT (4 MONTH).....	24	<i>memantine</i> .....	37
<i>lidocaine hcl</i> .....	7	LUPRON DEPOT (6 MONTH).....	24	MENACTRA (PF).....	128
<i>lidocaine viscous</i> .....	7	LUPRON DEPOT-PED.....	116	MENQUADFI (PF).....	128
<i>lidocaine-prilocaine</i> .....	7	LUPRON DEPOT-PED (3 MONTH).....	116	MENVEO A-C-Y-W-135- DIP (PF).....	128
<i>lillow (28)</i> .....	92	<i>lutea (28)</i> .....	92	MEPSEVII.....	101
<i>linezolid</i> .....	11	<i>lyleq</i> .....	92	<i>mercaptopurine</i> .....	25
<i>linezolid in dextrose 5%</i> .....	11	<i>lyllana</i> .....	113	<i>meropenem</i> .....	14
LINZESS.....	108	LYNPARZA.....	24	<i>merzee</i> .....	92
<i>liothyronine</i> .....	119	LYSODREN.....	24	<i>mesalamine</i> .....	131
<i>lisinopril</i> .....	75	<i>lyza</i> .....	92		
<i>lisinopril-hydrochlorothiazide</i> ...	75	<i>magnesium sulfate</i> .....	137		
<i>lithium carbonate</i> .....	85	<i>magnesium sulfate in d5w</i> .....	137		
LIVALO.....	82	<i>magnesium sulfate in water</i> ....	137		
<i>lojaimiess</i> .....	92	<i>malathion</i> .....	100		
LOKELMA.....	108				
LONSURF.....	24				
<i>loperamide</i> .....	108				
<i>lopinavir-ritonavir</i> .....	61				

<i>mesna</i> .....	134	<i>minocycline</i> .....	17	<i>nefazodone</i> .....	39
MESNEX.....	134	<i>minoxidil</i> .....	83	<i>neomycin</i> .....	10
<i>metaproterenol</i> .....	140	<i>mirtazapine</i> .....	39	<i>neomycin-bacitracin-poly-hc</i> ...	104
<i>metformin</i> .....	41	<i>misoprostol</i> .....	107	<i>neomycin-bacitracin-</i>	
<i>methadone</i> .....	4	MITIGARE.....	46	<i>polymyxin</i> .....	104
<i>methadose</i> .....	4	<i>mitoxantrone</i> .....	25	<i>neomycin-polymyxin b gu</i> .....	97
<i>methenamine hippurate</i> .....	11	M-M-R II (PF).....	128	<i>neomycin-polymyxin b-</i>	
<i>methimazole</i> .....	119	<i>molindone</i> .....	57	<i>dexameth</i> .....	104
<i>methocarbamol</i> .....	143	<i>mometasone</i> .....	99, 106	<i>neomycin-polymyxin-</i>	
<i>methotrexate sodium</i> .....	25	<i>mondoxyne nl</i> .....	17	<i>gramicidin</i> .....	104
<i>methotrexate sodium (pf)</i> .....	25	MONJUVI.....	25	<i>neomycin-polymyxin-hc</i> .....	104
<i>methoxsalen</i> .....	96	<i>mono-lynyah</i> .....	92	<i>neo-polycin</i> .....	105
<i>methscopolamine</i> .....	108	<i>montelukast</i> .....	139	<i>neo-polycin hc</i> .....	105
<i>methyl dopa</i> .....	74	<i>morphine</i> .....	4	NEOSPORIN GU	
<i>methyl dopa-</i>		MORPHINE.....	4	IRRIGANT.....	97
<i>hydrochlorothiazide</i> .....	74	<i>morphine concentrate</i> .....	4	NEPHRAMINE 5.4 %.....	73
<i>methylphenidate hcl</i> .....	86	MOVANTIK.....	109	NERLYNX.....	25
<i>methylprednisolone</i> .....	114	<i>moxifloxacin</i> .....	16, 104	NEULASTA.....	68
<i>methylprednisolone acetate</i> .....	114	MOZOBIL.....	67	NEUPOGEN.....	68
<i>methylprednisolone sodium</i>		MULPLETA.....	68	NEUPRO.....	53
<i>succ</i> .....	115	MULTAQ.....	76	<i>nevirapine</i> .....	61
<i>metipranolol</i> .....	136	<i>mupirocin</i> .....	97	NEXAVAR.....	25
<i>metoclopramide hcl</i> .....	108, 109	MVASI.....	25	NEXLETOL.....	82
<i>metolazone</i> .....	81	<i>mycophenolate mofetil</i> .....	123	NEXLIZET.....	82
<i>metoprolol succinate</i> .....	77	<i>mycophenolate mofetil (hcl)</i> ...	123	<i>niacin</i> .....	82
<i>metoprolol ta-hydrochlorothiaz</i>	77	MYLOTARG.....	25	<i>niacor</i> .....	82
<i>metoprolol tartrate</i> .....	77	MYRBETRIQ.....	110	<i>nicardipine</i> .....	80
<i>metronidazole</i> .....	11, 47, 97	<i>nabumetone</i> .....	6	NICOTROL.....	8
<i>metronidazole in nacl (iso-os)</i> ..	11	<i>nafcillin</i> .....	15	<i>nifedipine</i> .....	80
<i>metyrosine</i> .....	79	<i>nafcillin in dextrose iso-osm</i> ....	15	<i>nikki (28)</i> .....	92
<i>mexiletine</i> .....	76	NAGLAZYME.....	101	<i>nilutamide</i> .....	25
MIACALCIN.....	132	<i>naloxone</i> .....	8	NINLARO.....	25
<i>miconazole-3</i> .....	45	<i>naltrexone</i> .....	8	<i>nitazoxanide</i> .....	51
<i>microgestin fe 1/20 (28)</i> .....	92	NAMZARIC.....	37	<i>nitisinone</i> .....	101
<i>midodrine</i> .....	74	<i>naproxen</i> .....	6, 7	<i>nitrofurantoin macrocrystal</i> .....	11
<i>miglustat</i> .....	101	NARCAN.....	8	<i>nitrofurantoin monohydlm-</i>	
<i>mili</i> .....	92	NATACYN.....	104	<i>cryst</i> .....	11
<i>milrinone</i> .....	79	NATPARA.....	132	<i>nitroglycerin</i> .....	83
<i>mimvey</i> .....	113	NAYZILAM.....	34	NITYR.....	102
<i>minitran</i> .....	83	<i>necon 0.5/35 (28)</i> .....	92	NIVESTYM.....	68

<i>nizatidine</i> .....	107	NOVOLOG U-100 INSULIN	ONCASPAR.....	25
NOCDURNA (MEN).....	116	ASPART.....	<i>ondansetron</i> .....	50
NOCDURNA (WOMEN)....	116	NOXAFIL.....	<i>ondansetron hcl</i> .....	50
NORDITROPIN FLEXPEN		NUBEQA.....	<i>ondansetron hcl (pf)</i> .....	50
.....	117	NUCALA.....	ONIVYDE.....	25
<i>norethindrone (contraceptive)</i> ..	92	NUEDEXTA.....	ONTRUZANT.....	25
<i>norethindrone acetate</i> .....	119	NULOJIX.....	ONUREG.....	26
<i>norethindrone ac-eth estradiol</i>		NUPLAZID.....	OPDIVO.....	26
.....	93, 113	NURTEC ODT.....	OPSUMIT.....	144
<i>norethindrone-e.estradiol-iron</i>		NUTRILIPID.....	<i>oralone</i> .....	96
.....	92, 93	NUTROPIN AQ NUSPIN... 117	ORENCIA.....	124
<i>norgestimate-ethinyl estradiol</i> ..	93	<i>nyamyc</i> .....	ORENCIA (WITH	
<i>norlyda</i> .....	93	<i>nylia 7/7/7 (28)</i> .....	MALTOSE).....	124
NORMOSOL-M IN 5%		<i>nymyo</i> .....	ORENCIA CLICKJECT.....	124
DEXTROSE.....	137	<i>nystatin</i> .....	ORFADIN.....	102
NORMOSOL-R PH 7.4.....	137	<i>nystop</i> .....	ORGOVYX.....	117
<i>nortrel 0.5/35 (28)</i> .....	93	NYVEPRIA.....	ORLISSA.....	117
<i>nortrel 1/35 (21)</i> .....	93	OICALIVA.....	ORKAMBI.....	142
<i>nortrel 1/35 (28)</i> .....	93	OCREVUS.....	ORLADEYO.....	68
<i>nortrel 7/7/7 (28)</i> .....	93	OCTAGAM.....	<i>orsythia</i> .....	93
<i>nortriptyline</i> .....	39	<i>octreotide acetate</i> .....	<i>oseltamivir</i> .....	63
NORVIR.....	61	ODEFSEY.....	OSMOLEX ER.....	53
NOVOLIN 70/30 U-100		ODOMZO.....	OTEZLA.....	124
INSULIN.....	43	OFEV.....	OTEZLA STARTER.....	124
NOVOLIN 70-30 FLEXPEN		<i>ofloxacin</i> .....	<i>oxcarbazepine</i> .....	34
U-100.....	43	<i>ogestrel (28)</i> .....	OXLUMO.....	134
NOVOLIN N FLEXPEN.....	43	OGIVRI.....	OXTELLAR XR.....	34
NOVOLIN N NPH U-100		<i>olanzapine</i> .....	<i>oxybutynin chloride</i> .....	110
INSULIN.....	43	<i>olmesartan</i> .....	<i>oxycodone</i> .....	4, 5
NOVOLIN R FLEXPEN.....	43	<i>olmesartan-</i>	<i>oxycodone-acetaminophen</i> .....	5
NOVOLIN R REGULAR U-		<i>hydrochlorothiazide</i> .....	<i>oxycodone-aspirin</i> .....	5
100 INSULN.....	43	<i>olopatadine</i> .....	OXYCONTIN.....	5
NOVOLOG FLEXPEN U-		OLUMIANT.....	OZEMPIC.....	41
100 INSULIN.....	43	<i>omega-3 acid ethyl esters</i> .....	<i>pacerone</i> .....	76
NOVOLOG MIX 70-30 U-		<i>omeprazole</i> .....	PADCEV.....	26
100 INSULN.....	43	<i>omeprazole-sodium</i>	<i>paliperidone</i> .....	57
NOVOLOG MIX 70-		<i>bicarbonate</i> .....	PALYNZIQ.....	102
30FLEXPEN U-100.....	43	OMNIPOD DASH 5 PACK	PANRETIN.....	96
NOVOLOG PENFILL U-100		POD.....	<i>pantoprazole</i> .....	107
INSULIN.....	43	OMNITROPE.....	<i>paricalcitol</i> .....	132

<i>paroex oral rinse</i> .....	96	<i>pilocarpine hcl</i> .....	96, 136	PREMARIN.....	113
<i>paromomycin</i> .....	51	<i>pimecrolimus</i> .....	99	PREMPHASE.....	113
<i>paroxetine hcl</i> .....	39	<i>pimozide</i> .....	57	PREMPRO.....	114
PAXIL.....	39	<i>pimtreea (28)</i> .....	93	PRETOMANID.....	49
PEDIARIX (PF).....	128	<i>pioglitazone</i> .....	41	<i>prevalite</i> .....	82
PEDVAX HIB (PF).....	128	<i>piperacillin-tazobactam</i> .....	15	<i>previfem</i> .....	93
PEGANONE.....	34	PIQRAY.....	26	PREVYMIS.....	63
PEGASYS.....	65	<i>pirmella</i> .....	93	PREZCOBIX.....	62
PEGINTRON.....	65	PLASMA-LYTE 148.....	137	PREZISTA.....	62
PEMAZYRE.....	26	PLASMA-LYTE A.....	137	PRIFTIN.....	49
PEN NEEDLE, DIABETIC.....	101	PLEGRIDY.....	86, 87	PRIMAQUINE.....	52
<i>penicillamine</i> .....	111	<i>podofilox</i> .....	97	<i>primidone</i> .....	35
<i>penicillin g potassium</i> .....	15	POLIVY.....	26	PRIVIGEN.....	124
<i>penicillin g procaine</i> .....	15	<i>polycin</i> .....	105	PROAIR RESPICLICK.....	141
<i>penicillin v potassium</i> .....	15	<i>polymyxin b sulfate</i> .....	11	<i>probenecid</i> .....	46
PENNSAID.....	7	<i>polymyxin b sulf-trimethoprim</i> .....	105	<i>probenecid-colchicine</i> .....	46
PENTACEL (PF).....	128	POMALYST.....	26	<i>procainamide</i> .....	76
<i>pentamidine</i> .....	52	PONVORY.....	87	PROCALAMINE 3%.....	73
<i>pentoxifylline</i> .....	69	PONVORY 14-DAY STARTER PACK.....	87	<i>prochlorperazine</i> .....	50
PEPAXTO.....	26	<i>portia 28</i> .....	93	<i>prochlorperazine edisylate</i> .....	50
PERIKABIVEN.....	73	PORTRAZZA.....	26	<i>prochlorperazine maleate</i> .....	50
<i>perindopril erbumine</i> .....	75	<i>posaconazole</i> .....	46	<i>procto-med hc</i> .....	99
<i>perio gard</i> .....	96	<i>potassium chloride</i> .....	137, 138	<i>proctosol hc</i> .....	99
<i>permethrin</i> .....	100	<i>potassium chloride-0.45 % nacl</i> .....	138	<i>proctozone-hc</i> .....	99
<i>perphenazine</i> .....	57	<i>potassium citrate</i> .....	138	<i>progesterone</i> .....	119
<i>perphenazine-amitriptyline</i> .....	39	PRADAXA.....	67	<i>progesterone micronized</i> .....	119
PERSERIS.....	57	PRALUENT PEN.....	82	PROGRAF.....	124
<i>pfizerpen-g</i> .....	15	<i>pramipexole</i> .....	53	PROLASTIN-C.....	143
<i>phenadoz</i> .....	50	<i>prasugrel</i> .....	69	PROLENSA.....	106
<i>phenelzine</i> .....	39	<i>pravastatin</i> .....	82	PROLEUKIN.....	26
<i>phenobarbital</i> .....	34	<i>prazosin</i> .....	74	PROLIA.....	132
<i>phenylephrine hcl</i> .....	74	<i>prednicarbate</i> .....	99	PROMACTA.....	68
<i>phenytoin</i> .....	34, 35	<i>prednisolone</i> .....	115	<i>promethazine</i> .....	47, 51
<i>phenytoin sodium</i> .....	35	<i>prednisolone acetate</i> .....	106	<i>promethegan</i> .....	51
<i>phenytoin sodium extended</i> .....	35	<i>prednisolone sodium phosphate</i> .....	106, 115	<i>propafenone</i> .....	76
PHESGO.....	26	<i>prednisone</i> .....	115	<i>proparacaine</i> .....	103
<i>philith</i> .....	93	<i>pregabalin</i> .....	35	<i>propranolol</i> .....	77
PHOSLYRA.....	110			<i>propranolol-hydrochlorothiazid</i> .....	77
PICATO.....	96, 97			<i>propylthiouracil</i> .....	119
PIFELTRO.....	62			PROQUAD (PF).....	129

PROSOL 20 %.....	73	RETROVIR.....	62	SAIZEN.....	118
<i>protamine</i> .....	69	REVCovi.....	102	SAIZEN CLICK.EASY.....	117
<i>protriptyline</i> .....	39	REVLIMID.....	27	SAIZEN SAIZENPREP.....	117
PULMOZYME.....	102	<i>revonto</i> .....	143	SANDOSTATIN LAR	
PURIXAN.....	26	REXULTI.....	57	DEPOT.....	118
<i>pyrazinamide</i> .....	49	REYATAZ.....	62	SANTYL.....	97
<i>pyridostigmine bromide</i> .....	135	REYVOW.....	48	<i>sapropterin</i> .....	102
<i>pyrimethamine</i> .....	52	RHOPRESSA.....	136	SARCLISA.....	27
QINLOCK.....	26	RIABNI.....	27	SAVELLA.....	87
QUADRACEL (PF).....	129	<i>ribasphere</i> .....	65	<i>scopolamine base</i> .....	51
<i>quetiapine</i> .....	57	<i>ribavirin</i> .....	65	SECUADO.....	58
<i>quinapril</i> .....	75	RIDAURA.....	124	<i>selegiline hcl</i> .....	53
<i>quinidine sulfate</i> .....	76	<i>rifabutin</i> .....	49	<i>selenium sulfide</i> .....	97
RABAVERT (PF).....	129	<i>rifampin</i> .....	49	SELZENTRY.....	62
RADICAVA.....	87	<i>riluzole</i> .....	87	SE-NATAL-19.....	145
<i>raloxifene</i> .....	114	<i>rimantadine</i> .....	63	SEREVENT DISKUS.....	141
<i>ramipril</i> .....	75	RINVOQ.....	124	SEROSTIM.....	118
<i>ranolazine</i> .....	79	<i>risedronate</i> .....	132, 133	<i>sertraline</i> .....	39
<i>rasagiline</i> .....	53	RISPERDAL CONSTA... 57, 58		<i>setlakin</i> .....	94
RASUVO (PF).....	124	<i>risperidone</i> .....	58	<i>sevelamer carbonate</i> .....	110
RAVICTI.....	109	<i>ritonavir</i> .....	62	<i>sevelamer hcl</i> .....	110
RAYALDEE.....	132	RITUXAN.....	27	<i>sf 5000 plus</i> .....	96
REBIF (WITH ALBUMIN)..87		RITUXAN HYCELA.....	27	<i>sharobel</i> .....	94
REBIF REBIDOSE.....	87	<i>rivastigmine</i> .....	37	SHINGRIX (PF).....	129
REBIF TITRATION PACK..87		<i>rivastigmine tartrate</i> .....	37	SIGNIFOR.....	118
<i>reclipsen (28)</i> .....	94	<i>rizatriptan</i> .....	48	SIKLOS.....	69
RECOMBIVAX HB (PF).....	129	ROCKLATAN.....	136	<i>sildenafil (pulm.hypertension)</i> 144	
RECTIV.....	135	<i>ropinirole</i> .....	53	SILIQ.....	124
RELENZA DISKHALER.....	63	<i>rosadan</i> .....	97	<i>silver sulfadiazine</i> .....	97
RELISTOR.....	109	<i>rosuvastatin</i> .....	82	SIMBRINZA.....	136
REMICADE.....	124	ROTARIX.....	129	<i>simliya (28)</i> .....	94
RENFLEXIS.....	124	ROTATEQ VACCINE.....	129	<i>simpesse</i> .....	94
<i>repaglinide</i> .....	41	ROZLYTREK.....	27	SIMPONI.....	125
REPATHA PUSHTRONEX..82		RUBRACA.....	27	SIMPONI ARIA.....	125
REPATHA SURECLICK.....	82	<i>rufinamide</i> .....	35	<i>simvastatin</i> .....	82, 83
REPATHA SYRINGE.....	82	RUKOBIA.....	62	<i>sirolimus</i> .....	125
RESCRIPTOR.....	62	RUXIENCE.....	27	SIRTURO.....	49
RESTASIS.....	106	RYBELSUS.....	41	SKYRIZI.....	125
RETACRIT.....	68	RYBREVANT.....	27	<i>sodium chloride 0.9 %</i> .....	138
RETEVMO.....	26	RYDAPT.....	27	<i>sodium fluoride-pot nitrate</i> .....	96

<i>sodium phenylbutyrate</i> .....	109	<i>sulfacetamide-prednisolone</i> .....	105	TALTZ SYRINGE (2	
<i>sodium polystyrene (sorb free)</i>		<i>sulfadiazine</i> .....	16	PACK).....	125
.....	109	<i>sulfamethoxazole-</i>		TALTZ SYRINGE (3	
<i>sodium polystyrene sulfonate</i> ..	109	<i>trimethoprim</i> .....	16	PACK).....	125
<i>sofosbuvir-velpatasvir</i> .....	64	<i>sulfasalazine</i> .....	131	TALZENNA.....	28
SOLQUA 100/33.....	43	<i>sulindac</i> .....	7	<i>tamoxifen</i> .....	28
SOLTAMOX.....	27	<i>sumatriptan</i> .....	48	<i>tamsulosin</i> .....	111
SOLU-CORTEF ACT-O-		<i>sumatriptan succinate</i> .....	48	TARGRETIN.....	28
VIAL (PF).....	115	SUNOSI.....	144	<i>tarina 24 fe</i> .....	94
SOMATULINE DEPOT .....	118	SUPPRELIN LA.....	118	<i>tarina fe 1-20 eq (28)</i> .....	94
SOMAVERT .....	118	SUPREP BOWEL PREP		TASIGNA.....	28
<i>sorine</i> .....	77	KIT .....	110	TAVALISSE.....	69
<i>sotalol</i> .....	78	SUTAB.....	110	<i>tazarotene</i> .....	100
<i>sotalol af</i> .....	78	SUTENT .....	27	TAZORAC .....	100
SOVALDI.....	64	<i>syeda</i> .....	94	<i>taztia xt</i> .....	78
SPIRIVA RESPIMAT .....	141	SYLATRON.....	27	TAZVERIK.....	28
SPIRIVA WITH		SYLVANT .....	27	TDVAX.....	129
HANDIHALER.....	141	SYMBICORT.....	139	TECENTRIQ.....	28
<i>spironolactone</i> .....	81	SYMDEKO .....	143	TEFLARO.....	13
SPRAVATO.....	39	SYMJEPI.....	79	<i>telmisartan</i> .....	75
<i>sprintec (28)</i> .....	94	SYMLINPEN 120.....	41	<i>temazepam</i> .....	9
SPRITAM.....	35	SYMLINPEN 60.....	41	TEMIXYS.....	62
SPRYCEL.....	27	SYMPAZAN.....	35	TEMODAR.....	28
<i>sps (with sorbitol)</i> .....	109	SYMTUZA.....	62	TENIVAC (PF).....	129
<i>sronyx</i> .....	94	SYNAGIS.....	64	<i>tenofovir disoproxil fumarate</i> ..	62
<i>ssd</i> .....	97	SYNAREL.....	118	TEPEZZA.....	103
<i>stavudine</i> .....	62	SYNERCID.....	11	TEPMETKO.....	28
STELARA.....	125	SYNJARDY.....	41	<i>terazosin</i> .....	111
STERILE PADS.....	101	SYNJARDY XR.....	41	<i>terbinafine hcl</i> .....	46
STIOLTO RESPIMAT .....	141	SYNRIBO.....	28	<i>terbutaline</i> .....	141
STIVARGA.....	27	TABLOID.....	28	<i>terconazole</i> .....	47
STRENSIQ.....	102	TABRECTA.....	28	<i>testosterone</i> .....	112
<i>streptomycin</i> .....	10	<i>tacrolimus</i> .....	99, 125	<i>testosterone cypionate</i> .....	112
STRIBILD.....	62	<i>tadalafil (pulm. hypertension)</i>	144	<i>testosterone enanthate</i> .....	112
STRIVERDI RESPIMAT ....	141	TAFINLAR.....	28	TETANUS,DIPHThERIA	
SUBLOCADE.....	8	TAGRISSO.....	28	TOX PED(PF).....	130
<i>subvenite</i> .....	35	TAKHZYRO.....	135	<i>tetrabenazine</i> .....	87
<i>sucrafate</i> .....	107	TALTZ AUTOINJECTOR ..	125	<i>tetracycline</i> .....	17
<i>sulfacetamide sodium</i> .....	105	TALTZ SYRINGE.....	125	THALOMID.....	135
<i>sulfacetamide sodium (acne)</i> ....	97			<i>theophylline</i> .....	141

THIOLA EC.....	111	<i>travoprost (benzalkonium)</i> .....	136	TRODELVY.....	29
<i>thioridazine</i> .....	58	TRAZIMERA.....	29	TROGARZO.....	63
<i>thiotepa</i> .....	28	<i>trazodone</i> .....	39	TROPHAMINE 10 %.....	73
<i>thiothixene</i> .....	58	TREANDA.....	29	TROPHAMINE 6%.....	73
<i>tiadylt er</i> .....	78	TRECATOR.....	49	<i>trospium</i> .....	111
<i>tiagabine</i> .....	35	TRELEGY ELLIPTA.....	141	TRULICITY.....	42
TIBSOVO.....	28	TRELSTAR.....	29	TRUMENBA.....	130
TICE BCG.....	28	TREMFYA.....	126	TRUSELTIQ.....	29
<i>tigecycline</i> .....	17	<i>treprostinil sodium</i> .....	145	TRUXIMA.....	29
<i>timolol maleate</i> .....	78, 136	<i>tretinoin</i> .....	100	TUKYSA.....	29
<i>tiopronin</i> .....	111	<i>tretinoin (antineoplastic)</i> .....	29	<i>tulana</i> .....	95
TIVICAY.....	62	<i>tri femynor</i> .....	94	TURALIO.....	29
TIVICAY PD.....	63	<i>triamcinolone acetonide</i> .....	96, 99, 115	TWINRIX (PF).....	130
<i>tizanidine</i> .....	143	<i>triamterene-hydrochlorothiazid</i> 81		<i>tyblume</i> .....	95
TOBI PODHALER.....	10	<i>trientine</i> .....	111	TYBOST.....	135
<i>tobramycin</i> .....	10, 105	<i>tri-estarylla</i> .....	94	TYMLOS.....	133
<i>tobramycin in 0.225 % nacl</i> .....	10	<i>trifluoperazine</i> .....	58	TYPHIM VI.....	130
<i>tobramycin sulfate</i> .....	10	<i>trifluridine</i> .....	105	TYSABRI.....	126
<i>tobramycin-dexamethasone</i> ....	105	<i>trihexyphenidyl</i> .....	53	TYVASO.....	145
TOLAK.....	97	TRIKAFTA.....	143	UBRELVY.....	48
<i>tolterodine</i> .....	110	<i>tri-legest fe</i> .....	94	UCERIS.....	131
<i>topiramate</i> .....	35	<i>tri-lynyah</i> .....	94	UDENYCA.....	68
<i>toposar</i> .....	28	<i>tri-lo-estarylla</i> .....	94	UKONIQ.....	29
<i>toremifene</i> .....	29	<i>tri-lo-marzia</i> .....	94	UNITUXIN.....	29
<i>torse mide</i> .....	81	<i>tri-lo-mili</i> .....	94	UPTRAVI.....	145
TOTECT.....	135	<i>tri-lo-sprintec</i> .....	94	<i>ursodiol</i> .....	109
TOUJEO MAX U-300		<i>tri-lo-lyte with flavor packets</i> .....	110	<i>valacyclovir</i> .....	65
SOLOSTAR.....	44	<i>trimethoprim</i> .....	11	VALCHLOR.....	97
TOUJEO SOLOSTAR U-300		<i>tri-mili</i> .....	94	<i>valganciclovir</i> .....	65
INSULIN.....	44	<i>trimipramine</i> .....	39	<i>valproate sodium</i> .....	35
TOVIAZ.....	111	TRINTELLIX.....	39	<i>valproic acid</i> .....	35
TRACLEER.....	144	<i>tri-nymyo</i> .....	94	<i>valproic acid (as sodium salt)</i> ...	35
TRADJENTA.....	41	<i>tri-previfem (28)</i> .....	94	<i>valrubicin</i> .....	29
<i>tramadol</i> .....	5	TRIPTODUR.....	118	<i>valsartan</i> .....	75
<i>tramadol-acetaminophen</i> .....	5	<i>tri-sprintec (28)</i> .....	95	<i>valsartan-hydrochlorothiazide</i> ..	75
<i>trandolapril</i> .....	76	TRIUMEQ.....	63	VALTOCO.....	36
<i>tranexamic acid</i> .....	69	<i>trivora (28)</i> .....	95	<i>vancomycin</i> .....	11
<i>tranylcypromine</i> .....	39	<i>tri-vylibra</i> .....	95	VAQTA (PF).....	130
TRAVASOL 10 %.....	73	<i>tri-vylibra lo</i> .....	95	VARIVAX (PF).....	130
<i>travoprost</i> .....	136			VASCEPA.....	83

VEKLURY.....	65	<i>vyfemla (28)</i> .....	95	YF-VAX (PF).....	130
VELCADE.....	30	<i>vylibra</i> .....	95	YONDELIS.....	31
<i>velivet triphasic regimen (28)</i> ...	95	VYNDAMAX.....	79	YONSA.....	31
VELPHORO.....	110	VYNDAQEL.....	79	<i>yuvafem</i> .....	114
VEMLIDY.....	63	VYXEOS.....	30	<i>zafemy</i> .....	95
VENCLEXTA.....	30	<i>warfarin</i> .....	67	<i>zafirlukast</i> .....	139
VENCLEXTA STARTING		WELCHOL.....	83	<i>zaleplon</i> .....	144
PACK.....	30	<i>wera (28)</i> .....	95	<i>zarah</i> .....	95
<i>venlafaxine</i> .....	40	XADAGO.....	54	ZARXIO.....	69
<i>verapamil</i> .....	78	XALKORI.....	30	ZEJULA.....	31
VERSACLOZ.....	58	XARELTO.....	67	ZELBORAF.....	31
VERZENIO.....	30	XARELTO DVT-PE TREAT		<i>zenatane</i> .....	97
<i>vestura (28)</i> .....	95	30D START.....	67	ZENPEP.....	102
VIBERZI.....	109	XATMEP.....	30	ZEPATIER.....	64
VICTOZA.....	42	XCOPRI.....	36	ZEPOSIA.....	88
VIDEX 2 GRAM		XCOPRI MAINTENANCE		ZEPOSIA STARTER KIT.....	88
PEDIATRIC.....	63	PACK.....	36	ZEPOSIA STARTER PACK.....	88
VIEKIRA PAK.....	64	XCOPRI TITRATION		ZEPZELCA.....	31
<i>vienva</i> .....	95	PACK.....	36	<i>zidovudine</i> .....	63
<i>vigabatrin</i> .....	36	XELJANZ.....	126	ZIEXTENZO.....	69
<i>vigadrone</i> .....	36	XELJANZ XR.....	126	<i>ziprasidone hcl</i> .....	58
VIIBRYD.....	40	XERMELO.....	109	<i>ziprasidone mesylate</i> .....	58
VIMIZIM.....	102	XGEVA.....	133	ZIRABEV.....	31
VIMPAT.....	36	XHANCE.....	106	ZIRGAN.....	105
<i>vinorelbine</i> .....	30	XIFAXAN.....	11	ZOLADEX.....	31
<i>viorele (28)</i> .....	95	XIGDUO XR.....	42	<i>zoledronic acid</i> .....	133
VIRACEPT.....	63	XIIDRA.....	106	<i>zoledronic acid-mannitol-water</i>	
VIREAD.....	63	XOFLUZA.....	64	.....	133
VISTOGARD.....	135	XOLAIR.....	143	ZOLINZA.....	31
VITRAKVI.....	30	XOSPATA.....	30	<i>zolpidem</i> .....	144
VIZIMPRO.....	30	XPOVIO.....	30, 31	ZOMACTON.....	118
VOCABRIA.....	63	XTAMPZA ER.....	5	<i>zonisamide</i> .....	36
<i>volnea (28)</i> .....	95	XTANDI.....	31	ZORBTIVE.....	118
<i>voriconazole</i> .....	46	<i>xulane</i> .....	95	ZORTRESS.....	126
VOSEVI.....	64	XULTOPHY 100/3.6.....	44	ZOSTAVAX (PF).....	130
VOTRIENT.....	30	XURIDEN.....	135	<i>zovia 1/35e (28)</i> .....	95
VPRIV.....	102	XYOSTED.....	112	ZTLIDO.....	7
VRAYLAR.....	58	XYREM.....	144	ZULRESSO.....	40
VUMERITY.....	87	XYWAV.....	144	<i>zumandimine (28)</i> .....	95
VYEPTI.....	48	YERVOY.....	31	ZYDELIG.....	32

ZYKADIA.....	32
ZYLET.....	105
ZYNLONTA.....	32
ZYPREXA RELPREVV..	58, 59
ZYTIGA.....	32

This formulary was updated on 08/01/2021. For more recent information or other questions, please contact Denver Health Medical Plan, Inc. (DHMP) Health Plan Services at 303-602-2111 or toll-free 1-877-956-2111 or, for TTY users, 711, 8 a.m. to 8 p.m., seven days a week, or visit [denverhealthmedicalplan.org](http://denverhealthmedicalplan.org).