



# **Elevate Medicare Select (HMO)**

## **2025 Formulary**

### **(List of Covered Drugs or “Drug List”)**

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID: 0025211 Version Number: 17

This formulary was updated on 10/01/2025. For more recent information or other questions, please contact Elevate Medicare Select (HMO) Health Plan Service at 303-602-2111 or toll free at 1-877-956-2111 (TTY users should call 711), 8 a.m. to 8 p.m. seven days a week, or visit [DenverHealthMedicalPlan.org](https://denverhealthmedicalplan.org).

**Note to existing members:** This Formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this Drug List (Formulary) refers to “we,” “us”, or “our,” it means Elevate Medicare Advantage. When it refers to “plan” or “our plan,” it means Elevate Medicare Select (HMO).

This document includes Drug List (formulary) for our plan which is current as of 10/01/2025. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025, and from time to time during the year.

### **What is the Elevate Medicare Select (HMO) formulary?**

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is a list of covered drugs selected by Elevate Medicare Select (HMO) in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Elevate Medicare Select (HMO) will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at an Elevate Medicare Select (HMO) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the formulary during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here: [DenverHealthMedicalPlan.org/elevate-medicare-advantage-formularies](https://denverhealthmedicalplan.org/elevate-medicare-advantage-formularies).

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or original biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled “How do I request an exception to the Elevate Medicare Select (HMO)’s Formulary?”

Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand-name drug currently on the formulary, or add a new biosimilar to replace an original biological product currently on the formulary, or add new restrictions or move a drug we are keeping on the formulary to a higher cost-sharing tier or both after we add a corresponding drug. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we

must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.

If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Elevate Medicare Select (HMO)’s Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2025 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2025 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 10/01/2025. To get updated information about the drugs covered by Elevate Medicare Select (HMO) please contact us. Our contact information appears on the front and back cover pages. Future formulary changes are sent to you with your monthly Part D Explanation of Benefits. If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, affected members will receive a separate notification. You can find a list of Future Formulary Changes on our website.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on 3. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

Elevate Medicare Select (HMO) covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

## What are original biological products and how are they related to biosimilars?

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, “The ‘Drug List’ tells which Part D drugs are covered.”

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Elevate Medicare Select (HMO) requires you or your prescriber to get prior authorization for certain drugs. This means that you will need to get approval from Elevate Medicare Select (HMO) before you fill your prescriptions. If you don’t get approval, Elevate Medicare Select (HMO) may not cover the drug.
- **Quantity Limits:** For certain drugs, Elevate Medicare Select (HMO) limits the amount of the drug that Elevate Medicare Select (HMO) will cover. For example, Elevate Medicare Select (HMO) provides 90 capsules per 30-day prescription for pregabalin (Lyrica). This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Elevate Medicare Select (HMO) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Elevate Medicare Select (HMO) may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Elevate Medicare Select (HMO) will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Elevate Medicare Select (HMO) to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Elevate Medicare Select (HMO)’s formulary?” on page 5 for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Health Plan Services and ask if your drug is covered.

If you learn that Elevate Medicare Select (HMO) does not cover your drug, you have two options:

- You can ask Health Plan Services for a list of similar drugs that are covered by Elevate Medicare Select (HMO). When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Elevate Medicare Select (HMO).
- You can ask Elevate Medicare Select (HMO) to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the Elevate Medicare Select (HMO)’s Formulary?**

You can ask Elevate Medicare Select (HMO) to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, Elevate Medicare Select (HMO) limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.

Generally, Elevate Medicare Select (HMO) will only approve your request for an exception if the alternative drugs included on the plan’s formulary, the lower cost-sharing drug, or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a tiering or formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.** Generally, we must make our decision within 72 hours of getting your prescriber’s supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we

agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

## **What can I do if my drug is not on the formulary or has a restriction?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover 30-day emergency supply of that drug while you pursue a formulary exception.

If you experience a level of care change, such as being admitted or discharged from a long-term care facility and you are outside the first 90 days of your coverage, Elevate Medicare Select (HMO) will provide a one-time fill of non-formulary Part D drugs as described above.

## **For more information**

For more detailed information about your Elevate Medicare Select (HMO) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Elevate Medicare Select (HMO), please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## **Elevate Medicare Select (HMO) Formulary**

The formulary below provides coverage information about the drugs covered by Elevate Medicare Select (HMO). If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., ADVAIR DISKUS) and generic drugs are listed in lower-case italics (e.g., *amoxicillin (Amoxil)*).

The information in the Requirements/Limits column tells you if Elevate Medicare Select (HMO) has any special requirements for coverage of your drug.

The following abbreviations may be found within the body of this document

## COVERAGE NOTES ABBREVIATIONS

### Utilization Management Restrictions

| ABBREVIATION | DESCRIPTION                                                        | EXPLANATION                                                                                                                                                                                                                                                                                                                      |
|--------------|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PA           | Prior Authorization Restriction                                    | You (or your physician) are required to get prior authorization from us before you fill your prescription for this drug. Without prior approval, we may not cover this drug.                                                                                                                                                     |
| PA BvD       | Prior Authorization Restriction for Part B vs Part D Determination | This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from us to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, we may not cover this drug.                 |
| PA-HRM       | Prior Authorization Restriction for High Risk Medications          | This drug has been deemed by CMS to be potentially harmful and therefore, a High-Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from us before you fill your prescription for this drug. Without prior approval we may not cover this drug. |
| PA NSO       | Prior Authorization Restriction for New Starts Only                | If you are a new member or you have not previously taken this drug, you (or your physician) are required to get prior authorization from us before you fill your prescription for this drug. Without prior approval, we may not cover this drug.                                                                                 |
| QL           | Quantity Limit Restriction                                         | We limit the amount of this drug that is covered per prescription, or within a specific time frame. Without prior approval, we would not cover quantities above the limit.                                                                                                                                                       |
| ST           | Step Therapy Restriction                                           | We will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.                                                                                                                                            |
| LA           | Limited Access Drug                                                | This prescription may only be covered at certain pharmacies. For more information consult your Pharmacy Directory or call Health Plan Services at 1-877-956-2111, 8 a.m. – 8 p.m. seven days a week. TTY users should call 711.                                                                                                  |
| NDS          | Non-Extended Day Supply                                            | This drug is only able to be filled for a 1-month supply at a time and is not eligible for a day supply greater than 1-month at a time.                                                                                                                                                                                          |
| NM           | No Mail Order                                                      | This drug is a specialty medication and is not eligible for a 90-day supply and therefore cannot be filled using 90-day mail order programs.                                                                                                                                                                                     |

| Drug Name                                                                                                                         | Drug Tier | Requirements/Limits               |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <b>Analgesics</b>                                                                                                                 |           |                                   |
| <b>Analgesics, Miscellaneous</b>                                                                                                  |           |                                   |
| <i>acetaminophen-codeine 120-12 mg/5 ml cup inner 120 mg-12 mg /5 ml (5 ml)</i>                                                   | 1         | NM; QL (4500 per 30 days)         |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>                                                                         | 1         | NM; QL (4500 per 30 days)         |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>                                                                     | 2         | NM; QL (360 per 30 days)          |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i>                                                                                | 2         | NM; QL (180 per 30 days)          |
| <i>buprenorphine transdermal patch</i> (Butrans)<br><i>weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> | 2         | NM; QL (4 per 28 days)            |
| <i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>                                                                 | 2         | NM; QL (180 per 30 days)          |
| <i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i> (Fioricet)                                                         | 2         | QL (180 per 30 days)              |
| <i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>                                                                    | 2         | QL (180 per 30 days)              |
| <i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>                                                                     | 2         | QL (180 per 30 days)              |
| <i>endocet oral tablet 10-325 mg</i> (oxycodone-acetaminophen)                                                                    | 2         | NM; QL (180 per 30 days)          |
| <i>endocet oral tablet 2.5-325 mg, 5-325 mg</i> (oxycodone-acetaminophen)                                                         | 2         | NM; QL (360 per 30 days)          |
| <i>endocet oral tablet 7.5-325 mg</i> (oxycodone-acetaminophen)                                                                   | 2         | NM; QL (240 per 30 days)          |
| <i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>                                | 5         | PA; NM; NDS; QL (120 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>                                                                        | 2         | PA; QL (120 per 30 days)          |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|----------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| <i>fentanyl transdermal patch 72 hour<br/>100 mcg/hr, 12 mcg/hr, 25 mcg/hr,<br/>50 mcg/hr, 75 mcg/hr</i> | 2                | NM; QL (10 per 30 days)         |
| <i>hydrocodone-acetaminophen oral<br/>solution 10-300 mg/15 ml, 10-325<br/>mg/15 ml</i>                  | 2                | QL (2700 per 30 days)           |
| <i>hydrocodone-acetaminophen oral<br/>solution 7.5-325 mg/15 ml</i>                                      | 2                | NM; QL (2700 per 30<br>days)    |
| <i>hydrocodone-acetaminophen oral<br/>tablet 10-325 mg, 7.5-325 mg</i>                                   | 2                | NM; QL (180 per 30<br>days)     |
| <i>hydrocodone-acetaminophen oral<br/>tablet 5-325 mg</i>                                                | 2                | NM; QL (240 per 30<br>days)     |
| <i>hydromorphone oral tablet 2 mg, 4<br/>mg, 8 mg</i> (Dilaudid)                                         | 2                | NM; QL (180 per 30<br>days)     |
| <i>methadone oral tablet 10 mg</i>                                                                       | 2                | NM; QL (120 per 30<br>days)     |
| <i>methadone oral tablet 5 mg</i>                                                                        | 2                | NM; QL (180 per 30<br>days)     |
| <i>morphine concentrate oral solution<br/>100 mg/5 ml (20 mg/ml)</i>                                     | 2                | PA; NM; QL (180 per 30<br>days) |
| <i>morphine oral solution 10 mg/5 ml</i>                                                                 | 2                | NM; QL (700 per 30<br>days)     |
| <i>morphine oral solution 20 mg/5 ml (4<br/>mg/ml)</i>                                                   | 2                | NM; QL (300 per 30<br>days)     |
| MORPHINE ORAL TABLET 15<br>MG                                                                            | 4                | NM; QL (180 per 30<br>days)     |
| MORPHINE ORAL TABLET 30<br>MG                                                                            | 4                | NM; QL (120 per 30<br>days)     |
| <i>morphine oral tablet extended<br/>release 100 mg, 200 mg</i>                                          | 2                | NM; QL (60 per 30 days)         |
| <i>morphine oral tablet extended<br/>release 15 mg, 30 mg</i> (MS Contin)                                | 2                | NM; QL (90 per 30 days)         |
| <i>morphine oral tablet extended<br/>release 60 mg</i> (MS Contin)                                       | 2                | NM; QL (60 per 30 days)         |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>oxycodone oral capsule 5 mg</i>                                                  | 2                | NM; QL (180 per 30 days)   |
| <i>oxycodone oral tablet 10 mg, 5 mg</i>                                            | 2                | NM; QL (180 per 30 days)   |
| <i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)                              | 2                | NM; QL (120 per 30 days)   |
| <i>oxycodone oral tablet 20 mg</i>                                                  | 2                | NM; QL (120 per 30 days)   |
| <i>oxycodone-acetaminophen oral tablet</i> (Endocet)<br><i>10-325 mg</i>            | 2                | NM; QL (180 per 30 days)   |
| <i>oxycodone-acetaminophen oral tablet</i> (Endocet)<br><i>2.5-325 mg, 5-325 mg</i> | 2                | NM; QL (360 per 30 days)   |
| <i>oxycodone-acetaminophen oral tablet</i> (Endocet)<br><i>7.5-325 mg</i>           | 2                | NM; QL (240 per 30 days)   |
| <i>tramadol oral tablet 50 mg</i>                                                   | 1                | NM; QL (240 per 30 days)   |
| <i>tramadol-acetaminophen oral tablet</i><br><i>37.5-325 mg</i>                     | 2                | NM; QL (300 per 30 days)   |
| <b>Nonsteroidal Anti-Inflammatory Agents</b>                                        |                  |                            |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)              | 2                | QL (60 per 30 days)        |
| <i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)               | 4                | PA; QL (60 per 30 days)    |
| <i>diclofenac potassium oral tablet 50 mg</i>                                       | 2                | QL (120 per 30 days)       |
| <i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>                  | 2                |                            |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>                 | 2                |                            |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>                 | 2                | QL (120 per 30 days)       |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>                 | 2                | QL (60 per 30 days)        |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|------------------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| <i>diclofenac sodium topical drops 1.5 %</i>                                                         | 2                | QL (300 per 30 days)              |
| <i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))                               | 2                | QL (1000 per 30 days)             |
| <i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i> (Pennsaid) | 5                | PA; NM; NDS; QL (224 per 28 days) |
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50)       | 2                |                                   |
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75)       | 2                |                                   |
| <i>etodolac oral capsule 200 mg, 300 mg</i>                                                          | 2                |                                   |
| <i>etodolac oral tablet 400 mg</i> (Lodine)                                                          | 2                |                                   |
| <i>etodolac oral tablet 500 mg</i>                                                                   | 2                |                                   |
| <i>flurbiprofen oral tablet 100 mg</i> (Lurbiro)                                                     | 2                |                                   |
| <i>ibu oral tablet 400 mg</i> (ibuprofen)                                                            | 1                | QL (240 per 30 days)              |
| <i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)                                                    | 1                |                                   |
| <i>ibuprofen oral tablet 400 mg</i> (IBU)                                                            | 1                | QL (240 per 30 days)              |
| <i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)                                                    | 1                |                                   |
| <i>indomethacin oral capsule 25 mg, 50 mg</i>                                                        | 2                |                                   |
| <i>ketorolac oral tablet 10 mg</i>                                                                   | 2                | QL (20 per 30 days)               |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i>                                                           | 1                |                                   |
| <i>nabumetone oral tablet 500 mg, 750 mg</i>                                                         | 2                |                                   |
| <i>naproxen oral tablet 250 mg, 375 mg</i>                                                           | 1                |                                   |
| <i>naproxen oral tablet 500 mg</i> (Naprosyn)                                                        | 1                |                                   |
| <i>naproxen oral tablet,delayed release (dr/ec) 375 mg</i> (EC-Naprosyn)                             | 2                |                                   |
| <i>sulindac oral tablet 150 mg, 200 mg</i>                                                           | 2                |                                   |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| Drug Name                                                                         | Drug Tier | Requirements/Limits      |
|-----------------------------------------------------------------------------------|-----------|--------------------------|
| <b>Anesthetics</b>                                                                |           |                          |
| <b>Local Anesthetics</b>                                                          |           |                          |
| <i>dermacinrx lidocan 5% patch outer</i> (lidocaine)                              | 2         | PA; QL (90 per 30 days)  |
| <i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)              | 2         | QL (30 per 30 days)      |
| <i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)              | 2         | QL (30 per 30 days)      |
| <i>lidocaine topical adhesive patch,medicated 5 %</i> (DermacinRx Lidocan)        | 2         | PA; QL (90 per 30 days)  |
| <i>lidocaine topical ointment 5 %</i>                                             | 2         | PA; QL (240 per 30 days) |
| <i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)             | 2         |                          |
| <i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>                               | 2         | PA; QL (30 per 30 days)  |
| <i>lidocan iii topical adhesive patch,medicated 5 %</i> (lidocaine)               | 2         | PA; QL (90 per 30 days)  |
| ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %                                     | 3         | PA; QL (90 per 30 days)  |
| <b>Anti-Addiction/Substance Abuse Treatment Agents</b>                            |           |                          |
| <b>Anti-Addiction/Substance Abuse Treatment Agents</b>                            |           |                          |
| <i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>                     | 2         |                          |
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>                             | 2         | QL (90 per 30 days)      |
| <i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)                  | 2         | QL (60 per 30 days)      |
| <i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone) | 2         | QL (90 per 30 days)      |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>                  | 2         | QL (90 per 30 days)      |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

| <b>Drug Name</b>                                                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>                          | 2                |                            |
| <i>disulfiram oral tablet 250 mg, 500 mg</i>                                                            | 2                |                            |
| KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION                                                        | 3                | QL (4 per 30 days)         |
| <i>naloxone injection solution 0.4 mg/ml</i>                                                            | 2                |                            |
| <i>naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml</i>                     | 2                |                            |
| <i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)                                        | 2                | QL (4 per 30 days)         |
| <i>naltrexone oral tablet 50 mg</i>                                                                     | 2                |                            |
| NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML                                                           | 4                | QL (240 per 180 days)      |
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> (Chantix)                                          | 2                | QL (336 per 365 days)      |
| <i>varenicline tartrate oral tablet 1 mg (56 pack)</i>                                                  | 2                | QL (336 per 365 days)      |
| <i>varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box) | 2                |                            |
| <b>Antianxiety Agents</b>                                                                               |                  |                            |
| <b>Benzodiazepines</b>                                                                                  |                  |                            |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)                                             | 1                | NM; QL (120 per 30 days)   |
| <i>alprazolam oral tablet 2 mg</i> (Xanax)                                                              | 1                | NM; QL (150 per 30 days)   |
| <i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>                                             | 1                | NM; QL (120 per 30 days)   |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)                                                   | 1                | QL (90 per 30 days)        |
| <i>clonazepam oral tablet 2 mg</i> (Klonopin)                                                           | 1                | QL (300 per 30 days)       |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

| <b>Drug Name</b>                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------|------------------|----------------------------|
| <i>clonazepam oral tablet,disintegrating</i><br>0.125 mg, 0.25 mg, 0.5 mg, 1 mg | 2                | QL (90 per 30 days)        |
| <i>clonazepam oral tablet,disintegrating</i><br>2 mg                            | 2                | QL (300 per 30 days)       |
| <i>clorazepate dipotassium oral tablet</i><br>15 mg, 3.75 mg, 7.5 mg            | 2                | QL (180 per 30 days)       |
| <i>diazepam injection solution 5 mg/ml</i>                                      | 2                | QL (10 per 28 days)        |
| <i>diazepam injection syringe 5 mg/ml</i>                                       | 2                |                            |
| <i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)                    | 2                | QL (1200 per 30 days)      |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>                               | 2                | QL (1200 per 30 days)      |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)                          | 1                | QL (120 per 30 days)       |
| <i>lorazepam 2 mg/ml oral concent</i> (Lorazepam Intensol)                      | 2                | NM; QL (150 per 30 days)   |
| <i>lorazepam 4 mg/ml vial inner</i> (Ativan)                                    | 1                |                            |
| <i>lorazepam injection solution 2 mg/ml</i> (Ativan)                            | 1                | QL (2 per 30 days)         |
| <i>lorazepam injection solution 4 mg/ml</i> (Ativan)                            | 4                | QL (2 per 30 days)         |
| <i>lorazepam injection syringe 2 mg/ml</i>                                      | 1                | QL (2 per 30 days)         |
| <i>lorazepam intensol oral concentrate 2 mg/ml</i> (lorazepam)                  | 2                | NM; QL (150 per 30 days)   |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)                              | 1                | NM; QL (90 per 30 days)    |
| <i>lorazepam oral tablet 2 mg</i> (Ativan)                                      | 1                | NM; QL (150 per 30 days)   |
| <i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)                           | 1                | NM; QL (30 per 30 days)    |
| <i>temazepam oral capsule 22.5 mg</i> (Restoril)                                | 2                | NM; QL (30 per 30 days)    |
| <i>temazepam oral capsule 7.5 mg</i> (Restoril)                                 | 2                | NM; QL (120 per 30 days)   |
| <i>triazolam oral tablet 0.125 mg</i>                                           | 2                | NM; QL (120 per 30 days)   |
| <i>triazolam oral tablet 0.25 mg</i> (Halcion)                                  | 2                | NM; QL (60 per 30 days)    |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

| Drug Name                                                                                 | Drug Tier | Requirements/Limits                    |
|-------------------------------------------------------------------------------------------|-----------|----------------------------------------|
| <b>Antibacterials</b>                                                                     |           |                                        |
| <b>Aminoglycosides</b>                                                                    |           |                                        |
| <i>amikacin injection solution 500 mg/2 ml</i>                                            | 2         |                                        |
| ARIKAYCE INHALATION<br>SUSPENSION FOR<br>NEBULIZATION 590 MG/8.4 ML                       | 5         | PA; NM; NDS; QL<br>(235.2 per 28 days) |
| <i>gentamicin injection solution 40 mg/ml</i>                                             | 2         |                                        |
| <i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>                        | 2         |                                        |
| <i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>              | 2         |                                        |
| <i>neomycin oral tablet 500 mg</i>                                                        | 2         |                                        |
| <i>streptomycin intramuscular recon soln 1 gram</i>                                       | 5         | NM; NDS                                |
| TOBI PODHALER INHALATION<br>CAPSULE, W/INHALATION<br>DEVICE 28 MG                         | 5         | NM; NDS; QL (224 per<br>28 days)       |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi) | 5         | PA BvD; NM; NDS                        |
| <i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>                           | 2         |                                        |
| <b>Antibacterials, Miscellaneous</b>                                                      |           |                                        |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)                   | 2         |                                        |
| <i>clindamycin phosphate injection solution 150 (mg/ml) (4 ml), 150 (mg/ml) (6 ml)</i>    | 2         |                                        |
| <i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)                       | 2         |                                        |
| <i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral) | 5         | NM; NDS                                |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|-------------------------------------------------------------------------------------------------------------------|------------------|----------------------------------|
| <i>daptomycin intravenous recon soln</i><br>350 mg, 500 mg                                                        | 5                | NM; NDS                          |
| <i>linezolid in dextrose 5% intravenous</i> (Zyvox)<br><i>piggyback 600 mg/300 ml</i>                             | 2                |                                  |
| <i>linezolid oral suspension for</i> (Zyvox)<br><i>reconstitution 100 mg/5 ml</i>                                 | 5                | NM; NDS                          |
| <i>linezolid oral tablet 600 mg</i> (Zyvox)                                                                       | 2                |                                  |
| <i>methenamine hippurate oral tablet 1</i><br><i>gram</i>                                                         | 2                |                                  |
| <i>metronidazole in nacl (iso-os)</i> (Metro I.V.)<br><i>intravenous piggyback 500 mg/100</i><br><i>ml</i>        | 2                |                                  |
| <i>metronidazole oral tablet 250 mg,</i><br><i>500 mg</i>                                                         | 1                |                                  |
| <i>nitrofurantoin macrocrystal oral</i><br><i>capsule 100 mg, 50 mg</i>                                           | 2                | QL (120 per 30 days)             |
| <i>nitrofurantoin monohyd/m-cryst oral</i> (Macrobid)<br><i>capsule 100 mg</i>                                    | 2                | QL (60 per 30 days)              |
| <i>trimethoprim oral tablet 100 mg</i>                                                                            | 2                |                                  |
| <i>vancomycin intravenous recon soln</i><br><i>1,000 mg, 1.25 gram, 10 gram, 5</i><br><i>gram, 500 mg, 750 mg</i> | 2                |                                  |
| <i>vancomycin oral capsule 125 mg</i> (Vancocin)                                                                  | 2                | QL (56 per 14 days)              |
| <i>vancomycin oral capsule 250 mg</i> (Vancocin)                                                                  | 2                | QL (112 per 14 days)             |
| XIFAXAN ORAL TABLET 200 MG                                                                                        | 3                | PA; QL (9 per 30 days)           |
| XIFAXAN ORAL TABLET 550 MG                                                                                        | 5                | PA; NM; NDS; QL (90 per 30 days) |
| <b>Cephalosporins</b>                                                                                             |                  |                                  |
| <i>cefaclor oral capsule 250 mg, 500</i><br><i>mg</i>                                                             | 2                |                                  |
| <i>cefadroxil oral capsule 500 mg</i>                                                                             | 2                |                                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------|------------------|----------------------------|
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>   | 2                |                            |
| <i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>                   | 2                |                            |
| <i>cefdinir oral capsule 300 mg</i>                                             | 2                |                            |
| <i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>     | 2                |                            |
| <i>cefepime injection recon soln 1 gram, 2 gram</i>                             | 2                |                            |
| <i>cefixime oral capsule 400 mg</i>                                             | 2                |                            |
| <i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>                 | 2                |                            |
| <i>cefpodoxime oral tablet 100 mg, 200 mg</i>                                   | 2                |                            |
| <i>cefprozil oral tablet 250 mg, 500 mg</i>                                     | 2                |                            |
| <i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)        | 2                |                            |
| <i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i> | 2                |                            |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>                             | 2                |                            |
| <i>cefuroxime sodium injection recon soln 750 mg</i>                            | 2                |                            |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>              | 2                |                            |
| <i>cephalexin oral capsule 250 mg, 500 mg</i>                                   | 1                |                            |
| <i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>   | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|-----------------------------------------------------------------------------------------------------|------------------|------------------------------|
| <i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i> (ceftazidime)                            | 2                |                              |
| TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG                                                       | 5                | NM; NDS                      |
| <b>Macrolides</b>                                                                                   |                  |                              |
| <i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)                                       | 2                |                              |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)         | 2                |                              |
| <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>                            | 1                |                              |
| <i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)                                          | 1                |                              |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>                   | 2                |                              |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i>                                                    | 2                |                              |
| DIFICID ORAL TABLET 200 MG (fidaxomicin)                                                            | 5                | NM; NDS; QL (20 per 10 days) |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules) | 2                |                              |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)      | 2                |                              |
| <i>erythromycin oral tablet 250 mg, 500 mg</i>                                                      | 2                |                              |
| <i>fidaxomicin oral tablet 200 mg</i> (Difcid)                                                      | 5                | NM; NDS; QL (20 per 10 days) |
| <b>Miscellaneous B-Lactam Antibiotics</b>                                                           |                  |                              |
| <i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)                                      | 2                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| CAYSTON INHALATION<br>SOLUTION FOR NEBULIZATION<br>75 MG/ML                                                              | 5                | PA; NM; LA; NDS            |
| <i>ertapenem injection recon soln 1<br/>gram</i>                                                                         | 2                |                            |
| <i>imipenem-cilastatin intravenous<br/>recon soln 250 mg</i>                                                             | 2                |                            |
| <i>imipenem-cilastatin intravenous</i> (Primaxin IV)<br><i>recon soln 500 mg</i>                                         | 2                |                            |
| <i>meropenem intravenous recon soln 1<br/>gram, 500 mg</i>                                                               | 2                |                            |
| <i>meropenem intravenous recon soln 2<br/>gram</i>                                                                       | 4                |                            |
| <b>Penicillins</b>                                                                                                       |                  |                            |
| <i>amoxicillin oral capsule 250 mg, 500<br/>mg</i>                                                                       | 1                |                            |
| <i>amoxicillin oral suspension for<br/>reconstitution 125 mg/5 ml, 200 mg/5<br/>ml, 250 mg/5 ml, 400 mg/5 ml</i>         | 1                |                            |
| <i>amoxicillin oral tablet 500 mg, 875<br/>mg</i>                                                                        | 1                |                            |
| <i>amoxicillin oral tablet, chewable 125<br/>mg, 250 mg</i>                                                              | 2                |                            |
| <i>amoxicillin-pot clavulanate oral<br/>suspension for reconstitution 200-<br/>28.5 mg/5 ml, 400-57 mg/5 ml</i>          | 2                |                            |
| <i>amoxicillin-pot clavulanate oral</i> (Augmentin)<br><i>suspension for reconstitution 250-<br/>62.5 mg/5 ml</i>        | 2                |                            |
| <i>amoxicillin-pot clavulanate oral</i> (Augmentin ES-600)<br><i>suspension for reconstitution 600-<br/>42.9 mg/5 ml</i> | 2                |                            |
| <i>amoxicillin-pot clavulanate oral<br/>tablet 250-125 mg, 875-125 mg</i>                                                | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)                        | 2                |                            |
| <i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>              | 2                |                            |
| <i>ampicillin oral capsule 500 mg</i>                                                        | 2                |                            |
| <i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>                        | 2                |                            |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)          | 2                |                            |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML | 4                |                            |
| <i>dicloxacillin oral capsule 250 mg, 500 mg</i>                                             | 2                |                            |
| EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT  | 4                |                            |
| LENTOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT                    | 4                |                            |
| <i>naftcillin injection recon soln 1 gram, 10 gram, 2 gram</i>                               | 2                |                            |
| <i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)             | 2                |                            |
| <i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>    | 2                |                            |
| <i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>                       | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i>                                                 | 1                |                            |
| <i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>         | 2                |                            |
| <b>Quinolones</b>                                                                                        |                  |                            |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)                                              | 1                |                            |
| <i>ciprofloxacin hcl oral tablet 750 mg</i>                                                              | 1                |                            |
| <i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>                  | 2                |                            |
| <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>              | 2                |                            |
| <i>levofloxacin oral solution 250 mg/10 ml</i>                                                           | 2                |                            |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>                                                   | 1                |                            |
| <i>moxifloxacin 400 mg/250 ml bag sub, p/f, inner</i>                                                    | 2                |                            |
| <i>moxifloxacin oral tablet 400 mg</i>                                                                   | 2                |                            |
| <i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic)) | 2                |                            |
| <b>Sulfonamides</b>                                                                                      |                  |                            |
| <i>sulfadiazine oral tablet 500 mg</i>                                                                   | 2                |                            |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)                          | 2                |                            |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)                                     | 1                |                            |
| <i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)                                 | 1                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| Drug Name                                                                    | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------|-----------|---------------------|
| <b>Tetracyclines</b>                                                         |           |                     |
| <i>demeclocycline oral tablet 150 mg, 300 mg</i>                             | 2         |                     |
| <i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)          | 2         |                     |
| <i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)          | 2         |                     |
| <i>doxycycline hyclate oral capsule 100 mg</i>                               | 2         |                     |
| <i>doxycycline hyclate oral capsule 50 mg</i> (Morgidox)                     | 2         |                     |
| <i>doxycycline hyclate oral tablet 100 mg, 150 mg, 20 mg, 75 mg</i>          | 2         |                     |
| <i>doxycycline hyclate oral tablet 50 mg</i> (Targadox)                      | 2         |                     |
| <i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)            | 2         |                     |
| <i>doxycycline monohydrate oral capsule 150 mg</i>                           | 2         | QL (60 per 30 days) |
| <i>doxycycline monohydrate oral capsule 50 mg</i>                            | 2         |                     |
| <i>doxycycline monohydrate oral capsule 75 mg</i> (Mondoxyne NL)             | 2         | QL (60 per 30 days) |
| <i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> | 2         |                     |
| <i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)                  | 2         |                     |
| <i>doxycycline monohydrate oral tablet 50 mg</i>                             | 2         |                     |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>                         | 2         |                     |
| <i>tetracycline oral capsule 250 mg, 500 mg</i>                              | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                         | Drug Tier | Requirements/Limits                   |
|-------------------------------------------------------------------|-----------|---------------------------------------|
| <i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)         | 5         | NM; NDS                               |
| <b>Anticancer Agents</b>                                          |           |                                       |
| <b>Anticancer Agents</b>                                          |           |                                       |
| <i>abiraterone oral tablet 250 mg</i> (Abirtega)                  | 5         | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>abiraterone oral tablet 500 mg</i> (Zytiga)                    | 5         | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>abirtega oral tablet 250 mg</i> (abiraterone)                  | 2         | PA NSO; QL (120 per 30 days)          |
| <i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil) | 2         | PA BvD                                |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG                          | 5         | PA NSO; NM; NDS; QL (60 per 30 days)  |
| ALECENSA ORAL CAPSULE 150 MG                                      | 5         | PA NSO; NM; NDS; QL (240 per 30 days) |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG                                | 5         | PA NSO; NM; NDS; QL (30 per 30 days)  |
| ALUNBRIG ORAL TABLET 30 MG                                        | 5         | PA NSO; NM; NDS; QL (120 per 30 days) |
| ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)             | 5         | PA NSO; NM; NDS                       |
| <i>anastrozole oral tablet 1 mg</i> (Arimidex)                    | 1         |                                       |
| ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML                      | 5         | PA NSO; NM; NDS; QL (1.6 per 28 days) |
| AUGTYRO ORAL CAPSULE 160 MG                                       | 5         | PA NSO; NM; NDS; QL (60 per 30 days)  |
| AUGTYRO ORAL CAPSULE 40 MG                                        | 5         | PA NSO; NM; NDS; QL (240 per 30 days) |
| AVMAPKI ORAL CAPSULE 0.8 MG                                       | 5         | PA NSO; NM; NDS; QL (24 per 28 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|--------------------------------------------------------------------|------------------|--------------------------------------|
| AVMAPKI-FAKZYNJA ORAL COMBO PACK 0.8-200 MG                        | 5                | PA NSO; NM; NDS; QL (66 per 28 days) |
| AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG                        | 5                | NM; NDS                              |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG           | 5                | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>azacitidine injection recon soln 100 mg</i> (Vidaza)            | 5                | NM; NDS                              |
| BALVERSA ORAL TABLET 3 MG                                          | 5                | PA NSO; NM; NDS; QL (84 per 28 days) |
| BALVERSA ORAL TABLET 4 MG                                          | 5                | PA NSO; NM; NDS; QL (56 per 28 days) |
| BALVERSA ORAL TABLET 5 MG                                          | 5                | PA NSO; NM; NDS; QL (28 per 28 days) |
| <i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda) | 5                | PA NSO; NM; NDS                      |
| BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)               | 5                | PA NSO; NM; NDS                      |
| BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)               | 5                | PA NSO; NM; NDS                      |
| <i>bexarotene oral capsule 75 mg</i> (Targretin)                   | 5                | PA NSO; NM; NDS                      |
| <i>bexarotene topical gel 1 %</i> (Targretin)                      | 5                | PA NSO; NM; NDS                      |
| <i>bicalutamide oral tablet 50 mg</i> (Casodex)                    | 2                |                                      |
| BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)           | 5                | PA NSO; NM; NDS; QL (75 per 28 days) |
| <i>bleomycin injection recon soln 15 unit, 30 unit</i>             | 2                |                                      |
| <i>bortezomib injection recon soln 1 mg, 2.5 mg</i>                | 4                | PA NSO                               |
| <i>bortezomib injection recon soln 3.5 mg</i> (Velcade)            | 4                | PA NSO                               |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b>               |
|--------------------------------------------------------------------------------------|------------------|------------------------------------------|
| BORUZU INJECTION SOLUTION<br>2.5 MG/ML                                               | 4                | PA NSO                                   |
| BOSULIF ORAL CAPSULE 100<br>MG                                                       | 5                | PA NSO; NM; NDS; QL<br>(180 per 30 days) |
| BOSULIF ORAL CAPSULE 50 MG                                                           | 5                | PA NSO; NM; NDS; QL<br>(30 per 30 days)  |
| BOSULIF ORAL TABLET 100 MG                                                           | 5                | PA NSO; NM; NDS; QL<br>(180 per 30 days) |
| BOSULIF ORAL TABLET 400 MG,<br>500 MG                                                | 5                | PA NSO; NM; NDS; QL<br>(30 per 30 days)  |
| BRAFTOVI ORAL CAPSULE 75<br>MG                                                       | 5                | PA NSO; NM; NDS; QL<br>(180 per 30 days) |
| BRUKINSA ORAL CAPSULE 80<br>MG                                                       | 5                | PA NSO; NM; NDS; QL<br>(120 per 30 days) |
| BRUKINSA ORAL TABLET 160<br>MG                                                       | 5                | PA NSO; NM; NDS; QL<br>(60 per 30 days)  |
| CABOMETYX ORAL TABLET 20<br>MG, 60 MG                                                | 5                | PA NSO; NM; NDS; QL<br>(30 per 30 days)  |
| CABOMETYX ORAL TABLET 40<br>MG                                                       | 5                | PA NSO; NM; NDS; QL<br>(60 per 30 days)  |
| CALQUENCE (ACALABRUTINIB<br>MAL) ORAL TABLET 100 MG                                  | 5                | PA NSO; NM; NDS; QL<br>(60 per 30 days)  |
| CALQUENCE ORAL CAPSULE<br>100 MG                                                     | 5                | PA NSO; NM; NDS; QL<br>(60 per 30 days)  |
| CAPRELSA ORAL TABLET 100 (vandetanib)<br>MG                                          | 5                | PA NSO; NM; NDS; QL<br>(60 per 30 days)  |
| CAPRELSA ORAL TABLET 300 (vandetanib)<br>MG                                          | 5                | PA NSO; NM; NDS; QL<br>(30 per 30 days)  |
| COMETRIQ ORAL CAPSULE 100<br>MG/DAY(80 MG X1-20 MG X1),<br>60 MG/DAY (20 MG X 3/DAY) | 5                | PA NSO; NM; NDS                          |
| COMETRIQ ORAL CAPSULE 140<br>MG/DAY(80 MG X1-20 MG X3)                               | 5                | PA NSO; NM; NDS; QL<br>(112 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b>               |
|----------------------------------------------------------------------------|------------------|------------------------------------------|
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG                                         | 5                | PA NSO; NM; NDS; QL (56 per 28 days)     |
| COTELLIC ORAL TABLET 20 MG                                                 | 5                | PA NSO; NM; LA; NDS; QL (63 per 28 days) |
| <i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>      | 5                | PA BvD; NM; NDS                          |
| <i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>          | 5                | PA BvD; NM; NDS                          |
| <i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovyx)         | 5                | PA BvD; NM; NDS                          |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i>                          | 2                | PA BvD; ST                               |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i>                           | 3                | PA BvD; ST                               |
| DANYELZA INTRAVENOUS SOLUTION 4 MG/ML                                      | 5                | PA NSO; NM; NDS; QL (120 per 28 days)    |
| DANZITEN ORAL TABLET 71 MG, 95 MG                                          | 5                | PA NSO; NM; NDS; QL (112 per 28 days)    |
| <i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> (Sprycel) | 5                | PA NSO; NM; NDS; QL (30 per 30 days)     |
| <i>dasatinib oral tablet 20 mg</i> (Sprycel)                               | 5                | PA NSO; NM; NDS; QL (90 per 30 days)     |
| DATROWAY INTRAVENOUS RECON SOLN 100 MG                                     | 5                | PA NSO; NM; NDS                          |
| DAURISMO ORAL TABLET 100 MG                                                | 5                | PA NSO; NM; NDS; QL (30 per 30 days)     |
| DAURISMO ORAL TABLET 25 MG                                                 | 5                | PA NSO; NM; NDS; QL (60 per 30 days)     |
| <i>decitabine intravenous recon soln 50 mg</i>                             | 5                | NM; NDS                                  |
| <i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)  | 5                | PA BvD; NM; NDS                          |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|----------------------------------------------------------|------------------|---------------------------------------|
| ELAHERE INTRAVENOUS SOLUTION 5 MG/ML                     | 5                | PA NSO; NM; NDS                       |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG           | 4                | PA NSO                                |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG             | 4                | PA NSO                                |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG             | 4                | PA NSO                                |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)            | 4                | PA NSO                                |
| ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML      | 5                | PA NSO; NM; NDS                       |
| ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML                  | 5                | PA NSO; NM; NDS; QL (9.5 per 28 days) |
| EMCYT ORAL CAPSULE 140 MG                                | 5                | NM; NDS                               |
| EMRELIS INTRAVENOUS RECON SOLN 100 MG, 20 MG             | 5                | PA NSO; NM; NDS                       |
| EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML  | 5                | PA NSO; NM; NDS                       |
| ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML | 5                | PA NSO; NM; NDS                       |
| ERIVEDGE ORAL CAPSULE 150 MG                             | 5                | PA NSO; NM; NDS; QL (28 per 28 days)  |
| ERLEADA ORAL TABLET 240 MG                               | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| ERLEADA ORAL TABLET 60 MG                                | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| <i>erlotinib oral tablet 100 mg, 25 mg</i>               | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|---------------------------------------------------------------------------------------------------|------------------|---------------------------------------|
| <i>erlotinib oral tablet 150 mg</i>                                                               | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG                                                           | 4                |                                       |
| <i>etoposide intravenous solution 20 mg/ml</i>                                                    | 2                |                                       |
| EULEXIN ORAL CAPSULE 125 MG (flutamide)                                                           | 5                | NM; NDS                               |
| <i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz)                                    | 5                | PA NSO; NM; NDS; QL (56 per 28 days)  |
| <i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz)                     | 5                | PA NSO; NM; NDS; QL (28 per 28 days)  |
| <i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz) | 5                | PA NSO; NM; NDS; QL (112 per 28 days) |
| <i>exemestane oral tablet 25 mg</i> (Aromasin)                                                    | 2                |                                       |
| FAKZYNJA ORAL TABLET 200 MG                                                                       | 5                | PA NSO; NM; NDS; QL (42 per 28 days)  |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG                                     | 5                | PA BvD; NM; NDS                       |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG                                      | 3                | PA BvD                                |
| <i>floxuridine injection recon soln 0.5 gram</i>                                                  | 2                | PA BvD                                |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>                | 2                | PA BvD                                |
| <i>flutamide oral capsule 125 mg</i> (Eulexin)                                                    | 2                |                                       |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG                                                             | 5                | PA NSO; NM; NDS; QL (21 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 1 MG                                                                        | 5                | PA NSO; NM; NDS; QL (84 per 28 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|-----------------------------------------------------------------|------------------|---------------------------------------|
| FRUZAQLA ORAL CAPSULE 5 MG                                      | 5                | PA NSO; NM; NDS; QL (21 per 28 days)  |
| <i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex) | 5                | NM; NDS                               |
| FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG         | 5                | PA NSO; NM; NDS                       |
| GAVRETO ORAL CAPSULE 100 MG                                     | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>gefitinib oral tablet 250 mg</i> (Iressa)                    | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG                        | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| GLEOSTINE ORAL CAPSULE 10 MG (lomustine)                        | 4                |                                       |
| GLEOSTINE ORAL CAPSULE 100 MG, 40 MG (lomustine)                | 5                | NM; NDS                               |
| GOMEKLI ORAL CAPSULE 1 MG                                       | 5                | PA NSO; NM; NDS; QL (224 per 28 days) |
| GOMEKLI ORAL CAPSULE 2 MG                                       | 5                | PA NSO; NM; NDS; QL (112 per 28 days) |
| GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG                         | 5                | PA NSO; NM; NDS; QL (224 per 28 days) |
| HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML | 5                | PA NSO; NM; NDS; QL (5 per 21 days)   |
| HERNEXEOS ORAL TABLET 60 MG                                     | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG                   | 5                | PA NSO; NM; NDS                       |
| <i>hydroxyurea oral capsule 500 mg</i> (Hydrea)                 | 2                |                                       |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG                      | 5                | PA NSO; NM; NDS; QL (21 per 28 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|-------------------------------------------------------------------|------------------|---------------------------------------|
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG                         | 5                | PA NSO; NM; NDS; QL (21 per 28 days)  |
| IBTROZI ORAL CAPSULE 200 MG                                       | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG                    | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| IDHIFA ORAL TABLET 100 MG, 50 MG                                  | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| <i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)            | 2                |                                       |
| <i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i> | 2                |                                       |
| <i>imatinib oral tablet 100 mg</i> (Gleevec)                      | 2                | PA NSO; QL (180 per 30 days)          |
| <i>imatinib oral tablet 400 mg</i> (Gleevec)                      | 2                | PA NSO; QL (60 per 30 days)           |
| IMBRUVICA ORAL CAPSULE 140 MG                                     | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| IMBRUVICA ORAL CAPSULE 70 MG                                      | 5                | PA NSO; NM; NDS; QL (28 per 28 days)  |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML                                | 5                | PA NSO; NM; NDS; QL (216 per 30 days) |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG              | 5                | PA NSO; NM; NDS; QL (28 per 28 days)  |
| IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG                      | 5                | PA NSO; NM; NDS                       |
| IMJUDO INTRAVENOUS SOLUTION 20 MG/ML                              | 5                | PA NSO; NM; NDS                       |
| IMKELDI ORAL SOLUTION 80 MG/ML                                    | 5                | PA NSO; NM; NDS; QL (280 per 28 days) |
| INLYTA ORAL TABLET 1 MG                                           | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| INLYTA ORAL TABLET 5 MG                                           | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|------------------------------------------------------------------|------------------|---------------------------------------|
| INQOVI ORAL TABLET 35-100 MG                                     | 5                | PA NSO; NM; NDS; QL (5 per 28 days)   |
| INREBIC ORAL CAPSULE 100 MG                                      | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| ITOVEBI ORAL TABLET 3 MG                                         | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| ITOVEBI ORAL TABLET 9 MG                                         | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| IWILFIN ORAL TABLET 192 MG                                       | 5                | PA NSO; NM; NDS; QL (240 per 30 days) |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG              | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| JAYPIRCA ORAL TABLET 100 MG                                      | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| JAYPIRCA ORAL TABLET 50 MG                                       | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML                           | 5                | PA NSO; NM; NDS                       |
| JYLAMVO ORAL SOLUTION 2 MG/ML                                    | 4                | PA BvD; ST                            |
| KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML                           | 5                | PA NSO; NM; NDS                       |
| KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML                     | 5                | PA NSO; NM; NDS; QL (2 per 28 days)   |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG | 5                | PA NSO; NM; NDS; QL (49 per 28 days)  |
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG | 5                | PA NSO; NM; NDS; QL (70 per 28 days)  |
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG | 5                | PA NSO; NM; NDS; QL (91 per 28 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                                                                                                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------------|
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)                                                                                                                                                                        | 5                | PA NSO; NM; NDS; QL (21 per 28 days)  |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)                                                                                                                                                                        | 5                | PA NSO; NM; NDS; QL (42 per 28 days)  |
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)                                                                                                                                                                        | 5                | PA NSO; NM; NDS; QL (63 per 28 days)  |
| KOSELUGO ORAL CAPSULE 10 MG                                                                                                                                                                                        | 5                | PA NSO; NM; NDS; QL (300 per 30 days) |
| KOSELUGO ORAL CAPSULE 25 MG                                                                                                                                                                                        | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| KRAZATI ORAL TABLET 200 MG                                                                                                                                                                                         | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>lapatinib oral tablet 250 mg</i> (Tykerb)                                                                                                                                                                       | 5                | PA NSO; NM; NDS                       |
| LAZCLUZE ORAL TABLET 240 MG                                                                                                                                                                                        | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| LAZCLUZE ORAL TABLET 80 MG                                                                                                                                                                                         | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)                                                                                                                               | 5                | PA NSO; NM; NDS; QL (28 per 28 days)  |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY (10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X 2), 20 MG/DAY (10 MG X 2), 24 MG/DAY (10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2) | 5                | PA NSO; NM; NDS                       |
| <i>letrozole oral tablet 2.5 mg</i> (Femara)                                                                                                                                                                       | 2                |                                       |
| LEUKERAN ORAL TABLET 2 MG                                                                                                                                                                                          | 5                | NM; NDS                               |
| <i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i> (Lutrate Depot (3 month))                                                                                                          | 4                | PA NSO                                |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>                                                                                                                                                                     | 2                | PA NSO                                |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|----------------------------------------------------------|------------------|---------------------------------------|
| LONSURF ORAL TABLET 15-6.14 MG                           | 5                | PA NSO; NM; NDS; QL (100 per 28 days) |
| LONSURF ORAL TABLET 20-8.19 MG                           | 5                | PA NSO; NM; NDS; QL (80 per 28 days)  |
| LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)     | 5                | PA NSO; NM; NDS                       |
| LORBRENA ORAL TABLET 100 MG                              | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| LORBRENA ORAL TABLET 25 MG                               | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| LUMAKRAS ORAL TABLET 120 MG                              | 5                | PA NSO; NM; NDS; QL (240 per 30 days) |
| LUMAKRAS ORAL TABLET 240 MG                              | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| LUMAKRAS ORAL TABLET 320 MG                              | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML                    | 5                | PA NSO; NM; NDS                       |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG | 5                | PA NSO; NM; NDS                       |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG   | 5                | PA NSO; NM; NDS                       |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG   | 5                | PA NSO; NM; NDS                       |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG            | 5                | PA NSO; NM; NDS                       |
| LYNOZYFIC INTRAVENOUS SOLUTION 2 MG/ML                   | 5                | PA NSO; NM; NDS; QL (15 per 8 days)   |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b>             |
|--------------------------------------------------------------------------------------|------------------|----------------------------------------|
| LYNOZYFIC INTRAVENOUS SOLUTION 20 MG/ML                                              | 5                | PA NSO; NM; NDS; QL (40 per 28 days)   |
| LYNPARZA ORAL TABLET 100 MG, 150 MG                                                  | 5                | PA NSO; NM; NDS; QL (120 per 30 days)  |
| LYSODREN ORAL TABLET 500 MG                                                          | 5                | NM; NDS                                |
| LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) | 5                | PA NSO; NM; NDS; QL (140 per 28 days)  |
| MARGENZA INTRAVENOUS SOLUTION 25 MG/ML                                               | 5                | PA NSO; NM; NDS                        |
| MATULANE ORAL CAPSULE 50 MG                                                          | 5                | NM; NDS                                |
| <i>megestrol oral tablet 20 mg, 40 mg</i>                                            | 2                |                                        |
| MEKINIST ORAL RECON SOLN 0.05 MG/ML                                                  | 5                | PA NSO; NM; NDS; QL (1260 per 30 days) |
| MEKINIST ORAL TABLET 0.5 MG                                                          | 5                | PA NSO; NM; NDS; QL (90 per 30 days)   |
| MEKINIST ORAL TABLET 2 MG                                                            | 5                | PA NSO; NM; NDS; QL (30 per 30 days)   |
| MEKTOVI ORAL TABLET 15 MG                                                            | 5                | PA NSO; NM; NDS; QL (180 per 30 days)  |
| <i>mercaptopurine oral suspension 20 mg/ml</i> (Purixan)                             | 5                | NM; NDS                                |
| <i>mercaptopurine oral tablet 50 mg</i>                                              | 2                |                                        |
| <i>methotrexate sodium (pf) injection recon soln 1 gram</i>                          | 2                |                                        |
| <i>methotrexate sodium (pf) injection solution 25 mg/ml</i>                          | 2                |                                        |
| <i>methotrexate sodium injection solution 25 mg/ml</i>                               | 2                |                                        |
| <i>methotrexate sodium oral tablet 2.5 mg</i>                                        | 2                | PA BvD; ST                             |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|-------------------------------------------------------------------------------------------------|------------------|---------------------------------------|
| <i>mitoxantrone intravenous concentrate 2 mg/ml</i>                                             | 2                |                                       |
| MODEYSO ORAL CAPSULE 125 MG                                                                     | 5                | PA NSO; NM; NDS; QL (20 per 28 days)  |
| MVASI INTRAVENOUS SOLUTION 25 MG/ML                                                             | 5                | PA NSO; NM; NDS                       |
| NERLYNX ORAL TABLET 40 MG                                                                       | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>nilutamide oral tablet 150 mg</i> (Nilandron)                                                | 5                | NM; NDS                               |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG                                                         | 5                | PA NSO; NM; NDS; QL (3 per 28 days)   |
| NUBEQA ORAL TABLET 300 MG                                                                       | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| ODOMZO ORAL CAPSULE 200 MG                                                                      | 5                | PA NSO; NM; LA; NDS                   |
| OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG                                                    | 5                | PA NSO; NM; NDS                       |
| OGSIVEO ORAL TABLET 100 MG, 150 MG                                                              | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| OGSIVEO ORAL TABLET 50 MG                                                                       | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML                                              | 5                | PA NSO; NM; NDS; QL (96 per 28 days)  |
| OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6) | 5                | PA NSO; NM; NDS; QL (24 per 28 days)  |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG                                                      | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG                                                 | 5                | PA NSO; NM; NDS                       |
| ONUREG ORAL TABLET 200 MG, 300 MG                                                               | 5                | PA NSO; NM; NDS; QL (14 per 28 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| Drug Name                                                                                       | Drug Tier | Requirements/Limits                      |
|-------------------------------------------------------------------------------------------------|-----------|------------------------------------------|
| OPDIVO INTRAVENOUS<br>SOLUTION 100 MG/10 ML, 120<br>MG/12 ML, 240 MG/24 ML, 40<br>MG/4 ML       | 5         | PA NSO; NM; NDS                          |
| OPDIVO QVANTIG<br>SUBCUTANEOUS SOLUTION 600<br>MG-10,000 UNIT/5 ML                              | 5         | PA NSO; NM; NDS                          |
| OPDUALAG INTRAVENOUS<br>SOLUTION 240-80 MG/20 ML                                                | 5         | PA NSO; NM; NDS                          |
| ORSERDU ORAL TABLET 345<br>MG                                                                   | 5         | PA NSO; NM; NDS; QL<br>(30 per 30 days)  |
| ORSERDU ORAL TABLET 86 MG                                                                       | 5         | PA NSO; NM; NDS; QL<br>(90 per 30 days)  |
| <i>paclitaxel protein-bound intravenous<br/>suspension for reconstitution 100 mg</i> (Abraxane) | 5         | PA BvD; NM; NDS                          |
| <i>pazopanib oral tablet 200 mg</i> (Votrient)                                                  | 5         | PA NSO; NM; NDS; QL<br>(120 per 30 days) |
| PEMAZYRE ORAL TABLET 13.5<br>MG, 4.5 MG, 9 MG                                                   | 5         | PA NSO; NM; NDS; QL<br>(30 per 30 days)  |
| <i>pemetrexed disodium intravenous<br/>recon soln 1,000 mg, 750 mg</i>                          | 5         | NM; NDS                                  |
| <i>pemetrexed disodium intravenous<br/>recon soln 100 mg, 500 mg</i> (Alimta)                   | 5         | NM; NDS                                  |
| <i>pemetrexed disodium intravenous<br/>solution 25 mg/ml</i>                                    | 5         | NM; NDS                                  |
| PEMRYDI RTU INTRAVENOUS<br>SOLUTION 10 MG/ML                                                    | 5         | NM; NDS                                  |
| PIQRAY ORAL TABLET 200<br>MG/DAY (200 MG X 1)                                                   | 5         | PA NSO; NM; NDS; QL<br>(28 per 28 days)  |
| PIQRAY ORAL TABLET 250<br>MG/DAY (200 MG X1-50 MG X1),<br>300 MG/DAY (150 MG X 2)               | 5         | PA NSO; NM; NDS; QL<br>(56 per 28 days)  |
| POMALYST ORAL CAPSULE 1<br>MG, 2 MG, 3 MG, 4 MG                                                 | 5         | PA NSO; NM; NDS; QL<br>(21 per 28 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|-----------------------------------------------------------------------------------------------|------------------|---------------------------------------|
| QINLOCK ORAL TABLET 50 MG                                                                     | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| RETEVMO ORAL CAPSULE 40 MG                                                                    | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| RETEVMO ORAL CAPSULE 80 MG                                                                    | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| RETEVMO ORAL TABLET 120 MG, 160 MG                                                            | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| RETEVMO ORAL TABLET 40 MG                                                                     | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| RETEVMO ORAL TABLET 80 MG                                                                     | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| REVUFORJ ORAL TABLET 110 MG                                                                   | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| REVUFORJ ORAL TABLET 160 MG                                                                   | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| REVUFORJ ORAL TABLET 25 MG                                                                    | 5                | PA NSO; NM; NDS; QL (240 per 30 days) |
| REZLIDHIA ORAL CAPSULE 150 MG                                                                 | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| RIABNI INTRAVENOUS SOLUTION 10 MG/ML                                                          | 5                | PA NSO; NM; NDS                       |
| RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML) | 5                | PA NSO; NM; NDS                       |
| ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG                                                     | 5                | PA NSO; NM; NDS; QL (8 per 28 days)   |
| ROZLYTREK ORAL CAPSULE 100 MG                                                                 | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| ROZLYTREK ORAL CAPSULE 200 MG                                                                 | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| ROZLYTREK ORAL PELLETS IN PACKET 50 MG                                                        | 5                | PA NSO; NM; NDS; QL (360 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|------------------------------------------------------------------------------|------------------|---------------------------------------|
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG                                   | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML                                       | 5                | PA NSO; NM; NDS                       |
| RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML                                      | 5                | PA NSO; NM; NDS                       |
| RYDAPT ORAL CAPSULE 25 MG                                                    | 5                | PA NSO; NM; NDS; QL (224 per 28 days) |
| RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG                                  | 5                | PA NSO; NM; NDS                       |
| SCEMBLIX ORAL TABLET 100 MG                                                  | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| SCEMBLIX ORAL TABLET 20 MG                                                   | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| SCEMBLIX ORAL TABLET 40 MG                                                   | 5                | PA NSO; NM; NDS; QL (300 per 30 days) |
| SOLTAMOX ORAL SOLUTION 20 MG/10 ML                                           | 5                | NM; NDS                               |
| <i>sorafenib oral tablet 200 mg</i> (Nexavar)                                | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| STIVARGA ORAL TABLET 40 MG                                                   | 5                | PA NSO; NM; NDS; QL (84 per 28 days)  |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent) | 5                | PA NSO; NM; NDS; QL (28 per 28 days)  |
| SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG                                       | 5                | PA NSO; NM; NDS                       |
| TABLOID ORAL TABLET 40 MG (thioguanine)                                      | 4                |                                       |
| TABRECTA ORAL TABLET 150 MG, 200 MG                                          | 5                | PA NSO; NM; NDS; QL (112 per 28 days) |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG                                           | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG                                    | 5                | PA NSO; NM; NDS; QL (900 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b>               |
|-----------------------------------------------------------------------|------------------|------------------------------------------|
| TAGRISSE ORAL TABLET 40 MG, 80 MG                                     | 5                | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML                        | 5                | PA NSO; NM; NDS                          |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG | 5                | PA NSO; NM; NDS; QL (30 per 30 days)     |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i>                             | 2                |                                          |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG (nilotinib hcl)                   | 5                | PA NSO; NM; NDS; QL (112 per 28 days)    |
| TASIGNA ORAL CAPSULE 50 MG (nilotinib hcl)                            | 5                | PA NSO; NM; NDS; QL (120 per 30 days)    |
| TAZVERIK ORAL TABLET 200 MG                                           | 5                | PA NSO; NM; NDS; QL (240 per 30 days)    |
| TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML                     | 5                | PA NSO; NM; NDS                          |
| TEPMETKO ORAL TABLET 225 MG                                           | 5                | PA NSO; NM; NDS; QL (60 per 30 days)     |
| TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML                                | 5                | PA NSO; NM; NDS                          |
| TIBSOVO ORAL TABLET 250 MG                                            | 5                | PA NSO; NM; NDS; QL (60 per 30 days)     |
| TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG             | 4                |                                          |
| TIVDAK INTRAVENOUS RECON SOLN 40 MG                                   | 5                | PA NSO; NM; NDS; QL (5 per 21 days)      |
| <i>toposar intravenous solution 20 mg/ml</i> (etoposide)              | 2                |                                          |
| <i>toremifene oral tablet 60 mg</i> (Fareston)                        | 5                | NM; NDS                                  |
| <i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))        | 5                | PA NSO; NM; NDS; QL (60 per 30 days)     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b>                |
|---------------------------------------------------------------------------------|------------------|-------------------------------------------|
| <i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))   | 5                | PA NSO; NM; NDS; QL (30 per 30 days)      |
| TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG                                 | 5                | PA NSO; NM; NDS                           |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG | 4                | PA NSO                                    |
| <i>tretinoin (antineoplastic) oral capsule 10 mg</i>                            | 5                | NM; NDS                                   |
| TRUQAP ORAL TABLET 160 MG, 200 MG                                               | 5                | PA NSO; NM; NDS; QL (64 per 28 days)      |
| TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML                                           | 5                | PA NSO; NM; NDS                           |
| TUKYSA ORAL TABLET 150 MG                                                       | 5                | PA NSO; NM; NDS; QL (120 per 30 days)     |
| TUKYSA ORAL TABLET 50 MG                                                        | 5                | PA NSO; NM; NDS; QL (300 per 30 days)     |
| TURALIO ORAL CAPSULE 125 MG, 200 MG                                             | 5                | PA NSO; NM; NDS; QL (120 per 30 days)     |
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG                                           | 5                | PA NSO; NM; NDS                           |
| VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML                                          | 5                | PA NSO; NM; NDS                           |
| VENCLEXTA ORAL TABLET 10 MG                                                     | 3                | PA NSO; LA; QL (60 per 30 days)           |
| VENCLEXTA ORAL TABLET 100 MG                                                    | 5                | PA NSO; NM; LA; NDS; QL (180 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG                                                     | 5                | PA NSO; NM; LA; NDS; QL (30 per 30 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>               |
|--------------------------------------------------------------------------|------------------|------------------------------------------|
| VENCLEXTA STARTING PACK<br>ORAL TABLETS,DOSE PACK 10<br>MG-50 MG- 100 MG | 5                | PA NSO; NM; LA; NDS                      |
| VERZENIO ORAL TABLET 100<br>MG, 150 MG, 200 MG, 50 MG                    | 5                | PA NSO; NM; NDS; QL<br>(56 per 28 days)  |
| <i>vinorelbine intravenous solution 10<br/>mg/ml, 50 mg/5 ml</i>         | 2                |                                          |
| VITRAKVI ORAL CAPSULE 100<br>MG                                          | 5                | PA NSO; NM; NDS; QL<br>(60 per 30 days)  |
| VITRAKVI ORAL CAPSULE 25<br>MG                                           | 5                | PA NSO; NM; NDS; QL<br>(180 per 30 days) |
| VITRAKVI ORAL SOLUTION 20<br>MG/ML                                       | 5                | PA NSO; NM; NDS; QL<br>(300 per 30 days) |
| VIVIMUSTA INTRAVENOUS (bendamustine)<br>SOLUTION 25 MG/ML                | 5                | PA NSO; NM; NDS                          |
| VIZIMPRO ORAL TABLET 15<br>MG, 30 MG, 45 MG                              | 5                | PA NSO; NM; NDS; QL<br>(30 per 30 days)  |
| VONJO ORAL CAPSULE 100 MG                                                | 5                | PA NSO; NM; NDS; QL<br>(120 per 30 days) |
| VORANIGO ORAL TABLET 10<br>MG, 40 MG                                     | 5                | PA NSO; NM; NDS                          |
| VYLOY INTRAVENOUS RECON<br>SOLN 100 MG, 300 MG                           | 5                | PA NSO; NM; NDS                          |
| WELIREG ORAL TABLET 40 MG                                                | 5                | PA NSO; NM; NDS; QL<br>(90 per 30 days)  |
| XALKORI ORAL CAPSULE 200<br>MG, 250 MG                                   | 5                | PA NSO; NM; NDS; QL<br>(120 per 30 days) |
| XALKORI ORAL PELLETT 150 MG                                              | 5                | PA NSO; NM; NDS; QL<br>(180 per 30 days) |
| XALKORI ORAL PELLETT 20 MG                                               | 5                | PA NSO; NM; NDS; QL<br>(240 per 30 days) |
| XALKORI ORAL PELLETT 50 MG                                               | 5                | PA NSO; NM; NDS; QL<br>(120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|-------------------------------------------------------------------------------------------------|------------------|---------------------------------------|
| XATMEP ORAL SOLUTION 2.5 MG/ML                                                                  | 4                | PA BvD; ST                            |
| XOSPATA ORAL TABLET 40 MG                                                                       | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) | 5                | PA NSO; NM; NDS; QL (8 per 28 days)   |
| XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)                                                       | 5                | PA NSO; NM; NDS; QL (16 per 28 days)  |
| XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)                               | 5                | PA NSO; NM; NDS; QL (4 per 28 days)   |
| XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)                                                | 5                | PA NSO; NM; NDS; QL (24 per 28 days)  |
| XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)                                                | 5                | PA NSO; NM; NDS; QL (32 per 28 days)  |
| XTANDI ORAL CAPSULE 40 MG                                                                       | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 40 MG                                                                        | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 80 MG                                                                        | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)                       | 5                | PA NSO; NM; NDS                       |
| YONSA ORAL TABLET 125 MG                                                                        | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| ZEJULA ORAL CAPSULE 100 MG                                                                      | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG                                                       | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| ZELBORAF ORAL TABLET 240 MG                                                                     | 5                | PA NSO; NM; NDS; QL (240 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| Drug Name                                                                                    | Drug Tier | Requirements/Limits                  |
|----------------------------------------------------------------------------------------------|-----------|--------------------------------------|
| ZIIHERA INTRAVENOUS RECON SOLN 300 MG                                                        | 5         | PA NSO; NM; NDS                      |
| ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML                                                        | 5         | PA NSO; NM; NDS                      |
| ZOLADEx SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG                                                 | 4         | PA NSO                               |
| ZOLINZA ORAL CAPSULE 100 MG                                                                  | 5         | NM; NDS                              |
| ZYDELIG ORAL TABLET 100 MG, 150 MG                                                           | 5         | PA NSO; NM; NDS; QL (60 per 30 days) |
| ZYKADIA ORAL TABLET 150 MG                                                                   | 5         | PA NSO; NM; NDS; QL (84 per 28 days) |
| ZYNLONTA INTRAVENOUS RECON SOLN 10 MG                                                        | 5         | PA NSO; NM; NDS                      |
| ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML                                                      | 5         | PA NSO; NM; NDS; QL (20 per 28 days) |
| <b>Anticonvulsants</b>                                                                       |           |                                      |
| <b>Anticonvulsants</b>                                                                       |           |                                      |
| BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML                                                     | 3         | QL (80 per 30 days)                  |
| BRIVIACT ORAL SOLUTION 10 MG/ML                                                              | 3         | QL (600 per 30 days)                 |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG                                      | 3         | QL (60 per 30 days)                  |
| <i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)    | 2         |                                      |
| <i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)                                  | 2         |                                      |
| <i>carbamazepine oral tablet 200 mg</i> (Tegretol)                                           | 2         |                                      |
| <i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR) | 2         |                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|------------------------------------------------------------------------------------------|------------------|---------------------------------------|
| <i>carbamazepine oral tablet, chewable</i><br>100 mg, 200 mg                             | 2                |                                       |
| <i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)                                         | 2                | QL (480 per 30 days)                  |
| <i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)                                          | 2                | QL (60 per 30 days)                   |
| DIACOMIT ORAL CAPSULE 250 MG                                                             | 5                | PA NSO; NM; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL CAPSULE 500 MG                                                             | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 250 MG                                                    | 5                | PA NSO; NM; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 500 MG                                                    | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>                       | 4                |                                       |
| <i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)         | 2                |                                       |
| <i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)        | 2                |                                       |
| <i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote) | 2                |                                       |
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG                                   | 5                | ST; NM; NDS; QL (90 per 30 days)      |
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,500 MG                                   | 5                | ST; NM; NDS; QL (60 per 30 days)      |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML                                                        | 5                | PA NSO; NM; NDS                       |
| <i>epitol oral tablet 200 mg</i> (carbamazepine)                                         | 2                |                                       |
| EPRONTIA ORAL SOLUTION 25 MG/ML (topiramate)                                             | 4                | ST                                    |
| <i>eslicarbazepine oral tablet 200 mg, 400 mg</i> (Aptiom)                               | 5                | ST; NM; NDS; QL (30 per 30 days)      |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| <i>eslicarbazepine oral tablet 600 mg, 800 mg</i> (Aptiom)                                 | 5                | ST; NM; NDS; QL (60 per 30 days)  |
| <i>ethosuximide oral capsule 250 mg</i> (Zarontin)                                         | 2                |                                   |
| <i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)                                   | 2                |                                   |
| <i>felbamate oral suspension 600 mg/5 ml</i>                                               | 2                |                                   |
| <i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)                                     | 2                |                                   |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML                                                           | 5                | PA NSO; NM; NDS                   |
| <i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)           | 2                |                                   |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML                                                          | 5                | ST; NM; NDS; QL (720 per 30 days) |
| <i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)                                  | 2                | QL (360 per 30 days)              |
| <i>gabapentin oral capsule 400 mg</i> (Neurontin)                                          | 2                | QL (270 per 30 days)              |
| <i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)                                    | 2                | QL (2160 per 30 days)             |
| <i>gabapentin oral tablet 600 mg</i> (Neurontin)                                           | 2                | QL (180 per 30 days)              |
| <i>gabapentin oral tablet 800 mg</i> (Neurontin)                                           | 2                | QL (120 per 30 days)              |
| <i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)                               | 2                | QL (200 per 5 days)               |
| <i>lacosamide oral solution 10 mg/ml</i> (Vimpat)                                          | 2                | QL (1200 per 30 days)             |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)                       | 2                | QL (60 per 30 days)               |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)                   | 1                |                                   |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)                | 2                |                                   |
| <i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT) | 2                |                                   |
| <i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)                             | 2                |                                   |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--------------------------------------------------------------------------------------------------|------------------|----------------------------------|
| <i>levetiracetam oral solution 100 mg/ml</i> (Keppra)                                            | 2                |                                  |
| <i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)                       | 2                |                                  |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)               | 2                |                                  |
| <i>levetiracetam oral tablet for suspension 250 mg</i> (Spritam)                                 | 2                | ST                               |
| LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG                                        | 4                | QL (10 per 30 days)              |
| <i>methsuximide oral capsule 300 mg</i> (Celontin)                                               | 2                |                                  |
| NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)                                            | 4                | QL (10 per 30 days)              |
| <i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)                          | 2                |                                  |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)                              | 2                |                                  |
| <i>perampanel oral tablet 10 mg, 12 mg, 8 mg</i> (Fycompa)                                       | 5                | ST; NM; NDS; QL (30 per 30 days) |
| <i>perampanel oral tablet 2 mg</i> (Fycompa)                                                     | 2                | ST; QL (30 per 30 days)          |
| <i>perampanel oral tablet 4 mg, 6 mg</i> (Fycompa)                                               | 5                | ST; NM; NDS; QL (60 per 30 days) |
| <i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>                                            | 2                |                                  |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 2                |                                  |
| PHENYTEK ORAL CAPSULE 200 MG, 300 MG (phenytoin sodium extended)                                 | 4                |                                  |
| <i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)                                      | 2                |                                  |
| <i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)                                 | 2                |                                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                           | Drug Tier | Requirements/Limits                  |
|-------------------------------------------------------------------------------------|-----------|--------------------------------------|
| <i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)            | 2         |                                      |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)             | 2         |                                      |
| <i>phenytoin sodium intravenous solution 50 mg/ml</i>                               | 2         |                                      |
| <i>phenytoin sodium intravenous syringe 50 mg/ml</i>                                | 2         |                                      |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica) | 2         | QL (90 per 30 days)                  |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)                              | 2         | QL (60 per 30 days)                  |
| <i>pregabalin oral solution 20 mg/ml</i> (Lyrica)                                   | 2         | QL (900 per 30 days)                 |
| <i>primidone oral tablet 125 mg</i>                                                 | 2         |                                      |
| <i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)                               | 2         |                                      |
| <i>rufinamide oral suspension 40 mg/ml</i> (Banzel)                                 | 5         | ST; NM; NDS                          |
| <i>rufinamide oral tablet 200 mg</i> (Banzel)                                       | 2         | ST                                   |
| <i>rufinamide oral tablet 400 mg</i> (Banzel)                                       | 5         | ST; NM; NDS                          |
| SEZABY INTRAVENOUS RECON SOLN 100 MG                                                | 5         | PA BvD; NM; NDS                      |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG                         | 4         | ST                                   |
| SPRITAM ORAL TABLET FOR SUSPENSION 250 MG (levetiracetam)                           | 4         | ST                                   |
| <i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)            | 1         |                                      |
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG                                               | 5         | PA NSO; NM; NDS; QL (60 per 30 days) |
| <i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>                               | 2         |                                      |
| <i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)                     | 2         |                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                                                | Drug Tier | Requirements/Limits                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------|
| <i>topiramate oral capsule, sprinkle 50 mg</i>                                                                                           | 2         |                                       |
| <i>topiramate oral solution 25 mg/ml</i> (Eprontia)                                                                                      | 2         | ST                                    |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)                                                                     | 1         |                                       |
| <i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>                                                                     | 2         |                                       |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>                                                                          | 2         |                                       |
| <i>valproic acid oral capsule 250 mg</i>                                                                                                 | 2         |                                       |
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) | 5         | NM; NDS; QL (10 per 30 days)          |
| <i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)                                                                               | 5         | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigabatrin oral tablet 500 mg</i> (Vigadrone)                                                                                         | 5         | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)                                                                               | 5         | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigadrone oral tablet 500 mg</i> (vigabatrin)                                                                                         | 5         | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)                                                                                | 5         | PA NSO; NM; NDS; QL (180 per 30 days) |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)                                       | 3         | QL (56 per 28 days)                   |
| XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG                                                                                                  | 3         | QL (30 per 30 days)                   |
| XCOPRI ORAL TABLET 150 MG, 200 MG                                                                                                        | 3         | QL (60 per 30 days)                   |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| Drug Name                                                                                                                | Drug Tier | Requirements/Limits                    |
|--------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------|
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | 3         |                                        |
| ZONISADE ORAL SUSPENSION 100 MG/5 ML                                                                                     | 4         |                                        |
| <i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)                                                                  | 2         |                                        |
| <i>zonisamide oral capsule 50 mg</i>                                                                                     | 2         |                                        |
| ZTALMY ORAL SUSPENSION 50 MG/ML                                                                                          | 5         | PA NSO; NM; NDS; QL (1080 per 30 days) |
| <b>Antidementia Agents</b>                                                                                               |           |                                        |
| <b>Antidementia Agents</b>                                                                                               |           |                                        |
| <i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)                                                                       | 1         | QL (30 per 30 days)                    |
| <i>donepezil oral tablet 23 mg</i> (Aricept)                                                                             | 2         | QL (30 per 30 days)                    |
| <i>donepezil oral tablet,disintegrating 10 mg</i>                                                                        | 2         |                                        |
| <i>donepezil oral tablet,disintegrating 5 mg</i>                                                                         | 2         | QL (30 per 30 days)                    |
| <i>ergoloid oral tablet 1 mg</i>                                                                                         | 2         |                                        |
| <i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>                                                | 2         | QL (30 per 30 days)                    |
| <i>galantamine oral solution 4 mg/ml</i>                                                                                 | 2         | QL (200 per 30 days)                   |
| <i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>                                                                         | 2         | QL (60 per 30 days)                    |
| <i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg</i>                                                       | 2         | ST; QL (30 per 30 days)                |
| <i>memantine oral capsule,sprinkle,er 24hr 7 mg</i> (Namenda XR)                                                         | 2         | ST; QL (30 per 30 days)                |
| <i>memantine oral solution 2 mg/ml</i>                                                                                   | 2         | QL (300 per 30 days)                   |
| <i>memantine oral tablet 10 mg, 5 mg</i>                                                                                 | 2         | QL (60 per 30 days)                    |
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>                                                     | 2         |                                        |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                    | Drug Tier | Requirements/Limits  |
|--------------------------------------------------------------------------------------------------------------|-----------|----------------------|
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch) | 2         | QL (30 per 30 days)  |
| <b>Antidepressants</b>                                                                                       |           |                      |
| <b>Antidepressants</b>                                                                                       |           |                      |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                                  | 2         |                      |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>                                                    | 2         |                      |
| AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG                                                          | 5         | ST; NM; NDS          |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i>                                                               | 2         |                      |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)                       | 2         |                      |
| <i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)              | 2         |                      |
| <i>citalopram oral solution 10 mg/5 ml</i>                                                                   | 2         |                      |
| <i>citalopram oral tablet 10 mg</i> (Celexa)                                                                 | 1         | QL (120 per 30 days) |
| <i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)                                                          | 1         | QL (30 per 30 days)  |
| <i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)                                             | 2         |                      |
| <i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)                                                      | 2         |                      |
| <i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>                                                  | 2         |                      |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)            | 2         | QL (30 per 30 days)  |
| <i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                                       | 2         |                      |
| <i>doxepin oral concentrate 10 mg/ml</i>                                                                     | 2         |                      |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|----------------------------------------------------------------------------|------------------|----------------------------------|
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG   | 4                | ST; QL (60 per 30 days)          |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG                 | 4                | ST; QL (30 per 30 days)          |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> | 2                | QL (60 per 30 days)              |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR        | 5                | ST; NM; NDS; QL (30 per 30 days) |
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i>                        | 2                |                                  |
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)       | 1                |                                  |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)          | 4                | ST                               |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG    | 4                | ST; QL (30 per 30 days)          |
| <i>fluoxetine oral capsule 10 mg, 20 mg</i> (Prozac)                       | 1                |                                  |
| <i>fluoxetine oral capsule 40 mg</i>                                       | 1                |                                  |
| <i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>                       | 2                |                                  |
| <i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>                        | 2                |                                  |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                      | 2                |                                  |
| MARPLAN ORAL TABLET 10 MG                                                  | 4                |                                  |
| <i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)                      | 2                |                                  |
| <i>mirtazapine oral tablet 45 mg, 7.5 mg</i>                               | 2                |                                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|---------------------------------------------------------------------------------------------|------------------|-------------------------------|
| <i>mirtazapine oral tablet,disintegrating</i> (Remeron SolTab)<br>15 mg, 30 mg, 45 mg       | 2                |                               |
| <i>nefazodone oral tablet</i> 100 mg, 150 mg, 200 mg, 250 mg, 50 mg                         | 2                |                               |
| <i>nortriptyline oral capsule</i> 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)                      | 1                |                               |
| <i>nortriptyline oral solution</i> 10 mg/5 ml                                               | 2                |                               |
| <i>paroxetine hcl oral suspension</i> 10 mg/5 ml (Paxil)                                    | 2                |                               |
| <i>paroxetine hcl oral tablet</i> 10 mg, 20 mg, 30 mg, 40 mg (Paxil)                        | 1                |                               |
| <i>paroxetine hcl oral tablet extended release</i> 24 hr 12.5 mg, 25 mg, 37.5 mg (Paxil CR) | 2                |                               |
| <i>perphenazine-amitriptyline oral tablet</i> 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg   | 2                |                               |
| <i>phenelzine oral tablet</i> 15 mg (Nardil)                                                | 2                |                               |
| <i>protriptyline oral tablet</i> 10 mg, 5 mg                                                | 2                |                               |
| RALDESY ORAL SOLUTION 10 MG/ML                                                              | 4                | PA NSO; QL (1200 per 30 days) |
| <i>sertraline oral concentrate</i> 20 mg/ml (Zoloft)                                        | 2                |                               |
| <i>sertraline oral tablet</i> 100 mg, 25 mg, 50 mg (Zoloft)                                 | 1                |                               |
| SPRAVATO NASAL SPRAY,NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)                | 5                | PA NSO; NM; NDS               |
| <i>tranlycypromine oral tablet</i> 10 mg (Parnate)                                          | 2                |                               |
| <i>trazodone oral tablet</i> 100 mg, 150 mg, 300 mg, 50 mg                                  | 1                |                               |
| <i>trimipramine oral capsule</i> 100 mg, 25 mg, 50 mg                                       | 2                |                               |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                          | Drug Tier | Requirements/Limits                  |
|------------------------------------------------------------------------------------|-----------|--------------------------------------|
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG                                          | 3         | QL (30 per 30 days)                  |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)         | 2         | QL (30 per 30 days)                  |
| <i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR) | 2         | QL (90 per 30 days)                  |
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>                | 2         |                                      |
| <i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)                        | 2         | QL (30 per 30 days)                  |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG                                                 | 5         | PA NSO; NM; NDS; QL (28 per 14 days) |
| ZURZUVAE ORAL CAPSULE 30 MG                                                        | 5         | PA NSO; NM; NDS; QL (14 per 14 days) |
| <b>Antidiabetic Agents</b>                                                         |           |                                      |
| <b>Antidiabetic Agents, Miscellaneous</b>                                          |           |                                      |
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)                         | 2         |                                      |
| FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)                        | 3         | QL (30 per 30 days)                  |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG                                              | 3         | QL (30 per 30 days)                  |
| JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG                                         | 3         | QL (60 per 30 days)                  |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG                           | 3         | QL (30 per 30 days)                  |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG                 | 3         | QL (60 per 30 days)                  |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG                                           | 3         | QL (30 per 30 days)                  |
| JARDIANCE ORAL TABLET 10 MG, 25 MG                                                 | 3         | QL (30 per 30 days)                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------------------------------|
| JENTADUETO ORAL TABLET<br>2.5-1,000 MG, 2.5-500 MG, 2.5-850<br>MG                                                                                                                     | 3                | QL (60 per 30 days)                  |
| JENTADUETO XR ORAL<br>TABLET, IR - ER, BIPHASIC 24HR<br>2.5-1,000 MG                                                                                                                  | 3                | QL (60 per 30 days)                  |
| JENTADUETO XR ORAL<br>TABLET, IR - ER, BIPHASIC 24HR<br>5-1,000 MG                                                                                                                    | 3                | QL (30 per 30 days)                  |
| <i>metformin oral solution 500 mg/5 ml</i> (Riomet)                                                                                                                                   | 2                | QL (765 per 30 days)                 |
| <i>metformin oral tablet 1,000 mg</i>                                                                                                                                                 | 6                | QL (75 per 30 days)                  |
| <i>metformin oral tablet 500 mg</i>                                                                                                                                                   | 6                | QL (150 per 30 days)                 |
| <i>metformin oral tablet 750 mg</i>                                                                                                                                                   | 6                | QL (60 per 30 days)                  |
| <i>metformin oral tablet 850 mg</i>                                                                                                                                                   | 6                | QL (90 per 30 days)                  |
| <i>metformin oral tablet extended<br/>release 24 hr 500 mg</i>                                                                                                                        | 6                | QL (120 per 30 days)                 |
| <i>metformin oral tablet extended<br/>release 24 hr 750 mg</i>                                                                                                                        | 6                | QL (60 per 30 days)                  |
| <i>mifepristone oral tablet 300 mg</i> (Korlym)                                                                                                                                       | 5                | PA; NM; NDS; QL (112<br>per 28 days) |
| MOUNJARO SUBCUTANEOUS<br>PEN INJECTOR 10 MG/0.5 ML,<br>12.5 MG/0.5 ML, 15 MG/0.5 ML,<br>2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5<br>MG/0.5 ML                                                  | 3                | PA; QL (2 per 28 days)               |
| <i>nateglinide oral tablet 120 mg, 60 mg</i>                                                                                                                                          | 6                | QL (90 per 30 days)                  |
| OZEMPIC SUBCUTANEOUS PEN<br>INJECTOR 0.25 MG OR 0.5 MG (2<br>MG/3 ML), 0.25 MG OR 0.5 MG(2<br>MG/1.5 ML), 1 MG/DOSE (2<br>MG/1.5 ML), 1 MG/DOSE (4 MG/3<br>ML), 2 MG/DOSE (8 MG/3 ML) | 3                | PA; QL (3 per 28 days)               |
| <i>pioglitazone oral tablet 15 mg, 30<br/>mg, 45 mg</i> (Actos)                                                                                                                       | 6                | QL (30 per 30 days)                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>pioglitazone-metformin oral tablet</i><br><i>15-500 mg</i>                                          | 6                | QL (90 per 30 days)        |
| <i>pioglitazone-metformin oral tablet</i> (Actoplus MET)<br><i>15-850 mg</i>                           | 6                | QL (90 per 30 days)        |
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i>                                                            | 6                | QL (120 per 30 days)       |
| <i>repaglinide oral tablet 2 mg</i>                                                                    | 6                | QL (240 per 30 days)       |
| RYBELSUS ORAL TABLET 1.5<br>MG, 14 MG, 3 MG, 4 MG, 7 MG, 9<br>MG                                       | 3                | PA; QL (30 per 30 days)    |
| SYNJARDY ORAL TABLET 12.5-<br>1,000 MG, 12.5-500 MG, 5-1,000<br>MG, 5-500 MG                           | 3                | QL (60 per 30 days)        |
| SYNJARDY XR ORAL TABLET,<br>IR - ER, BIPHASIC 24HR 10-1,000<br>MG, 25-1,000 MG                         | 3                | QL (30 per 30 days)        |
| SYNJARDY XR ORAL TABLET,<br>IR - ER, BIPHASIC 24HR 12.5-<br>1,000 MG, 5-1,000 MG                       | 3                | QL (60 per 30 days)        |
| TRADJENTA ORAL TABLET 5<br>MG                                                                          | 3                | QL (30 per 30 days)        |
| TRIJARDY XR ORAL TABLET, IR<br>- ER, BIPHASIC 24HR 10-5-1,000<br>MG, 25-5-1,000 MG                     | 3                | QL (30 per 30 days)        |
| TRIJARDY XR ORAL TABLET, IR<br>- ER, BIPHASIC 24HR 12.5-2.5-<br>1,000 MG, 5-2.5-1,000 MG               | 3                | QL (60 per 30 days)        |
| TRULICITY SUBCUTANEOUS<br>PEN INJECTOR 0.75 MG/0.5 ML,<br>1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5<br>MG/0.5 ML | 3                | PA; QL (2 per 28 days)     |
| XIGDUO XR ORAL TABLET, IR - (dapaglifloz propaned-<br>ER, BIPHASIC 24HR 10-1,000 MG metformin)         | 3                | QL (30 per 30 days)        |
| XIGDUO XR ORAL TABLET, IR -<br>ER, BIPHASIC 24HR 10-500 MG                                             | 3                | QL (30 per 30 days)        |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                   |                                  | Drug Tier | Requirements/Limits                                  |
|-----------------------------------------------------------------------------|----------------------------------|-----------|------------------------------------------------------|
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG        |                                  | 3         | QL (60 per 30 days)                                  |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG                    | (dapaglifloz propaned-metformin) | 3         | QL (60 per 30 days)                                  |
| Insulins                                                                    |                                  |           |                                                      |
| FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)   |                                  | 3         | max \$35 copay per month supply; QL (30 per 28 days) |
| FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)       |                                  | 3         | max \$35 copay per month supply; QL (30 per 28 days) |
| FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML                       |                                  | 3         | max \$35 copay per month supply; QL (40 per 28 days) |
| HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML            |                                  | 3         | max \$35 copay per month supply; QL (40 per 28 days) |
| HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)  |                                  | 3         | max \$35 copay per month supply; QL (24 per 28 days) |
| insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30) | (Novolog Mix 70-30FlexPen U-100) | 2         | max \$35 copay per month supply; QL (30 per 28 days) |
| insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)    | (Novolog Mix 70-30 U-100 Insuln) | 2         | max \$35 copay per month supply; QL (40 per 28 days) |
| insulin aspart u-100 subcutaneous cartridge 100 unit/ml                     | (Novolog PenFill U-100 Insulin)  | 2         | max \$35 copay per month supply; QL (30 per 28 days) |
| insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)            | (Novolog FlexPen U-100 Insulin)  | 2         | max \$35 copay per month supply; QL (30 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

| Drug Name                                                                 |                                  | Drug Tier | Requirements/Limits                                  |
|---------------------------------------------------------------------------|----------------------------------|-----------|------------------------------------------------------|
| <i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i>             | (Novolog U-100 Insulin aspart)   | 2         | max \$35 copay per month supply; QL (40 per 28 days) |
| <i>insulin glargine-yfgn subcutaneous insulin pen 100 unit/ml (3 ml)</i>  | (Semglee(insulin glarg-yfgn)Pen) | 3         | max \$35 copay per month supply                      |
| <i>insulin glargine-yfgn subcutaneous solution 100 unit/ml</i>            | (Semglee(insulin glargine-yfgn)) | 3         | max \$35 copay per month supply                      |
| LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | (insulin glargine)               | 3         | max \$35 copay per month supply                      |
| LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML                    | (insulin glargine)               | 3         | max \$35 copay per month supply                      |
| NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)   |                                  | 3         | max \$35 copay per month supply; QL (40 per 28 days) |
| NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)  |                                  | 3         | max \$35 copay per month supply; QL (30 per 28 days) |
| NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)             |                                  | 3         | max \$35 copay per month supply; QL (30 per 28 days) |
| NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML           |                                  | 3         | max \$35 copay per month supply; QL (40 per 28 days) |
| NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)             |                                  | 3         | max \$35 copay per month supply; QL (30 per 28 days) |
| NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML             |                                  | 3         | max \$35 copay per month supply; QL (40 per 28 days) |
| SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML          | (insulin glargine-yfgn)          | 3         | max \$35 copay per month supply                      |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                   | Drug Tier | Requirements/Limits                                  |
|-----------------------------------------------------------------------------|-----------|------------------------------------------------------|
| SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)  | 3         | max \$35 copay per month supply                      |
| SOLQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML                   | 3         | max \$35 copay per month supply; QL (30 per 30 days) |
| TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)       | 3         | max \$35 copay per month supply                      |
| TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) | 3         | max \$35 copay per month supply                      |
| TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)         | 3         | max \$35 copay per month supply                      |
| TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)         | 3         | max \$35 copay per month supply                      |
| TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML                     | 3         | max \$35 copay per month supply                      |
| XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)        | 3         | max \$35 copay per month supply; QL (15 per 28 days) |
| <b>Sulfonylureas</b>                                                        |           |                                                      |
| <i>glimepiride oral tablet 1 mg, 2 mg</i>                                   | 6         | QL (30 per 30 days)                                  |
| <i>glimepiride oral tablet 4 mg</i>                                         | 6         | QL (60 per 30 days)                                  |
| <i>glipizide oral tablet 10 mg</i>                                          | 6         | QL (120 per 30 days)                                 |
| <i>glipizide oral tablet 2.5 mg</i>                                         | 6         | QL (90 per 30 days)                                  |
| <i>glipizide oral tablet 5 mg</i>                                           | 6         | QL (240 per 30 days)                                 |
| <i>glipizide oral tablet extended release 24hr 10 mg</i>                    | 6         | QL (60 per 30 days)                                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

| Drug Name                                                                                 | Drug Tier | Requirements/Limits   |
|-------------------------------------------------------------------------------------------|-----------|-----------------------|
| <i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i>                           | 6         | QL (30 per 30 days)   |
| <i>glipizide-metformin oral tablet 2.5-250 mg</i>                                         | 6         | QL (240 per 30 days)  |
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>                               | 6         | QL (120 per 30 days)  |
| <i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>                                | 6         |                       |
| <i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>                                        | 6         |                       |
| <i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>                  | 6         |                       |
| <b>Antifungals</b>                                                                        |           |                       |
| <b>Antifungals</b>                                                                        |           |                       |
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML                                                    | 4         | PA BvD                |
| <i>amphotericin b injection recon soln 50 mg</i>                                          | 2         | PA BvD                |
| <i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome) | 5         | PA BvD; NM; NDS       |
| <i>ciclopirox topical cream 0.77 %</i> (Ciclodan)                                         | 2         | QL (180 per 30 days)  |
| <i>ciclopirox topical solution 8 %</i> (Ciclodan)                                         | 2         | QL (19.8 per 30 days) |
| <i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))                         | 2         | QL (180 per 30 days)  |
| <i>clotrimazole mucous membrane troche 10 mg</i>                                          | 2         |                       |
| <i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))                         | 2         |                       |
| <i>clotrimazole topical solution 1 %</i> (Athlete's Foot (clotrimazole))                  | 2         |                       |
| <i>clotrimazole-betamethasone topical cream 1-0.05 %</i>                                  | 2         | QL (90 per 30 days)   |
| CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG                                                     | 5         | PA; NM; NDS           |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>econazole nitrate topical cream 1 %</i>                                                      | 2                | QL (170 per 30 days)       |
| <i>fluconazole in nacl (iso-osm)<br/>intravenous piggyback 200 mg/100<br/>ml, 400 mg/200 ml</i> | 2                |                            |
| <i>fluconazole oral suspension for<br/>reconstitution 10 mg/ml</i>                              | 2                |                            |
| <i>fluconazole oral suspension for</i> (Diflucan)<br><i>reconstitution 40 mg/ml</i>             | 2                |                            |
| <i>fluconazole oral tablet 100 mg, 150<br/>mg, 200 mg, 50 mg</i>                                | 2                |                            |
| <i>flucytosine oral capsule 250 mg, 500</i> (Ancobon)<br><i>mg</i>                              | 5                | NM; NDS                    |
| <i>griseofulvin microsize oral<br/>suspension 125 mg/5 ml</i>                                   | 2                |                            |
| <i>griseofulvin microsize oral tablet 500<br/>mg</i>                                            | 2                |                            |
| <i>griseofulvin ultramicrosize oral<br/>tablet 125 mg, 165 mg, 250 mg</i>                       | 2                |                            |
| <i>itraconazole oral capsule 100 mg</i> (Sporanox)                                              | 2                |                            |
| <i>ketoconazole oral tablet 200 mg</i>                                                          | 2                |                            |
| <i>ketoconazole topical cream 2 %</i>                                                           | 2                | QL (180 per 30 days)       |
| <i>ketoconazole topical shampoo 2 %</i>                                                         | 2                | QL (360 per 30 days)       |
| <i>micafungin intravenous recon soln</i> (Mycamine)<br><i>100 mg, 50 mg</i>                     | 2                |                            |
| <i>miconazole-3 vaginal suppository<br/>200 mg</i>                                              | 2                |                            |
| <i>nyamyc topical powder 100,000</i> (nystatin)<br><i>unit/gram</i>                             | 2                | QL (60 per 30 days)        |
| <i>nystatin oral suspension 100,000<br/>unit/ml</i>                                             | 2                |                            |
| <i>nystatin oral tablet 500,000 unit</i>                                                        | 2                |                            |
| <i>nystatin topical cream 100,000<br/>unit/gram</i>                                             | 2                | QL (60 per 30 days)        |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| Drug Name                                                                             | Drug Tier | Requirements/Limits     |
|---------------------------------------------------------------------------------------|-----------|-------------------------|
| <i>nystatin topical ointment 100,000 unit/gram</i>                                    | 2         | QL (60 per 30 days)     |
| <i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)                             | 2         | QL (60 per 30 days)     |
| <i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>                      | 2         |                         |
| <i>nystop topical powder 100,000 unit/gram</i> (nystatin)                             | 2         | QL (60 per 30 days)     |
| <i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil)             | 5         | PA; NM; NDS             |
| <i>terbinafine hcl oral tablet 250 mg</i>                                             | 1         |                         |
| <i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)                          | 5         | PA BvD; NM; NDS         |
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend) | 5         | PA; NM; NDS             |
| <i>voriconazole oral tablet 200 mg, 50 mg</i>                                         | 2         |                         |
| <b>Antigout Agents</b>                                                                |           |                         |
| <b>Antigout Agents, Other</b>                                                         |           |                         |
| <i>allopurinol oral tablet 100 mg</i> (Zyloprim)                                      | 1         |                         |
| <i>allopurinol oral tablet 300 mg</i>                                                 | 1         |                         |
| <i>colchicine oral capsule 0.6 mg</i> (Mitigare)                                      | 2         | QL (60 per 30 days)     |
| <i>colchicine oral tablet 0.6 mg</i> (Colcris)                                        | 2         | QL (120 per 30 days)    |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)                                   | 2         | ST; QL (30 per 30 days) |
| <i>probenecid oral tablet 500 mg</i>                                                  | 2         |                         |
| <i>probenecid-colchicine oral tablet 500-0.5 mg</i>                                   | 2         |                         |
| <b>Antihistamines</b>                                                                 |           |                         |
| <b>Antihistamines</b>                                                                 |           |                         |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                                | 2         |                         |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                    | Drug Tier | Requirements/Limits                |
|----------------------------------------------------------------------------------------------|-----------|------------------------------------|
| <i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)                                 | 1         |                                    |
| <b>Anti-Infectives (Skin And Mucous Membrane)</b>                                            |           |                                    |
| <b>Anti-Infectives (Skin And Mucous Membrane)</b>                                            |           |                                    |
| <i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)                                     | 2         |                                    |
| <i>metronidazole vaginal gel 0.75 %</i> (Vandazole)<br>(37.5mg/5 gram)                       | 2         |                                    |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i>                                                | 2         |                                    |
| <i>terconazole vaginal suppository 80 mg</i>                                                 | 2         |                                    |
| <b>Antimigraine Agents</b>                                                                   |           |                                    |
| <b>Antimigraine Agents</b>                                                                   |           |                                    |
| AIMOVIG AUTOINJECTOR<br>SUBCUTANEOUS AUTO-<br>INJECTOR 140 MG/ML, 70<br>MG/ML                | 3         | PA; QL (1 per 30 days)             |
| AJOVY AUTOINJECTOR<br>SUBCUTANEOUS AUTO-<br>INJECTOR 225 MG/1.5 ML                           | 3         | PA; QL (1.5 per 30 days)           |
| AJOVY SYRINGE<br>SUBCUTANEOUS SYRINGE 225<br>MG/1.5 ML                                       | 3         | PA; QL (1.5 per 30 days)           |
| <i>dihydroergotamine nasal spray, non-<br/>aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal) | 5         | ST; NM; NDS; QL (8<br>per 28 days) |
| EMGALITY PEN<br>SUBCUTANEOUS PEN INJECTOR<br>120 MG/ML                                       | 3         | PA; QL (2 per 30 days)             |
| EMGALITY SYRINGE<br>SUBCUTANEOUS SYRINGE 120<br>MG/ML                                        | 3         | PA; QL (2 per 30 days)             |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                 | Drug Tier | Requirements/Limits     |
|-------------------------------------------------------------------------------------------|-----------|-------------------------|
| EMGALITY SYRINGE<br>SUBCUTANEOUS SYRINGE 300<br>MG/3 ML (100 MG/ML X 3)                   | 3         | PA; QL (3 per 30 days)  |
| <i>naratriptan oral tablet 1 mg, 2.5 mg</i>                                               | 2         | QL (9 per 30 days)      |
| NURTEC ODT ORAL<br>TABLET,DISINTEGRATING 75<br>MG                                         | 3         | PA; QL (18 per 30 days) |
| QULIPTA ORAL TABLET 10 MG,<br>30 MG, 60 MG                                                | 3         | PA; QL (30 per 30 days) |
| <i>rizatriptan oral tablet 10 mg</i> (Maxalt)                                             | 2         | QL (18 per 30 days)     |
| <i>rizatriptan oral tablet 5 mg</i>                                                       | 2         | QL (18 per 30 days)     |
| <i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)                          | 2         | QL (18 per 30 days)     |
| <i>rizatriptan oral tablet,disintegrating 5 mg</i>                                        | 2         | QL (18 per 30 days)     |
| <i>sumatriptan 4 mg/0.5 ml inject outer, sub</i> (Imitrex STATdose Pen)                   | 2         | QL (4 per 28 days)      |
| <i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i>                | 2         | QL (12 per 30 days)     |
| <i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)                                 | 2         | QL (9 per 30 days)      |
| <i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)                           | 2         | QL (18 per 30 days)     |
| <i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill) | 2         | QL (4 per 28 days)      |
| <i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> (Imitrex STATdose Pen) | 4         | QL (4 per 28 days)      |
| <i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> (Imitrex STATdose Pen) | 2         | QL (4 per 28 days)      |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>                            | 2         | QL (5 per 28 days)      |
| UBRELVY ORAL TABLET 100<br>MG, 50 MG                                                      | 3         | PA; QL (16 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                               | Drug Tier | Requirements/Limits        |
|-------------------------------------------------------------------------|-----------|----------------------------|
| <b>Antimycobacterials</b>                                               |           |                            |
| <b>Antimycobacterials</b>                                               |           |                            |
| <i>dapsone oral tablet 100 mg, 25 mg</i>                                | 2         |                            |
| <i>ethambutol oral tablet 100 mg, 400 mg</i>                            | 2         |                            |
| <i>isoniazid oral tablet 100 mg, 300 mg</i>                             | 1         |                            |
| PRIFTIN ORAL TABLET 150 MG                                              | 4         |                            |
| <i>pyrazinamide oral tablet 500 mg</i>                                  | 2         |                            |
| <i>rifabutin oral capsule 150 mg</i>                                    | 2         |                            |
| <i>rifampin intravenous recon soln 600 mg</i> (Rifadin)                 | 2         |                            |
| <i>rifampin oral capsule 150 mg, 300 mg</i>                             | 2         |                            |
| SIRTURO ORAL TABLET 100 MG, 20 MG                                       | 5         | PA; NM; NDS                |
| TRECTOR ORAL TABLET 250 MG                                              | 4         |                            |
| <b>Antinausea Agents</b>                                                |           |                            |
| <b>Antinausea Agents</b>                                                |           |                            |
| <i>aprepitant oral capsule 125 mg</i>                                   | 2         | PA BvD; QL (2 per 28 days) |
| <i>aprepitant oral capsule 40 mg</i>                                    | 2         | PA BvD; QL (1 per 28 days) |
| <i>aprepitant oral capsule 80 mg</i> (Emend)                            | 2         | PA BvD; QL (4 per 28 days) |
| <i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend) | 2         | PA BvD                     |
| <i>compro rectal suppository 25 mg</i> (prochlorperazine)               | 2         |                            |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)            | 2         | PA; QL (60 per 30 days)    |
| <i>meclizine oral tablet 12.5 mg</i>                                    | 1         |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                         | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------|-----------|---------------------|
| <i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))                        | 1         |                     |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i>                                     | 2         | PA BvD              |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>                         | 2         | PA BvD              |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>         | 2         |                     |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)               | 2         |                     |
| <i>prochlorperazine rectal suppository 25 mg</i> (Compro)                         | 2         |                     |
| <i>promethazine injection solution 25 mg/ml</i> (Phenergan)                       | 2         |                     |
| <i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>                             | 1         |                     |
| <i>promethazine rectal suppository 25 mg</i> (Promethegan)                        | 2         |                     |
| <i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine)               | 2         |                     |
| <i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop) | 2         | QL (10 per 30 days) |
| <b>Antiparasite Agents</b>                                                        |           |                     |
| <b>Antiparasite Agents</b>                                                        |           |                     |
| <i>albendazole oral tablet 200 mg</i>                                             | 5         | NM; NDS             |
| <i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)                            | 2         |                     |
| <i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)                     | 2         |                     |
| <i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)           | 2         |                     |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>                           | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                  | Drug Tier | Requirements/Limits              |
|------------------------------------------------------------|-----------|----------------------------------|
| COARTEM ORAL TABLET 20-120 MG                              | 4         |                                  |
| <i>hydroxychloroquine oral tablet 100 mg</i>               | 2         | QL (180 per 30 days)             |
| <i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)   | 2         | QL (90 per 30 days)              |
| <i>hydroxychloroquine oral tablet 300 mg</i> (Sovuna)      | 2         | QL (60 per 30 days)              |
| <i>hydroxychloroquine oral tablet 400 mg</i>               | 2         | QL (60 per 30 days)              |
| IMPAVIDO ORAL CAPSULE 50 MG                                | 5         | PA; NM; NDS; QL (84 per 28 days) |
| <i>ivermectin oral tablet 3 mg</i> (Stromectol)            | 2         |                                  |
| <i>ivermectin oral tablet 6 mg</i>                         | 2         |                                  |
| <i>mefloquine oral tablet 250 mg</i>                       | 2         |                                  |
| <i>nitazoxanide oral tablet 500 mg</i> (Alinia)            | 5         | NM; NDS; QL (60 per 30 days)     |
| <i>paromomycin oral capsule 250 mg</i> (Humatin)           | 2         |                                  |
| <i>pentamidine inhalation recon soln 300 mg</i> (Nebupent) | 2         | PA BvD                           |
| <i>pentamidine injection recon soln 300 mg</i> (Pentam)    | 2         |                                  |
| <i>praziquantel oral tablet 600 mg</i> (Biltricide)        | 2         |                                  |
| PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)                | 4         |                                  |
| <i>pyrimethamine oral tablet 25 mg</i> (Daraprim)          | 5         | PA; NM; NDS                      |
| <i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)     | 2         | PA                               |
| <i>tinidazole oral tablet 250 mg, 500 mg</i>               | 2         |                                  |
| <b>Antiparkinsonian Agents</b>                             |           |                                  |
| <b>Antiparkinsonian Agents</b>                             |           |                                  |
| <i>amantadine hcl oral capsule 100 mg</i>                  | 2         |                                  |
| <i>amantadine hcl oral solution 50 mg/5 ml</i>             | 2         |                                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

| <b>Drug Name</b>                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---------------------------------------------------------------------------------------|------------------|-----------------------------------|
| <i>amantadine hcl oral tablet 100 mg</i>                                              | 2                |                                   |
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>                                     | 2                |                                   |
| <i>bromocriptine oral tablet 2.5 mg</i>                                               | 2                |                                   |
| <i>cabergoline oral tablet 0.5 mg</i>                                                 | 2                |                                   |
| <i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)                             | 2                |                                   |
| <i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)                               | 2                |                                   |
| <i>carbidopa-levodopa oral tablet 25-250 mg</i>                                       | 2                |                                   |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>           | 2                |                                   |
| <i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i> | 2                |                                   |
| <i>entacapone oral tablet 200 mg</i>                                                  | 2                |                                   |
| KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG                             | 5                | PA; NM; NDS; QL (150 per 30 days) |
| KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG                                             | 5                | PA; NM; NDS                       |
| ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML                                              | 5                | PA; NM; NDS; QL (600 per 30 days) |
| <i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>       | 2                |                                   |
| <i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)                                  | 2                |                                   |
| <i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>           | 2                |                                   |
| <i>ropinirole oral tablet extended release 24 hr 2 mg, 4 mg</i>                       | 2                |                                   |
| <i>selegiline hcl oral capsule 5 mg</i>                                               | 2                |                                   |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| Drug Name                                                                             | Drug Tier | Requirements/Limits               |
|---------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>selegiline hcl oral tablet 5 mg</i>                                                | 2         |                                   |
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>                                         | 2         |                                   |
| VYALEV CONTIN.<br>SUBCUTANEOUS INFUSION<br>SOLUTION 12-240 MG/ML                      | 5         | PA; NM; NDS; QL (560 per 28 days) |
| <b>Antipsychotic Agents</b>                                                           |           |                                   |
| <b>Antipsychotic Agents</b>                                                           |           |                                   |
| ABILIFY ASIMTUFII<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 720 MG/2.4 ML | 5         | NM; NDS; QL (2.4 per 42 days)     |
| ABILIFY ASIMTUFII<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 960 MG/3.2 ML | 5         | NM; NDS; QL (3.2 per 42 days)     |
| ABILIFY MAINTENA<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>RECON 300 MG, 400 MG  | 5         | NM; NDS; QL (2 per 28 days)       |
| ABILIFY MAINTENA<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 300 MG, 400 MG | 5         | NM; NDS; QL (2 per 28 days)       |
| <i>aripiprazole oral solution 1 mg/ml</i>                                             | 2         |                                   |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)      | 2         |                                   |
| <i>aripiprazole oral tablet,disintegrating 10 mg</i>                                  | 2         | ST; QL (90 per 30 days)           |
| <i>aripiprazole oral tablet,disintegrating 15 mg</i>                                  | 2         | ST; QL (60 per 30 days)           |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                           | Drug Tier | Requirements/Limits                 |
|-------------------------------------------------------------------------------------|-----------|-------------------------------------|
| ARISTADA INITIO<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 675 MG/2.4 ML | 5         | NM; NDS; QL (4.8 per<br>365 days)   |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 1,064 MG/3.9 ML         | 5         | NM; NDS; QL (3.9 per<br>14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 441 MG/1.6 ML           | 5         | NM; NDS; QL (1.6 per<br>14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 662 MG/2.4 ML           | 5         | NM; NDS; QL (2.4 per<br>14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 882 MG/3.2 ML           | 5         | NM; NDS; QL (3.2 per<br>14 days)    |
| <i>asenapine maleate sublingual tablet</i> (Saphris)<br>10 mg, 2.5 mg, 5 mg         | 2         | QL (60 per 30 days)                 |
| CAPLYTA ORAL CAPSULE 10.5<br>MG, 21 MG, 42 MG                                       | 5         | ST; NM; NDS; QL (30<br>per 30 days) |
| <i>chlorpromazine injection solution</i> 25<br>mg/ml                                | 2         |                                     |
| <i>chlorpromazine oral concentrate</i> 100<br>mg/ml, 30 mg/ml                       | 2         |                                     |
| <i>chlorpromazine oral tablet</i> 10 mg,<br>100 mg, 200 mg, 25 mg, 50 mg            | 2         |                                     |
| <i>clozapine oral tablet</i> 100 mg, 200<br>mg, 25 mg, 50 mg (Clozaril)             | 2         |                                     |
| <i>clozapine oral tablet,disintegrating</i><br>100 mg, 12.5 mg, 25 mg               | 2         | ST; QL (90 per 30 days)             |
| <i>clozapine oral tablet,disintegrating</i><br>150 mg                               | 2         | ST; QL (180 per 30<br>days)         |
| <i>clozapine oral tablet,disintegrating</i><br>200 mg                               | 2         | ST; QL (120 per 30<br>days)         |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--------------------------------------------------------------------------------|------------------|----------------------------------|
| COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG                            | 5                | ST; NM; NDS; QL (60 per 30 days) |
| COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG          | 5                | ST; NM; NDS                      |
| ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML                                   | 5                | NM; NDS; QL (0.75 per 21 days)   |
| ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML                                        | 5                | NM; NDS; QL (1 per 21 days)      |
| ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML                                    | 5                | NM; NDS; QL (1.5 per 21 days)    |
| ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML                                   | 5                | NM; NDS; QL (2.25 per 21 days)   |
| ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML                                    | 5                | NM; NDS; QL (0.25 per 21 days)   |
| ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML                                     | 5                | NM; NDS; QL (0.5 per 21 days)    |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG                  | 5                | ST; NM; NDS; QL (60 per 30 days) |
| FANAPT TITRATION PACK A ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)    | 4                | ST                               |
| FANAPT TITRATION PACK B ORAL TABLETS,DOSE PACK 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2) | 4                | ST                               |
| FANAPT TITRATION PACK C ORAL TABLETS,DOSE PACK 1 MG(4)-2 MG(2) -6 MG (2)       | 4                | ST                               |
| <i>fluphenazine decanoate injection solution 25 mg/ml</i>                      | 2                |                                  |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i>                           | 2                |                                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|-----------------------------------------------------------------------------------------------|------------------|--------------------------------|
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i>                                              | 2                |                                |
| <i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>                                               | 2                |                                |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>                                 | 2                |                                |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)              | 2                |                                |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml, 50 mg/ml(1ml)</i> | 2                |                                |
| <i>haloperidol lactate injection solution 5 mg/ml</i>                                         | 2                |                                |
| <i>haloperidol lactate intramuscular syringe 5 mg/ml</i>                                      | 2                |                                |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i>                                           | 2                |                                |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>                         | 2                |                                |
| INVEGA HAFYERA<br>INTRAMUSCULAR SYRINGE<br>1,092 MG/3.5 ML                                    | 5                | NM; NDS; QL (3.5 per 166 days) |
| INVEGA HAFYERA<br>INTRAMUSCULAR SYRINGE<br>1,560 MG/5 ML                                      | 5                | NM; NDS; QL (5 per 166 days)   |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 117<br>MG/0.75 ML                                    | 5                | NM; NDS; QL (0.75 per 21 days) |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 156<br>MG/ML                                         | 5                | NM; NDS; QL (1 per 21 days)    |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 234<br>MG/1.5 ML                                     | 5                | NM; NDS; QL (1.5 per 21 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|--------------------------------------------------------------------|------------------|--------------------------------------|
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 39<br>MG/0.25 ML          | 3                | QL (0.25 per 21 days)                |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 78<br>MG/0.5 ML           | 5                | NM; NDS; QL (0.5 per 21 days)        |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 273<br>MG/0.88 ML           | 5                | NM; NDS; QL (0.88 per 70 days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 410<br>MG/1.32 ML           | 5                | NM; NDS; QL (1.32 per 70 days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 546<br>MG/1.75 ML           | 5                | NM; NDS; QL (1.75 per 70 days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 819<br>MG/2.63 ML           | 5                | NM; NDS; QL (2.63 per 70 days)       |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>   | 2                |                                      |
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda) | 2                | QL (30 per 30 days)                  |
| <i>lurasidone oral tablet 80 mg</i> (Latuda)                       | 2                | QL (60 per 30 days)                  |
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG          | 5                | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>molindone oral tablet 10 mg</i>                                 | 2                | QL (240 per 30 days)                 |
| <i>molindone oral tablet 25 mg</i>                                 | 2                | QL (270 per 30 days)                 |
| <i>molindone oral tablet 5 mg</i>                                  | 5                | NM; NDS; QL (120 per 30 days)        |
| NUPLAZID ORAL CAPSULE 34 MG                                        | 5                | PA NSO; NM; NDS; QL (30 per 30 days) |
| NUPLAZID ORAL TABLET 10 MG                                         | 5                | PA NSO; NM; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| <i>olanzapine intramuscular recon soln</i><br>10 mg                                                                          | 2                | QL (30 per 30 days)             |
| <i>olanzapine oral tablet 10 mg, 15 mg,</i><br>7.5 mg                                                                        | 2                |                                 |
| <i>olanzapine oral tablet 2.5 mg, 20 mg, (Zyprexa)</i><br>5 mg                                                               | 2                |                                 |
| <i>olanzapine oral tablet,disintegrating</i><br>10 mg, 15 mg, 20 mg, 5 mg                                                    | 2                |                                 |
| OPIPZA ORAL FILM 10 MG, 2<br>MG, 5 MG                                                                                        | 5                | ST; NM; NDS                     |
| <i>paliperidone oral tablet extended</i><br><i>release 24hr 1.5 mg</i>                                                       | 2                | QL (30 per 30 days)             |
| <i>paliperidone oral tablet extended (Invega)</i><br><i>release 24hr 3 mg, 9 mg</i>                                          | 2                | QL (30 per 30 days)             |
| <i>paliperidone oral tablet extended (Invega)</i><br><i>release 24hr 6 mg</i>                                                | 2                | QL (60 per 30 days)             |
| <i>perphenazine oral tablet 16 mg, 2</i><br><i>mg, 4 mg, 8 mg</i>                                                            | 2                |                                 |
| PERSERIS SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 120 MG, 90 MG                                                     | 5                | NM; NDS; QL (1 per 30<br>days)  |
| <i>pimozide oral tablet 1 mg, 2 mg</i>                                                                                       | 2                |                                 |
| <i>prochlorperazine 10 mg/2 ml vl outer</i><br><i>10 mg/2 ml (5 mg/ml)</i>                                                   | 2                |                                 |
| <i>quetiapine oral tablet 100 mg, 200</i> (Seroquel)<br><i>mg, 25 mg, 300 mg, 400 mg, 50 mg</i>                              | 2                |                                 |
| <i>quetiapine oral tablet 150 mg</i>                                                                                         | 2                | QL (30 per 30 days)             |
| <i>quetiapine oral tablet extended (Seroquel XR)</i><br><i>release 24 hr 150 mg, 200 mg, 300</i><br><i>mg, 400 mg, 50 mg</i> | 2                |                                 |
| REXULTI ORAL TABLET 0.25<br>MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4<br>MG                                                            | 5                | NM; NDS; QL (30 per<br>30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------------|
| <i>risperidone microspheres</i> (Risperdal Consta)<br><i>intramuscular suspension,extended</i><br><i>rel recon 12.5 mg/2 ml</i>    | 2                | QL (2 per 28 days)               |
| <i>risperidone microspheres</i> (Rykindo)<br><i>intramuscular suspension,extended</i><br><i>rel recon 25 mg/2 ml</i>               | 2                | QL (2 per 28 days)               |
| <i>risperidone microspheres</i> (Rykindo)<br><i>intramuscular suspension,extended</i><br><i>rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> | 5                | NM; NDS; QL (2 per 28 days)      |
| <i>risperidone oral solution 1 mg/ml</i> (Risperdal)                                                                               | 2                |                                  |
| <i>risperidone oral tablet 0.25 mg</i>                                                                                             | 2                |                                  |
| <i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)                                                          | 2                |                                  |
| <i>risperidone oral tablet,disintegrating</i><br><i>0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>                                    | 2                |                                  |
| RYKINDO INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>RECON 25 MG/2 ML, 37.5 MG/2<br>ML, 50 MG/2 ML (risperidone<br>microspheres)    | 5                | NM; NDS; QL (2 per 28 days)      |
| SECUADO TRANSDERMAL<br>PATCH 24 HOUR 3.8 MG/24<br>HOUR, 5.7 MG/24 HOUR, 7.6<br>MG/24 HOUR                                          | 5                | ST; NM; NDS; QL (30 per 30 days) |
| <i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                                                                        | 2                |                                  |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                                                                            | 2                |                                  |
| <i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>                                                                         | 2                |                                  |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 100 MG/0.28 ML                                                             | 5                | NM; NDS; QL (0.28 per 28 days)   |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|------------------------------------------------------------------------------------------------|------------------|--------------------------------------|
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 125 MG/0.35 ML                         | 5                | NM; NDS; QL (0.35 per<br>28 days)    |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 150 MG/0.42 ML                         | 5                | NM; NDS; QL (0.42 per<br>56 days)    |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 200 MG/0.56 ML                         | 5                | NM; NDS; QL (0.56 per<br>56 days)    |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 250 MG/0.7 ML                          | 5                | NM; NDS; QL (0.7 per<br>56 days)     |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 50 MG/0.14 ML                          | 5                | NM; NDS; QL (0.14 per<br>28 days)    |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 75 MG/0.21 ML                          | 5                | NM; NDS; QL (0.21 per<br>28 days)    |
| VERSACLOZ ORAL<br>SUSPENSION 50 MG/ML                                                          | 5                | ST; NM; NDS; QL (540<br>per 30 days) |
| VRAYLAR ORAL CAPSULE 1.5<br>MG, 3 MG, 4.5 MG, 6 MG                                             | 5                | ST; NM; NDS; QL (30<br>per 30 days)  |
| VRAYLAR ORAL<br>CAPSULE,DOSE PACK 1.5 MG<br>(1)- 3 MG (6)                                      | 4                | ST                                   |
| <i>ziprasidone hcl oral capsule 20 mg,</i> (Geodon)<br><i>40 mg, 60 mg, 80 mg</i>              | 2                |                                      |
| <i>ziprasidone mesylate intramuscular</i> (Geodon)<br><i>recon soln 20 mg/ml (final conc.)</i> | 2                | QL (6 per 28 days)                   |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 210 MG                      | 4                | QL (2 per 28 days)                   |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 300 MG                      | 5                | NM; NDS; QL (2 per 28<br>days)       |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                              | Drug Tier | Requirements/Limits           |
|--------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 405 MG                              | 5         | NM; NDS; QL (1 per 28 days)   |
| <b>Antivirals (Systemic)</b>                                                                           |           |                               |
| <b>Antiretrovirals</b>                                                                                 |           |                               |
| <i>abacavir oral solution 20 mg/ml</i> (Ziagen)                                                        | 2         |                               |
| <i>abacavir oral tablet 300 mg</i>                                                                     | 2         |                               |
| <i>abacavir-lamivudine oral tablet 600-300 mg</i>                                                      | 2         |                               |
| APRETUDE INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)             | 5         | NM; NDS; QL (24 per 365 days) |
| APTIVUS ORAL CAPSULE 250 MG                                                                            | 5         | NM; NDS                       |
| <i>atazanavir oral capsule 150 mg</i>                                                                  | 2         |                               |
| <i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)                                                | 2         |                               |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG                                                        | 5         | NM; NDS; QL (30 per 30 days)  |
| CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML | 5         | NM; NDS                       |
| <i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>                 | 5         | NM; NDS; QL (24 per 365 days) |
| <i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)      | 5         | NM; NDS; QL (24 per 365 days) |
| CIMDUO ORAL TABLET 300-300 MG                                                                          | 5         | NM; NDS                       |
| <i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista)                                                 | 5         | NM; NDS                       |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------|------------------|----------------------------|
| DELSTRIGO ORAL TABLET 100-300-300 MG                                                                | 5                | NM; NDS                    |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG                                                            | 5                | NM; NDS                    |
| <i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>                               | 2                |                            |
| DOVATO ORAL TABLET 50-300 MG                                                                        | 5                | NM; NDS                    |
| EDURANT ORAL TABLET 25 MG                                                                           | 5                | NM; NDS                    |
| EDURANT PED ORAL TABLET FOR SUSPENSION 2.5 MG                                                       | 5                | NM; NDS                    |
| <i>efavirenz oral capsule 200 mg, 50 mg</i>                                                         | 2                |                            |
| <i>efavirenz oral tablet 600 mg</i>                                                                 | 2                |                            |
| <i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i>                                  | 5                | NM; NDS                    |
| <i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i>                | 5                | NM; NDS                    |
| <i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)        | 5                | NM; NDS                    |
| <i>emtricitabine oral capsule 200 mg</i> (Emtriva)                                                  | 2                |                            |
| <i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)       | 5                | NM; NDS                    |
| <i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)                               | 2                |                            |
| <i>emtricitabine-rilpivirine-tenofovir disoproxil fumarate oral tablet 200-25-300 mg</i> (Complera) | 5                | NM; NDS                    |
| EMTRIVA ORAL SOLUTION 10 MG/ML                                                                      | 4                |                            |
| EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)                                                       | 4                |                            |
| <i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)                                            | 5                | NM; NDS                    |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------|------------------|----------------------------|
| EVOTAZ ORAL TABLET 300-150 MG                                      | 5                | NM; NDS                    |
| <i>fosamprenavir oral tablet 700 mg</i>                            | 5                | NM; NDS                    |
| FUZEON SUBCUTANEOUS RECON SOLN 90 MG                               | 5                | NM; NDS                    |
| GENVOYA ORAL TABLET 150-150-200-10 MG                              | 5                | NM; NDS                    |
| INTELENCE ORAL TABLET 25 MG                                        | 4                |                            |
| ISENTRESS HD ORAL TABLET 600 MG                                    | 5                | NM; NDS                    |
| ISENTRESS ORAL POWDER IN PACKET 100 MG                             | 5                | NM; NDS                    |
| ISENTRESS ORAL TABLET 400 MG                                       | 5                | NM; NDS                    |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG                              | 5                | NM; NDS                    |
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG                               | 3                |                            |
| JULUCA ORAL TABLET 50-25 MG                                        | 5                | NM; NDS                    |
| KALETRA ORAL SOLUTION 400-100 MG/5 ML (lopinavir-ritonavir)        | 4                | QL (480 per 30 days)       |
| <i>lamivudine oral solution 10 mg/ml</i> (Epivir)                  | 2                |                            |
| <i>lamivudine oral tablet 100 mg</i>                               | 2                |                            |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)              | 2                |                            |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i>                | 2                |                            |
| LEXIVA ORAL SUSPENSION 50 MG/ML                                    | 4                |                            |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra) | 2                | QL (480 per 30 days)       |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------|------------------|----------------------------|
| <i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)  | 2                | QL (300 per 30 days)       |
| <i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)  | 2                | QL (120 per 30 days)       |
| <i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)     | 5                | NM; NDS                    |
| <i>nevirapine oral suspension 50 mg/5 ml</i>                | 2                | QL (1200 per 30 days)      |
| <i>nevirapine oral tablet 200 mg</i>                        | 2                | QL (60 per 30 days)        |
| <i>nevirapine oral tablet extended release 24 hr 100 mg</i> | 2                | QL (90 per 30 days)        |
| <i>nevirapine oral tablet extended release 24 hr 400 mg</i> | 2                | QL (30 per 30 days)        |
| NORVIR ORAL POWDER IN PACKET 100 MG                         | 4                |                            |
| NORVIR ORAL SOLUTION 80 MG/ML                               | 4                |                            |
| ODEFSEY ORAL TABLET 200-25-25 MG                            | 5                | NM; NDS                    |
| PIFELTRO ORAL TABLET 100 MG                                 | 5                | NM; NDS                    |
| PREZCOBIX ORAL TABLET 675-150 MG, 800-150 MG-MG             | 5                | NM; NDS                    |
| PREZISTA ORAL SUSPENSION 100 MG/ML                          | 5                | NM; NDS                    |
| PREZISTA ORAL TABLET 150 MG, 75 MG                          | 5                | NM; NDS                    |
| RETROVIR INTRAVENOUS SOLUTION 10 MG/ML                      | 4                |                            |
| REYATAZ ORAL POWDER IN PACKET 50 MG                         | 5                | NM; NDS                    |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i> | 5                | NM; NDS                    |
| <i>ritonavir oral tablet 100 mg</i> (Norvir)                                                                   | 2                |                            |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG                                                              | 5                | NM; NDS                    |
| SELZENTRY ORAL SOLUTION 20 MG/ML                                                                               | 5                | NM; NDS                    |
| SELZENTRY ORAL TABLET 25 MG                                                                                    | 3                |                            |
| SELZENTRY ORAL TABLET 75 MG                                                                                    | 5                | NM; NDS                    |
| <i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>                                                       | 2                |                            |
| STRIBILD ORAL TABLET 150-150-200-300 MG                                                                        | 5                | NM; NDS                    |
| SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK), 300 MG (5-TABLET PACK)                                    | 5                | NM; NDS                    |
| SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML                                                                       | 5                | PA BvD; NM; NDS            |
| SYM TUZA ORAL TABLET 800-150-200-10 MG                                                                         | 5                | NM; NDS                    |
| TEMIXYS ORAL TABLET 300-300 MG                                                                                 | 5                | NM; NDS                    |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)                                               | 2                |                            |
| TIVICAY ORAL TABLET 10 MG                                                                                      | 4                |                            |
| TIVICAY ORAL TABLET 25 MG, 50 MG                                                                               | 5                | NM; NDS                    |
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG                                                                     | 5                | NM; NDS                    |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                               | Drug Tier | Requirements/Limits          |
|-------------------------------------------------------------------------|-----------|------------------------------|
| TRIUMEQ ORAL TABLET 600-50-300 MG                                       | 5         | NM; NDS; QL (30 per 30 days) |
| TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG                        | 4         |                              |
| TRIZIVIR ORAL TABLET 300-150-300 MG                                     | 5         | NM; NDS                      |
| TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)                | 5         | NM; NDS                      |
| VEMLIDY ORAL TABLET 25 MG                                               | 5         | NM; NDS; QL (30 per 30 days) |
| VIRACEPT ORAL TABLET 250 MG, 625 MG                                     | 5         | NM; NDS                      |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)                             | 5         | NM; NDS                      |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG                               | 5         | NM; NDS                      |
| VOCABRIA ORAL TABLET 30 MG                                              | 4         |                              |
| <i>zidovudine oral capsule 100 mg</i> (Retrovir)                        | 2         |                              |
| <i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)                        | 2         |                              |
| <i>zidovudine oral tablet 300 mg</i>                                    | 2         |                              |
| <b>Antivirals, Miscellaneous</b>                                        |           |                              |
| LIVTENCITY ORAL TABLET 200 MG                                           | 5         | PA; NM; NDS                  |
| <i>oseltamivir oral capsule 30 mg</i> (Tamiflu)                         | 2         | QL (84 per 180 days)         |
| <i>oseltamivir oral capsule 45 mg</i> (Tamiflu)                         | 2         | QL (48 per 180 days)         |
| <i>oseltamivir oral capsule 75 mg</i> (Tamiflu)                         | 2         | QL (42 per 180 days)         |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu) | 2         | QL (540 per 180 days)        |
| PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)                | 2         | QL (20 per 5 days)           |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b>          |
|-----------------------------------------------------------------------|------------------|-------------------------------------|
| PAXLOVID ORAL<br>TABLETS,DOSE PACK 150 MG<br>(6)- 100 MG (5)          | 2                | QL (11 per 28 days)                 |
| PAXLOVID ORAL<br>TABLETS,DOSE PACK 300 MG<br>(150 MG X 2)-100 MG      | 2                | QL (30 per 5 days)                  |
| PREVYMIS ORAL TABLET 240<br>MG, 480 MG                                | 5                | PA; NM; NDS; QL (28<br>per 28 days) |
| RELENZA DISKHALER<br>INHALATION BLISTER WITH<br>DEVICE 5 MG/ACTUATION | 4                | QL (60 per 180 days)                |
| <b>Hcv Antivirals</b>                                                 |                  |                                     |
| EPCLUSA ORAL PELLETS IN<br>PACKET 150-37.5 MG                         | 5                | PA; NM; NDS; QL (28<br>per 28 days) |
| EPCLUSA ORAL PELLETS IN<br>PACKET 200-50 MG                           | 5                | PA; NM; NDS; QL (56<br>per 28 days) |
| EPCLUSA ORAL TABLET 200-50<br>MG                                      | 5                | PA; NM; NDS; QL (28<br>per 28 days) |
| EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir)<br>MG            | 5                | PA; NM; NDS; QL (28<br>per 28 days) |
| HARVONI ORAL PELLETS IN<br>PACKET 33.75-150 MG                        | 5                | PA; NM; NDS; QL (28<br>per 28 days) |
| HARVONI ORAL PELLETS IN<br>PACKET 45-200 MG                           | 5                | PA; NM; NDS; QL (56<br>per 28 days) |
| HARVONI ORAL TABLET 45-200<br>MG                                      | 5                | PA; NM; NDS; QL (28<br>per 28 days) |
| HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir)<br>MG              | 5                | PA; NM; NDS; QL (28<br>per 28 days) |
| VOSEVI ORAL TABLET 400-100-<br>100 MG                                 | 5                | PA; NM; NDS; QL (28<br>per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                            | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <b>Interferons</b>                                                                                   |           |                     |
| INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML) | 5         | NM; NDS             |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML                                                             | 5         | PA; NM; NDS         |
| PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML                                                          | 5         | PA; NM; NDS         |
| <b>Nucleosides And Nucleotides</b>                                                                   |           |                     |
| <i>acyclovir oral capsule 200 mg</i>                                                                 | 1         |                     |
| <i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)                                               | 2         |                     |
| <i>acyclovir oral tablet 400 mg, 800 mg</i>                                                          | 2         |                     |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i>                                                | 2         | PA BvD              |
| <i>adefovir oral tablet 10 mg</i> (Hepsera)                                                          | 2         |                     |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)                                                | 2         |                     |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>                                                | 2         |                     |
| <i>ribavirin oral tablet 200 mg</i>                                                                  | 2         |                     |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)                                             | 2         |                     |
| <i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)                                             | 5         | NM; NDS             |
| <i>valganciclovir oral tablet 450 mg</i> (Valcyte)                                                   | 2         |                     |
| <b>Blood Products/Modifiers/Volume Expanders</b>                                                     |           |                     |
| <b>Anticoagulants</b>                                                                                |           |                     |
| <i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)                             | 2         | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                                    | Drug Tier | Requirements/Limits          |
|------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------|
| ELIQUIS DVT-PE TREAT 30D<br>START ORAL TABLETS,DOSE<br>PACK 5 MG (74 TABS)                                                   | 3         |                              |
| ELIQUIS ORAL TABLET 2.5 MG                                                                                                   | 3         | QL (60 per 30 days)          |
| ELIQUIS ORAL TABLET 5 MG                                                                                                     | 3         | QL (74 per 30 days)          |
| <i>enoxaparin subcutaneous syringe</i> (Lovenox)<br><i>100 mg/ml, 150 mg/ml</i>                                              | 2         | QL (60 per 30 days)          |
| <i>enoxaparin subcutaneous syringe</i> (Lovenox)<br><i>120 mg/0.8 ml, 80 mg/0.8 ml</i>                                       | 2         | QL (48 per 30 days)          |
| <i>enoxaparin subcutaneous syringe 30</i> (Lovenox)<br><i>mg/0.3 ml</i>                                                      | 2         | QL (18 per 30 days)          |
| <i>enoxaparin subcutaneous syringe 40</i> (Lovenox)<br><i>mg/0.4 ml</i>                                                      | 2         | QL (24 per 30 days)          |
| <i>enoxaparin subcutaneous syringe 60</i> (Lovenox)<br><i>mg/0.6 ml</i>                                                      | 2         | QL (36 per 30 days)          |
| <i>fondaparinux subcutaneous syringe</i> (Arixtra)<br><i>10 mg/0.8 ml</i>                                                    | 5         | NM; NDS; QL (24 per 30 days) |
| <i>fondaparinux subcutaneous syringe</i> (Arixtra)<br><i>2.5 mg/0.5 ml</i>                                                   | 2         | QL (15 per 30 days)          |
| <i>fondaparinux subcutaneous syringe 5</i> (Arixtra)<br><i>mg/0.4 ml</i>                                                     | 5         | NM; NDS; QL (12 per 30 days) |
| <i>fondaparinux subcutaneous syringe</i> (Arixtra)<br><i>7.5 mg/0.6 ml</i>                                                   | 5         | NM; NDS; QL (18 per 30 days) |
| <i>heparin (porcine) injection solution</i><br><i>1,000 unit/ml, 10,000 unit/ml, 20,000</i><br><i>unit/ml, 5,000 unit/ml</i> | 2         |                              |
| <i>jantoven oral tablet 1 mg, 10 mg, 2</i> (warfarin)<br><i>mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg,</i><br><i>7.5 mg</i>         | 1         |                              |
| <i>rivaroxaban oral suspension for</i> (Xarelto)<br><i>reconstitution 1 mg/ml</i>                                            | 2         | QL (600 per 30 days)         |
| <i>rivaroxaban oral tablet 2.5 mg</i> (Xarelto)                                                                              | 2         | QL (60 per 30 days)          |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| Drug Name                                                                                        | Drug Tier | Requirements/Limits               |
|--------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven) | 1         |                                   |
| XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)                      | 3         |                                   |
| XARELTO ORAL SUSPENSION (rivaroxaban) FOR RECONSTITUTION 1 MG/ML                                 | 3         | QL (600 per 30 days)              |
| XARELTO ORAL TABLET 10 MG, (rivaroxaban) 20 MG                                                   | 3         | QL (30 per 30 days)               |
| XARELTO ORAL TABLET 15 MG, (rivaroxaban) 2.5 MG                                                  | 3         | QL (60 per 30 days)               |
| <b>Blood Formation Modifiers</b>                                                                 |           |                                   |
| ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG                                                     | 5         | PA; NM; NDS; QL (60 per 30 days)  |
| <i>eltrombopag olamine oral powder in packet 12.5 mg</i> (Promacta)                              | 5         | PA; NM; NDS; QL (90 per 30 days)  |
| <i>eltrombopag olamine oral powder in packet 25 mg</i> (Promacta)                                | 5         | PA; NM; NDS; QL (180 per 30 days) |
| <i>eltrombopag olamine oral tablet 12.5 mg</i> (Promacta)                                        | 5         | PA; NM; NDS; QL (90 per 30 days)  |
| <i>eltrombopag olamine oral tablet 25 mg</i> (Promacta)                                          | 5         | PA; NM; NDS; QL (30 per 30 days)  |
| <i>eltrombopag olamine oral tablet 50 mg, 75 mg</i> (Promacta)                                   | 5         | PA; NM; NDS; QL (60 per 30 days)  |
| HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT                                                      | 5         | PA; NM; NDS; QL (30 per 30 days)  |
| HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT                                                      | 5         | PA; NM; NDS; QL (20 per 30 days)  |
| NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML                            | 5         | PA; NM; NDS                       |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| Drug Name                                                                                                                             | Drug Tier | Requirements/Limits     |
|---------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
| NIVESTYM INJECTION<br>SOLUTION 300 MCG/ML, 480<br>MCG/1.6 ML                                                                          | 5         | PA; NM; NDS             |
| NIVESTYM SUBCUTANEOUS<br>SYRINGE 300 MCG/0.5 ML, 480<br>MCG/0.8 ML                                                                    | 5         | PA; NM; NDS             |
| NYVEPRIA SUBCUTANEOUS<br>SYRINGE 6 MG/0.6 ML                                                                                          | 5         | PA; NM; NDS             |
| RETACRIT INJECTION<br>SOLUTION 10,000 UNIT/ML, 2,000<br>UNIT/ML, 20,000 UNIT/2 ML,<br>20,000 UNIT/ML, 3,000 UNIT/ML,<br>4,000 UNIT/ML | 3         | PA; QL (12 per 28 days) |
| RETACRIT INJECTION<br>SOLUTION 40,000 UNIT/ML                                                                                         | 3         | PA; QL (4 per 28 days)  |
| <b>Hematologic Agents, Miscellaneous</b>                                                                                              |           |                         |
| <i>anagrelide oral capsule 0.5 mg</i> (Agrylin)                                                                                       | 2         |                         |
| <i>anagrelide oral capsule 1 mg</i>                                                                                                   | 2         |                         |
| <i>tranexamic acid oral tablet 650 mg</i>                                                                                             | 2         |                         |
| <b>Platelet-Aggregation Inhibitors</b>                                                                                                |           |                         |
| <i>aspirin-dipyridamole oral capsule, er<br/>multiphase 12 hr 25-200 mg</i>                                                           | 2         |                         |
| BRILINTA ORAL TABLET 60 MG, (ticagrelor)<br>90 MG                                                                                     | 3         |                         |
| <i>cilostazol oral tablet 100 mg, 50 mg</i>                                                                                           | 2         |                         |
| <i>clopidogrel oral tablet 75 mg</i> (Plavix)                                                                                         | 1         |                         |
| <i>dipyridamole oral tablet 50 mg, 75<br/>mg</i>                                                                                      | 2         |                         |
| <i>pentoxifylline oral tablet extended<br/>release 400 mg</i>                                                                         | 2         |                         |
| <i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient)                                                                                | 2         | QL (30 per 30 days)     |
| <i>ticagrelor oral tablet 60 mg, 90 mg</i> (Brilinta)                                                                                 | 2         |                         |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                               | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------|-----------|---------------------|
| <b>Caloric Agents</b>                                                   |           |                     |
| <b>Caloric Agents</b>                                                   |           |                     |
| CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %    | 4         | PA BvD              |
| CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %   | 4         | PA BvD              |
| CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %   | 4         | PA BvD              |
| CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %   | 4         | PA BvD              |
| CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %   | 4         | PA BvD              |
| <i>dextrose 5 % in water (d5w)<br/>intravenous parenteral solution</i>  | 2         |                     |
| PROCALAMINE 3%<br>INTRAVENOUS PARENTERAL SOLUTION 3 %                   | 4         | PA BvD              |
| <b>Cardiovascular Agents</b>                                            |           |                     |
| <b>Alpha-Adrenergic Agents</b>                                          |           |                     |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>                 | 1         |                     |
| <i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1) | 2         |                     |
| <i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2) | 2         |                     |
| <i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3) | 2         |                     |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)           | 1         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                                         | Drug Tier | Requirements/Limits               |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)                                                                   | 5         | PA; NM; NDS; QL (180 per 30 days) |
| <i>guanfacine oral tablet 1 mg, 2 mg</i>                                                                                          | 2         |                                   |
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>                                                                                  | 2         |                                   |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>                                                                                     | 2         |                                   |
| <b>Angiotensin II Receptor Antagonists</b>                                                                                        |           |                                   |
| <i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)                                                                 | 6         |                                   |
| <i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)                                  | 6         |                                   |
| ENTRESTO SPRINKLE ORAL PELLET 15-16 MG, 6-6 MG                                                                                    | 3         | QL (240 per 30 days)              |
| <i>irbesartan oral tablet 150 mg, 300 mg</i> (Avapro)                                                                             | 6         |                                   |
| <i>irbesartan oral tablet 75 mg</i>                                                                                               | 6         |                                   |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)                                              | 6         |                                   |
| <i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)                                                                         | 6         |                                   |
| <i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)                                       | 6         |                                   |
| <i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)                                                                        | 6         |                                   |
| <i>olmesartan-amlodipin-hcthiiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor) | 6         |                                   |
| <i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)                                  | 6         |                                   |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>sacubitril-valsartan oral tablet 24-26 mg, 49-51 mg, 97-103 mg</i> (Entresto)                                         | 2                | QL (60 per 30 days)        |
| <i>telmisartan oral tablet 20 mg</i>                                                                                     | 6                |                            |
| <i>telmisartan oral tablet 40 mg, 80 mg</i> (Micardis)                                                                   | 6                |                            |
| <i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)                        | 6                |                            |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)                                                       | 6                |                            |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT) | 6                |                            |
| <b>Angiotensin-Converting Enzyme Inhibitors</b>                                                                          |                  |                            |
| <i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)                                                             | 6                |                            |
| <i>benazepril oral tablet 5 mg</i>                                                                                       | 6                |                            |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)                        | 6                |                            |
| <i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>                                                              | 6                |                            |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>                                                               | 6                |                            |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)                                                | 6                |                            |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)                                                    | 6                |                            |
| <i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>                                                               | 6                |                            |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>                                                                        | 6                |                            |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>                                                 | 6                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)                         | 6                |                            |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)          | 6                |                            |
| <i>moexipril oral tablet 15 mg, 7.5 mg</i>                                                               | 6                |                            |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>                                                 | 6                |                            |
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)                                        | 6                |                            |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)            | 6                |                            |
| <i>ramipril oral capsule 1.25 mg, 2.5 mg, 5 mg</i> (Altace)                                              | 6                |                            |
| <i>ramipril oral capsule 10 mg</i>                                                                       | 6                |                            |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>                                                         | 6                |                            |
| <i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i> | 6                |                            |
| <b>Antiarrhythmic Agents</b>                                                                             |                  |                            |
| <i>amiodarone oral tablet 100 mg, 200 mg</i> (Pacerone)                                                  | 2                |                            |
| <i>amiodarone oral tablet 400 mg</i>                                                                     | 2                |                            |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)                                       | 2                |                            |
| <i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>                                                      | 2                |                            |
| MULTAQ ORAL TABLET 400 MG                                                                                | 3                |                            |
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)                                          | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>                          | 2                |                            |
| <i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>                                                   | 2                |                            |
| <i>quinidine sulfate oral tablet 200 mg, 300 mg</i>                                                     | 2                |                            |
| <b>Beta-Adrenergic Blocking Agents</b>                                                                  |                  |                            |
| <i>acebutolol oral capsule 200 mg, 400 mg</i>                                                           | 2                |                            |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)                                             | 1                |                            |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)                                    | 2                |                            |
| <i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)                                      | 2                |                            |
| <i>bisoprolol fumarate oral tablet 10 mg, 2.5 mg, 5 mg</i>                                              | 2                |                            |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>                    | 2                |                            |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)                                 | 1                |                            |
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>                                                     | 2                |                            |
| <i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL) | 1                |                            |
| <i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)                                        | 1                |                            |
| <i>metoprolol tartrate oral tablet 25 mg</i>                                                            | 1                |                            |
| <i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)                                      | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                          | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)   | 2         |                     |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>                                   | 2         |                     |
| <i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)                                  | 2         |                     |
| <i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)                                      | 2         |                     |
| <i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)                                      | 2         |                     |
| <i>sotalol oral tablet 240 mg</i> (Betapace)                                                       | 2         |                     |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>                                              | 2         |                     |
| <b>Calcium-Channel Blocking Agents</b>                                                             |           |                     |
| <i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl) | 2         |                     |
| <i>diltiazem 24hr er 360 mg cap once-a-day dosage</i> (Tiadylt ER)                                 | 2         |                     |
| <i>diltiazem 24hr er 420 mg cap</i> (Tiadylt ER)                                                   | 2         |                     |
| <i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>                      | 2         |                     |
| <i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i> (Tiadylt ER)               | 2         |                     |
| <i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT) | 2         |                     |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)                                   | 2         |                     |
| <i>diltiazem hcl oral tablet 90 mg</i>                                                             | 2         |                     |
| <i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)          | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|----------------------------------------------------------------------------------------------------------------------|------------------|----------------------------------|
| <i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)          | 2                |                                  |
| <i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl) | 2                |                                  |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>                                          | 2                |                                  |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>                                                          | 4                |                                  |
| <i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>                                                                    | 1                |                                  |
| <i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>                                                 | 2                |                                  |
| <b>Cardiovascular Agents, Miscellaneous</b>                                                                          |                  |                                  |
| CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG                                                                      | 5                | PA; NM; NDS; QL (30 per 30 days) |
| CORLANOR ORAL SOLUTION 5 MG/5 ML                                                                                     | 3                | QL (600 per 30 days)             |
| <i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>                                                             | 2                |                                  |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)                                           | 2                |                                  |
| <i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i> (Lanoxin)                                                            | 2                |                                  |
| <i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i> (Auvi-Q)                                                  | 3                | QL (4 per 30 days)               |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)                                                | 2                | QL (4 per 30 days)               |
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>                                                             | 3                | QL (4 per 30 days)               |
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)                                                    | 2                | QL (4 per 30 days)               |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                                               | Drug Tier | Requirements/Limits              |
|-----------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------|
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                                                                              | 1         |                                  |
| <i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)                                                                              | 5         | PA; NM; NDS; QL (18 per 30 days) |
| <i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)                                                                                   | 3         | QL (60 per 30 days)              |
| <i>metyrosine oral capsule 250 mg</i> (Demser)                                                                                          | 5         | NM; NDS                          |
| <i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>                                                                           | 2         | QL (60 per 30 days)              |
| <i>ranolazine oral tablet extended release 12 hr 500 mg</i>                                                                             | 2         | QL (120 per 30 days)             |
| VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG                                                                                                 | 4         | PA; QL (30 per 30 days)          |
| <b>Dihydropyridines</b>                                                                                                                 |           |                                  |
| <i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)                                                                             | 1         |                                  |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)                                                 | 6         |                                  |
| <i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>                                                                            | 6         |                                  |
| <i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)                                                    | 6         |                                  |
| <i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)                                              | 6         |                                  |
| <i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT) | 2         |                                  |
| <i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>                                                                | 2         |                                  |
| <i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)                                                  | 2         |                                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---------------------------------------------------------------------------|------------------|-----------------------------------|
| <i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>        | 2                |                                   |
| <b>Diuretics</b>                                                          |                  |                                   |
| <i>amiloride oral tablet 5 mg</i>                                         | 1                |                                   |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>                  | 2                |                                   |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>                          | 2                |                                   |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i>                            | 2                |                                   |
| <i>furosemide injection solution 10 mg/ml</i>                             | 1                |                                   |
| <i>furosemide injection syringe 10 mg/ml</i>                              | 1                |                                   |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>            | 2                |                                   |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)                 | 1                |                                   |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i>                           | 1                |                                   |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>              | 1                |                                   |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i>                             | 1                |                                   |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>                         | 2                |                                   |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)        | 1                |                                   |
| <i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>                | 2                |                                   |
| <i>tolvaptan (polycys kidney dis) oral tablet 15 mg, 30 mg</i> (Jynarque) | 5                | PA; NM; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                                                                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------------|
| <i>tolvaptan (polycys kidney dis) oral (Jynarque)</i><br><i>tablets, sequential 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm)</i> | 5                | PA; NM; NDS; QL (56 per 28 days) |
| <i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>                                                                                                                                                    | 1                |                                  |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>                                                                                                                                              | 1                |                                  |
| <i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>                                                                                                                                     | 1                |                                  |
| <b>Dyslipidemics</b>                                                                                                                                                                                       |                  |                                  |
| <i>amlodipine-atorvastatin oral tablet (Caduet)</i><br><i>10-10 mg, 5-10 mg</i>                                                                                                                            | 6                |                                  |
| <i>amlodipine-atorvastatin oral tablet (Caduet)</i><br><i>10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i>                                                                                      | 6                | QL (30 per 30 days)              |
| <i>amlodipine-atorvastatin oral tablet</i><br><i>2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>                                                                                                                       | 6                |                                  |
| <i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)                                                                                                                                       | 6                | QL (30 per 30 days)              |
| <i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)                                                                                                                                 | 2                |                                  |
| <i>cholestyramine light oral powder in packet 4 gram</i>                                                                                                                                                   | 2                |                                  |
| <i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)                                                                                                                                               | 2                |                                  |
| <i>colesevelam oral tablet 625 mg</i> (WelChol)                                                                                                                                                            | 2                |                                  |
| <i>colestipol oral packet 5 gram</i>                                                                                                                                                                       | 2                |                                  |
| <i>colestipol oral tablet 1 gram</i> (Colestid)                                                                                                                                                            | 2                |                                  |
| <i>ezetimibe oral tablet 10 mg</i> (Zetia)                                                                                                                                                                 | 2                | QL (30 per 30 days)              |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)                                                                                                                                          | 6                | QL (30 per 30 days)              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------|------------------|----------------------------|
| <i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)               | 6                | QL (30 per 30 days)        |
| <i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)               | 6                | QL (30 per 30 days)        |
| <i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)               | 6                | QL (30 per 30 days)        |
| <i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i> | 2                |                            |
| <i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)          | 2                |                            |
| <i>fenofibrate oral tablet 120 mg, 40 mg, 54 mg</i>                             | 2                |                            |
| <i>fenofibrate oral tablet 160 mg</i>                                           | 1                |                            |
| <i>fluvastatin oral capsule 20 mg, 40 mg</i>                                    | 6                | QL (60 per 30 days)        |
| <i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)         | 6                |                            |
| <i>gemfibrozil oral tablet 600 mg</i> (Lopid)                                   | 1                |                            |
| <i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)                          | 2                | QL (240 per 30 days)       |
| <i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)                            | 2                | QL (120 per 30 days)       |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>                               | 6                |                            |
| NEXLETOL ORAL TABLET 180 MG                                                     | 3                | ST; QL (30 per 30 days)    |
| NEXLIZET ORAL TABLET 180-10 MG                                                  | 3                | ST; QL (30 per 30 days)    |
| <i>niacin oral tablet 500 mg</i> (Niacor)                                       | 2                |                            |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>       | 2                |                            |
| <i>niacor oral tablet 500 mg</i> (niacin)                                       | 2                |                            |
| <i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)                   | 2                | ST; QL (120 per 30 days)   |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------|------------------|----------------------------|
| <i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)     | 2                | QL (30 per 30 days)        |
| <i>pravastatin oral tablet 10 mg, 80 mg</i>                           | 6                |                            |
| <i>pravastatin oral tablet 20 mg, 40 mg</i>                           | 6                | QL (30 per 30 days)        |
| <i>prevalite oral powder in packet 4 gram</i>                         | 2                |                            |
| REPATHA PUSHTRONEX<br>SUBCUTANEOUS WEARABLE<br>INJECTOR 420 MG/3.5 ML | 3                | ST; QL (7 per 28 days)     |
| REPATHA SURECLICK<br>SUBCUTANEOUS PEN INJECTOR<br>140 MG/ML           | 3                | ST; QL (6 per 28 days)     |
| REPATHA SYRINGE<br>SUBCUTANEOUS SYRINGE 140<br>MG/ML                  | 3                | ST; QL (6 per 28 days)     |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)   | 6                | QL (30 per 30 days)        |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)            | 6                | QL (30 per 30 days)        |
| <i>simvastatin oral tablet 5 mg, 80 mg</i>                            | 6                | QL (30 per 30 days)        |
| <b>Renin-Angiotensin-Aldosterone System Inhibitors</b>                |                  |                            |
| <i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)                | 2                |                            |
| <i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)                   | 2                |                            |
| KERENDIA ORAL TABLET 10<br>MG, 20 MG, 40 MG                           | 3                | PA; QL (30 per 30 days)    |
| <b>Vasodilators</b>                                                   |                  |                            |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>           | 2                |                            |
| <i>isosorbide dinitrate oral tablet 40 mg</i> (Isordil)               | 2                |                            |
| <i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)       | 2                |                            |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>                | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                             | Drug Tier | Requirements/Limits               |
|-------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>                 | 1         |                                   |
| <i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (nitroglycerin)  | 2         |                                   |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i>                                                            | 2         |                                   |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)                             | 2         |                                   |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur) | 2         |                                   |
| <b>Central Nervous System Agents</b>                                                                  |           |                                   |
| <b>Central Nervous System Agents</b>                                                                  |           |                                   |
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>                                            | 2         | QL (60 per 30 days)               |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>                                                  | 2         | QL (30 per 30 days)               |
| AUSTEDO ORAL TABLET 12 MG, 9 MG                                                                       | 5         | PA; NM; NDS; QL (120 per 30 days) |
| AUSTEDO ORAL TABLET 6 MG                                                                              | 5         | PA; NM; NDS; QL (60 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG                                                   | 5         | PA; NM; NDS; QL (90 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG                                            | 5         | PA; NM; NDS; QL (60 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG                              | 5         | PA; NM; NDS; QL (30 per 30 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                                       | Drug Tier | Requirements/Limits                  |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------|
| AUSTEDO XR ORAL TABLET<br>EXTENDED RELEASE 24 HR 6<br>MG                                                                        | 5         | PA; NM; NDS; QL (210<br>per 30 days) |
| AUSTEDO XR TITRATION<br>KT(WK1-4) ORAL TABLET, EXT<br>REL 24HR DOSE PACK 12-18-24-<br>30 MG, 6 MG (14)-12 MG (14)-24<br>MG (14) | 5         | PA; NM; NDS                          |
| AVONEX INTRAMUSCULAR<br>PEN INJECTOR KIT 30 MCG/0.5<br>ML                                                                       | 5         | PA; NM; NDS; QL (1<br>per 28 days)   |
| AVONEX INTRAMUSCULAR<br>SYRINGE KIT 30 MCG/0.5 ML                                                                               | 5         | PA; NM; NDS; QL (1<br>per 28 days)   |
| BETASERON SUBCUTANEOUS<br>KIT 0.3 MG                                                                                            | 5         | PA; NM; NDS; QL (15<br>per 30 days)  |
| <i>dalfampridine oral tablet extended<br/>release 12 hr 10 mg</i> (Ampyra)                                                      | 2         | PA; QL (60 per 30 days)              |
| <i>dextroamphetamine-amphetamine<br/>oral capsule,extended release 24hr<br/>10 mg, 15 mg, 5 mg</i> (Adderall XR)                | 2         | QL (30 per 30 days)                  |
| <i>dextroamphetamine-amphetamine<br/>oral capsule,extended release 24hr<br/>20 mg, 25 mg, 30 mg</i> (Adderall XR)               | 2         | QL (60 per 30 days)                  |
| <i>dextroamphetamine-amphetamine<br/>oral tablet 10 mg, 12.5 mg, 15 mg, 20<br/>mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)           | 2         | QL (60 per 30 days)                  |
| <i>dimethyl fumarate oral<br/>capsule,delayed release(dr/ec) 120<br/>mg</i> (Tecfidera)                                         | 5         | PA; NM; NDS; QL (14<br>per 7 days)   |
| <i>dimethyl fumarate oral<br/>capsule,delayed release(dr/ec) 120<br/>mg (14)- 240 mg (46)</i> (Tecfidera)                       | 5         | PA; NM; NDS                          |
| <i>dimethyl fumarate oral<br/>capsule,delayed release(dr/ec) 240<br/>mg</i> (Tecfidera)                                         | 5         | PA; NM; NDS; QL (60<br>per 30 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| <i>fingolimod oral capsule 0.5 mg</i> (Gilenya)                                          | 5                | PA; NM; NDS; QL (30 per 30 days)  |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i> (Glatopa)                                | 5                | PA; NM; NDS; QL (30 per 30 days)  |
| <i>glatiramer subcutaneous syringe 40 mg/ml</i> (Glatopa)                                | 5                | PA; NM; NDS; QL (12 per 28 days)  |
| <i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)                                | 5                | PA; NM; NDS; QL (30 per 30 days)  |
| <i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)                                | 5                | PA; NM; NDS; QL (12 per 28 days)  |
| <i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER) | 2                |                                   |
| INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)-80 MG (21)               | 5                | PA; NM; NDS                       |
| INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG                                                | 5                | PA; NM; NDS; QL (30 per 30 days)  |
| INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG                             | 5                | PA; NM; NDS; QL (30 per 30 days)  |
| KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML                                      | 5                | PA; NM; NDS; QL (1.2 per 28 days) |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>                             | 1                |                                   |
| <i>lithium carbonate oral tablet 300 mg</i>                                              | 1                |                                   |
| <i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)                  | 2                |                                   |
| <i>lithium carbonate oral tablet extended release 450 mg</i>                             | 2                |                                   |
| <i>lithium citrate oral solution 8 meq/5 ml</i>                                          | 2                |                                   |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|-------------------------------------------------------------------------|------------------|-----------------------------------|
| MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG                            | 5                | PA; NM; NDS                       |
| MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG                             | 5                | PA; NM; NDS                       |
| MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG                             | 5                | PA; NM; NDS                       |
| MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG                             | 5                | PA; NM; NDS                       |
| MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG                             | 5                | PA; NM; NDS                       |
| MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG                             | 5                | PA; NM; NDS                       |
| MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG                             | 5                | PA; NM; NDS                       |
| MAYZENT ORAL TABLET 0.25 MG                                             | 5                | PA; NM; NDS; QL (112 per 28 days) |
| MAYZENT ORAL TABLET 1 MG, 2 MG                                          | 5                | PA; NM; NDS; QL (30 per 30 days)  |
| MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)  | 3                | PA                                |
| MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS) | 5                | PA; NM; NDS                       |
| <i>methylphenidate hcl oral solution 10 mg/5 ml</i> (Methylin)          | 2                | QL (900 per 30 days)              |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)     | 2                | QL (90 per 30 days)               |
| OCREVUS INTRAVENOUS SOLUTION 30 MG/ML                                   | 5                | PA; NM; NDS; QL (20 per 180 days) |
| OCREVUS ZUNOVO SUBCUTANEOUS SOLUTION 920 MG-23,000 UNIT/23 ML           | 5                | PA; NM; NDS; QL (23 per 180 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                             | Drug Tier | Requirements/Limits                  |
|---------------------------------------------------------------------------------------|-----------|--------------------------------------|
| PLEGRIDY SUBCUTANEOUS<br>PEN INJECTOR 125 MCG/0.5 ML                                  | 5         | PA; NM; NDS; QL (1<br>per 28 days)   |
| PLEGRIDY SUBCUTANEOUS<br>PEN INJECTOR 63 MCG/0.5 ML-<br>94 MCG/0.5 ML                 | 5         | PA; NM; NDS                          |
| PLEGRIDY SUBCUTANEOUS<br>SYRINGE 125 MCG/0.5 ML                                       | 5         | PA; NM; NDS; QL (1<br>per 28 days)   |
| PLEGRIDY SUBCUTANEOUS<br>SYRINGE 63 MCG/0.5 ML- 94<br>MCG/0.5 ML                      | 5         | PA; NM; NDS                          |
| <i>riluzole oral tablet 50 mg</i> (Rilutek)                                           | 2         |                                      |
| SAVELLA ORAL TABLET 100<br>MG, 12.5 MG, 25 MG, 50 MG                                  | 3         | QL (60 per 30 days)                  |
| SAVELLA ORAL TABLETS,DOSE<br>PACK 12.5 MG (5)-25 MG(8)-50<br>MG(42)                   | 3         |                                      |
| <i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)                            | 5         | PA; NM; NDS; QL (112<br>per 28 days) |
| VUMERITY ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 231 MG                             | 5         | PA; NM; NDS; QL (120<br>per 30 days) |
| <b>Contraceptives</b>                                                                 |           |                                      |
| <b>Contraceptives</b>                                                                 |           |                                      |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl<br>estradiol)      | 2         |                                      |
| <i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl<br>estradiol)   | 2         |                                      |
| <i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin<br>estradiol)   | 2         |                                      |
| <i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                           | 2         |                                      |
| <i>amethyst (28) oral tablet 90-20 mcg (28)</i> (levonorgestrel-ethinyl<br>estradiol) | 2         |                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                               |                                  | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>apri oral tablet 0.15-0.03 mg</i>                                    | (desogestrel-ethinyl estradiol)  | 2         |                     |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i>                               | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                   | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>                       | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>            | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>     | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>aviane oral tablet 0.1-20 mg-mcg</i>                                 | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>ayuna oral tablet 0.15-0.03 mg</i>                                   | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>           | (desog-e.estradiol/e.estradiol)  | 2         |                     |
| <i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>             | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>  | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>      | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>camila oral tablet 0.35 mg</i>                                       | (norethindrone (contraceptive))  | 2         |                     |
| <i>chateal eq (28) oral tablet 0.15-0.03 mg</i>                         | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>                          | (norgestrel-ethinyl estradiol)   | 2         |                     |
| <i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>                       | (norethindrone-ethin estradiol)  | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>cyclafem 7/7/7 (28) oral tablet<br/>0.5/0.75/1 mg- 35 mcg</i>                              | 2                |                            |
| <i>cyred eq oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)                      | 2                |                            |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)              | 2                |                            |
| <i>dasetta 7/7/7 (28) oral tablet<br/>0.5/0.75/1 mg- 35 mcg</i>                               | 2                |                            |
| <i>deblitane oral tablet 0.35 mg</i> (norethindrone (contraceptive))                          | 2                |                            |
| <i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (Azurette (28)) | 2                |                            |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Apri)                          | 2                |                            |
| <i>dolishale oral tablet 90-20 mcg (28)</i> (levonorgestrel-ethinyl estrad)                   | 2                |                            |
| <i>elimest oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol)                       | 2                |                            |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i> (etonogestrel-ethinyl estradiol)              | 2                | QL (1 per 28 days)         |
| <i>emoquette oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)                     | 2                |                            |
| <i>emzahh oral tablet 0.35 mg</i> (norethindrone (contraceptive))                             | 2                |                            |
| <i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i> (etonogestrel-ethinyl estradiol)           | 2                | QL (1 per 28 days)         |
| <i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (levonorg-eth estrad triphasic)    | 2                |                            |
| <i>enskyce oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)                       | 2                |                            |
| <i>errin oral tablet 0.35 mg</i> (norethindrone (contraceptive))                              | 2                |                            |
| <i>estarylla oral tablet 0.25-0.035 mg</i> (norgestimate-ethinyl estradiol)                   | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                          |                                  | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>                       | (Kelnor 1/35 (28))               | 2         |                     |
| <i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>                       | (Valtya)                         | 2         |                     |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>             | (EluRyng)                        | 2         | QL (1 per 28 days)  |
| <i>falmina (28) oral tablet 0.1-20 mg-mcg</i>                                      | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>femynor oral tablet 0.25-35 mg-mcg</i>                                          | (norgestimate-ethinyl estradiol) | 1         |                     |
| <i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                         | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>              | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>                  | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>                                   | (etonogestrel-ethinyl estradiol) | 2         | QL (1 per 28 days)  |
| <i>heather oral tablet 0.35 mg</i>                                                 | (norethindrone (contraceptive))  | 2         |                     |
| <i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>                  | (levonorgestrel-ethinyl estrad)  | 2         | QL (91 per 84 days) |
| <i>incassia oral tablet 0.35 mg</i>                                                | (norethindrone (contraceptive))  | 2         |                     |
| <i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>                | (levonorgestrel-ethinyl estrad)  | 2         | QL (91 per 84 days) |
| <i>isibloom oral tablet 0.15-0.03 mg</i>                                           | (desogestrel-ethinyl estradiol)  | 2         |                     |
| <i>jencycla oral tablet 0.35 mg</i>                                                | (norethindrone (contraceptive))  | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                               |                                  | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>jolessa oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>     | (levonorgestrel-ethinyl estrad)  | 2         | QL (91 per 84 days) |
| <i>juleber oral tablet 0.15-0.03 mg</i>                                 | (desogestrel-ethinyl estradiol)  | 2         |                     |
| <i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                      | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>                          | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>    | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>        | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>               | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>             | (desog-e.estradiol/e.estradiol)  | 2         |                     |
| <i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>                         | (ethynodiol diac-eth estradiol)  | 2         |                     |
| <i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i>                         | (ethynodiol diac-eth estradiol)  | 2         |                     |
| <i>kurvelo (28) oral tablet 0.15-0.03 mg</i>                            | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG |                                  | 4         |                     |
| <i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                      | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>                          | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>               | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>    | (norethindrone-e.estradiol-iron) | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                               |                                  | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>                        | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>larissia oral tablet 0.1-20 mg-mcg</i>                                               | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>lessina oral tablet 0.1-20 mg-mcg</i>                                                | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>                         | (levonorg-eth estrad triphasic)  | 2         |                     |
| <i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>          | (Balcoltra)                      | 2         |                     |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>                          | (Afirmelle)                      | 2         |                     |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>                           | (Altavera (28))                  | 2         |                     |
| <i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>                         | (Amethyst (28))                  | 2         |                     |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (Iclevia)                        | 2         | QL (91 per 84 days) |
| <i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>         | (Enpresse)                       | 2         |                     |
| <i>levora-28 oral tablet 0.15-0.03 mg</i>                                               | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG                   |                                  | 3         |                     |
| <i>lillow (28) oral tablet 0.15-0.03 mg</i>                                             | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>                                      | (norgestrel-ethinyl estradiol)   | 2         |                     |
| <i>lultera (28) oral tablet 0.1-20 mg-mcg</i>                                           | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>lyleq oral tablet 0.35 mg</i>                                                        | (norethindrone (contraceptive))  | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                       |                                  | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>lyza oral tablet 0.35 mg</i>                                                 | (norethindrone (contraceptive))  | 2         |                     |
| <i>marlissa (28) oral tablet 0.15-0.03 mg</i>                                   | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>meleya oral tablet 0.35 mg</i>                                               | (norethindrone (contraceptive))  | 2         |                     |
| <i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                        | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>                            | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                 | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>      | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>          | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>mili oral tablet 0.25-0.035 mg</i>                                           | (norgestimate-ethinyl estradiol) | 2         |                     |
| MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG         |                                  | 4         |                     |
| <i>mono-lynyah oral tablet 0.25-0.035 mg</i>                                    | (norgestimate-ethinyl estradiol) | 2         |                     |
| NEXPLANON SUBDERMAL IMPLANT 68 MG                                               |                                  | 3         |                     |
| <i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i> | (Xulane)                         | 2         | QL (3 per 28 days)  |
| <i>norethindrone (contraceptive) oral tablet 0.35 mg</i>                        | (Camila)                         | 2         |                     |
| <i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>    | (Aurovela Fe 1-20 (28))          | 2         |                     |
| <i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>  | (Aurovela Fe 1.5/30 (28))        | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                         |                                  | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>  | (Tilia Fe)                       | 2         |                     |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>     | (Tri-Lo-Estarylla)               | 2         |                     |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | (Tri-Estarylla)                  | 2         |                     |
| <i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i>                   | (Estarylla)                      | 2         |                     |
| <i>norlyda oral tablet 0.35 mg</i>                                                | (norethindrone (contraceptive))  | 1         |                     |
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>                             |                                  | 2         |                     |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>                                  | (norethindrone-ethin estradiol)  | 2         |                     |
| <i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                       |                                  | 2         |                     |
| <i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>                                    | (norethindrone-ethin estradiol)  | 2         |                     |
| <i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                         |                                  | 2         |                     |
| <i>nymyo oral tablet 0.25-35 mg-mcg</i>                                           | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>orquidea oral tablet 0.35 mg</i>                                               | (norethindrone (contraceptive))  | 2         |                     |
| <i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>                      | (desog-e.estradiol/e.estradiol)  | 2         |                     |
| <i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>                                  |                                  | 2         |                     |
| <i>pirmella oral tablet 1-35 mg-mcg</i>                                           | (norethindrone-ethin estradiol)  | 2         |                     |
| <i>portia 28 oral tablet 0.15-0.03 mg</i>                                         | (levonorgestrel-ethinyl estrad)  | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                            |                                  | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>previfem oral tablet 0.25-35 mg-mcg</i>                           | (norgestimate-ethinyl estradiol) | 1         |                     |
| <i>reclipsen (28) oral tablet 0.15-0.03 mg</i>                       | (desogestrel-ethinyl estradiol)  | 2         |                     |
| <i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>   | (levonorgestrel-ethinyl estrad)  | 2         | QL (91 per 84 days) |
| <i>sharobel oral tablet 0.35 mg</i>                                  | (norethindrone (contraceptive))  | 2         |                     |
| <i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>         | (desog-e.estradiol/e.estradiol)  | 2         |                     |
| SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG  |                                  | 4         |                     |
| <i>sprintec (28) oral tablet 0.25-0.035 mg</i>                       | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i>                              | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>           | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>           | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>        | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>     | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>      | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>        | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>      | (norgestimate-ethinyl estradiol) | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                               |                                       | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------|---------------------------------------|-----------|---------------------|
| <i>tri-lo-marzia oral tablet</i><br>0.18/0.215/0.25 mg-0.025 mg         | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>tri-lo-mili oral tablet</i> 0.18/0.215/0.25<br>mg-0.025 mg           | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>tri-lo-sprintec oral tablet</i><br>0.18/0.215/0.25 mg-0.025 mg       | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>tri-mili oral tablet</i> 0.18/0.215/0.25<br>mg-0.035mg (28)          | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>tri-nymyo oral tablet</i> 0.18/0.215/0.25<br>mg-35 mcg (28)          | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>tri-previfem (28) oral tablet</i><br>0.18/0.215/0.25 mg-35 mcg (28)  | (norgestimate-ethinyl<br>estradiol)   | 1         |                     |
| <i>tri-sprintec (28) oral tablet</i><br>0.18/0.215/0.25 mg-0.035mg (28) | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>trivora (28) oral tablet</i> 50-30 (6)/75-<br>40 (5)/125-30(10)      | (levonorg-eth estrad<br>triphasic)    | 2         |                     |
| <i>tri-vylibra lo oral tablet</i><br>0.18/0.215/0.25 mg-0.025 mg        | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>tri-vylibra oral tablet</i> 0.18/0.215/0.25<br>mg-0.035mg (28)       | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>turqoz (28) oral tablet</i> 0.3-30 mg-<br>mcg                        | (norgestrel-ethinyl<br>estradiol)     | 2         |                     |
| <i>valtya oral tablet</i> 1-50 mg-mcg                                   | (ethynodiol diac-eth<br>estradiol)    | 2         |                     |
| <i>vienva oral tablet</i> 0.1-20 mg-mcg                                 | (levonorgestrel-ethinyl<br>estradiol) | 2         |                     |
| <i>viorele (28) oral tablet</i> 0.15-0.02<br>mgx21 /0.01 mg x 5         | (desog-<br>e.estradiol/e.estradiol)   | 2         |                     |
| <i>volnea (28) oral tablet</i> 0.15-0.02<br>mgx21 /0.01 mg x 5          | (desog-<br>e.estradiol/e.estradiol)   | 2         |                     |
| <i>vylibra oral tablet</i> 0.25-0.035 mg                                | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>xarah fe oral tablet</i> 1-20(5)/1-30(7)<br>/1mg-35mcg (9)           | (norethindrone-<br>e.estradiol-iron)  | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                       |                                  | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>         | (norelgestromin-ethin.estradiol) | 2         | QL (3 per 28 days)  |
| <i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>         | (norelgestromin-ethin.estradiol) | 2         | QL (3 per 28 days)  |
| <i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>                 | (ethynodiol diac-eth estradiol)  | 2         |                     |
| <i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>                  | (ethynodiol diac-eth estradiol)  | 2         |                     |
| <b>Dental And Oral Agents</b>                                   |                                  |           |                     |
| <b>Dental And Oral Agents</b>                                   |                                  |           |                     |
| <i>cevimeline oral capsule 30 mg</i>                            | (Evoxac)                         | 2         |                     |
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> | (Periogard)                      | 1         |                     |
| <i>denta 5000 plus dental cream 1.1 %</i>                       | (fluoride (sodium))              | 1         |                     |
| <i>dentagel dental gel 1.1 %</i>                                | (fluoride (sodium))              | 1         |                     |
| <i>fluoride (sodium) dental gel 1.1 %</i>                       | (DentaGel)                       | 1         |                     |
| <i>fluoride (sodium) dental solution 0.2 %</i>                  | (PreviDent)                      | 1         |                     |
| <i>periogard mucous membrane mouthwash 0.12 %</i>               | (chlorhexidine gluconate)        | 1         |                     |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>                 | (Salagen (pilocarpine))          | 2         |                     |
| <i>sf 5000 plus dental cream 1.1 %</i>                          | (fluoride (sodium))              | 1         |                     |
| <i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>         | (Denta 5000 Plus Sensitive)      | 1         |                     |
| <i>triamcinolone acetanide dental paste 0.1 %</i>               | (Kourzeq)                        | 2         |                     |
| <b>Dermatological Agents</b>                                    |                                  |           |                     |
| <b>Dermatological Agents, Other</b>                             |                                  |           |                     |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>             |                                  | 2         |                     |
| <i>acyclovir topical ointment 5 %</i>                           | (Zovirax)                        | 2         | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                              | Drug Tier | Requirements/Limits          |
|------------------------------------------------------------------------|-----------|------------------------------|
| <i>ammonium lactate topical cream 12 %</i>                             | 2         |                              |
| <i>ammonium lactate topical lotion 12 %</i> (AmLactin)                 | 2         |                              |
| <i>calcipotriene scalp solution 0.005 %</i>                            | 2         | QL (120 per 30 days)         |
| <i>calcipotriene topical cream 0.005 %</i>                             | 2         | QL (120 per 30 days)         |
| <i>calcipotriene topical ointment 0.005 %</i>                          | 2         | QL (120 per 30 days)         |
| <i>fluorouracil topical cream 5 %</i> (Efudex)                         | 2         |                              |
| <i>fluorouracil topical solution 2 %, 5 %</i>                          | 2         |                              |
| <i>imiquimod topical cream in packet 5 %</i>                           | 2         | QL (24 per 30 days)          |
| ISOPROPYL ALCOHOL TOPICAL SWAB 70 %                                    | 1         |                              |
| KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %                        | 3         | QL (5 per 5 days)            |
| <i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i>            | 5         | NM; NDS                      |
| PANRETIN TOPICAL GEL 0.1 %                                             | 5         | NM; NDS; QL (60 per 28 days) |
| <i>podofilox topical solution 0.5 %</i>                                | 2         |                              |
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM                                  | 4         | QL (180 per 30 days)         |
| VALCHLOR TOPICAL GEL 0.016 %                                           | 5         | PA NSO; NM; NDS              |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin) | 2         |                              |
| <b>Dermatological Antibacterials</b>                                   |           |                              |
| <i>clindamycin phosphate topical solution 1 %</i>                      | 2         | QL (180 per 30 days)         |
| <i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)          | 2         |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                     | Drug Tier | Requirements/Limits  |
|-------------------------------------------------------------------------------|-----------|----------------------|
| <i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>                         | 2         |                      |
| <i>erythromycin with ethanol topical solution 2 %</i>                         | 2         |                      |
| <i>gentamicin topical cream 0.1 %</i>                                         | 2         | QL (90 per 30 days)  |
| <i>gentamicin topical ointment 0.1 %</i>                                      | 2         | QL (120 per 30 days) |
| <i>metronidazole topical cream 0.75 %</i> (Rosadan)                           | 2         |                      |
| <i>metronidazole topical gel 0.75 %</i> (Rosadan)                             | 2         |                      |
| <i>metronidazole topical gel 1 %</i> (Metrogel)                               | 2         |                      |
| <i>mupirocin topical ointment 2 %</i> (Centany)                               | 1         | QL (220 per 30 days) |
| <i>neuac topical gel 1.2 % (1 % base) -5 %</i> (clindamycin-benzoyl peroxide) | 1         |                      |
| <i>rosadan topical cream 0.75 %</i> (metronidazole)                           | 2         |                      |
| <i>selenium sulfide topical lotion 2.5 %</i>                                  | 2         |                      |
| <i>silver sulfadiazine topical cream 1 %</i> (SSD)                            | 2         |                      |
| <i>ssd topical cream 1 %</i> (silver sulfadiazine)                            | 4         |                      |
| <b>Dermatological Anti-Inflammatory Agents</b>                                |           |                      |
| <i>ala-cort topical cream 1 %</i> (hydrocortisone)                            | 2         |                      |
| <i>betamethasone dipropionate topical cream 0.05 %</i>                        | 2         |                      |
| <i>betamethasone dipropionate topical lotion 0.05 %</i>                       | 2         |                      |
| <i>betamethasone dipropionate topical ointment 0.05 %</i>                     | 2         |                      |
| <i>betamethasone valerate topical cream 0.1 %</i>                             | 2         |                      |
| <i>betamethasone valerate topical lotion 0.1 %</i>                            | 2         |                      |
| <i>betamethasone valerate topical ointment 0.1 %</i>                          | 2         |                      |
| <i>betamethasone, augmented topical cream 0.05 %</i>                          | 2         |                      |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------|------------------|----------------------------|
| <i>betamethasone, augmented topical gel 0.05 %</i>                              | 2                |                            |
| <i>betamethasone, augmented topical lotion 0.05 %</i>                           | 2                |                            |
| <i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented)) | 2                |                            |
| <i>clobetasol scalp solution 0.05 %</i>                                         | 2                |                            |
| <i>clobetasol topical cream 0.05 %</i>                                          | 2                |                            |
| <i>clobetasol topical gel 0.05 %</i>                                            | 2                |                            |
| <i>clobetasol topical lotion 0.05 %</i> (Clobex)                                | 2                |                            |
| <i>clobetasol topical ointment 0.05 %</i>                                       | 2                |                            |
| <i>clobetasol topical shampoo 0.05 %</i> (Clobex)                               | 2                |                            |
| <i>clobetasol-emollient topical cream 0.05 %</i>                                | 2                |                            |
| <i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)                        | 2                |                            |
| EUCRISA TOPICAL OINTMENT 2 %                                                    | 3                |                            |
| <i>fluocinolone topical cream 0.01 %</i>                                        | 2                |                            |
| <i>fluocinolone topical cream 0.025 %</i> (Synalar)                             | 2                |                            |
| <i>fluocinolone topical ointment 0.025 %</i> (Synalar)                          | 2                |                            |
| <i>fluocinonide topical cream 0.05 %</i>                                        | 2                |                            |
| <i>fluocinonide topical cream 0.1 %</i> (Vanos)                                 | 2                |                            |
| <i>fluocinonide topical gel 0.05 %</i>                                          | 2                |                            |
| <i>fluocinonide topical ointment 0.05 %</i>                                     | 2                |                            |
| <i>fluocinonide topical solution 0.05 %</i>                                     | 2                |                            |
| <i>fluticasone propionate topical cream 0.05 %</i>                              | 2                |                            |
| <i>halobetasol propionate topical cream 0.05 %</i>                              | 2                |                            |
| <i>halobetasol propionate topical ointment 0.05 %</i>                           | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>hydrocortisone 2.5% cream</i>                                                   | 2                |                            |
| <i>hydrocortisone topical cream 1 %</i> (Ala-Cort)                                 | 2                |                            |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC) | 2                |                            |
| <i>hydrocortisone topical lotion 2.5 %</i>                                         | 2                |                            |
| <i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))                        | 1                |                            |
| <i>hydrocortisone topical ointment 2.5 %</i>                                       | 1                |                            |
| <i>hydrocortisone valerate topical cream 0.2 %</i>                                 | 2                |                            |
| <i>mometasone topical cream 0.1 %</i>                                              | 2                |                            |
| <i>mometasone topical ointment 0.1 %</i>                                           | 2                |                            |
| <i>mometasone topical solution 0.1 %</i>                                           | 2                |                            |
| <i>pimecrolimus topical cream 1 %</i> (Elidel)                                     | 2                | QL (100 per 30 days)       |
| <i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 2                |                            |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)  | 2                |                            |
| <i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 2                |                            |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i>                                   | 2                | QL (100 per 30 days)       |
| <i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i>                        | 1                |                            |
| <i>triamcinolone acetonide topical cream 0.5 %</i> (Triderm)                       | 1                |                            |
| <i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>                       | 2                |                            |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>              | 2                |                            |
| <i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)                   | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                                    | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <b>Dermatological Retinoids</b>                                                                                              |           |                     |
| <i>adapalene topical cream 0.1 %</i> (Differin)                                                                              | 2         |                     |
| ALTRENO TOPICAL LOTION 0.05 %                                                                                                | 4         | PA                  |
| <i>tazarotene topical cream 0.1 %</i> (Tazorac)                                                                              | 2         |                     |
| <i>tretinoin topical cream 0.025 %</i> (Avita)                                                                               | 2         | PA                  |
| <i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)                                                                       | 2         | PA                  |
| <b>Scabicides And Pediculicides</b>                                                                                          |           |                     |
| <i>malathion topical lotion 0.5 %</i> (Ovide)                                                                                | 2         |                     |
| <i>permethrin topical cream 5 %</i> (Elimite)                                                                                | 2         | QL (60 per 30 days) |
| <b>Devices</b>                                                                                                               |           |                     |
| <b>Devices</b>                                                                                                               |           |                     |
| 1ST TIER UNIFINE PENTP 5MM (pen needle, diabetic)<br>31G 31 GAUGE X 3/16"                                                    | 2         | PA; ST              |
| 1ST TIER UNIFINE PNTIP 4MM (pen needle, diabetic)<br>32G 32 GAUGE X 5/32"                                                    | 2         | PA; ST              |
| 1ST TIER UNIFINE PNTIP 6MM (pen needle, diabetic)<br>31G 31 GAUGE X 1/4"                                                     | 2         | PA; ST              |
| 1ST TIER UNIFINE PNTIP 8MM (pen needle, diabetic)<br>31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"                               | 2         | PA; ST              |
| 1ST TIER UNIFINE PNTIP (pen needle, diabetic)<br>29GX1/2" 29 GAUGE X 1/2"                                                    | 2         | PA; ST              |
| 1ST TIER UNIFINE PNTIP (pen needle, diabetic)<br>31GX3/16 31 GAUGE X 3/16"                                                   | 2         | PA; ST              |
| 1ST TIER UNIFINE PNTIP (pen needle, diabetic)<br>32GX5/32 32 GAUGE X 5/32"                                                   | 2         | PA; ST              |
| ABOUTTIME PEN NEEDLE (pen needle, diabetic)<br>NEEDLE 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                   |                                   | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| ADVOCATE INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16         | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS SYR 0.3 ML<br>29GX1/2 0.3 ML 29 GAUGE X 1/2"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS SYR 0.5 ML<br>29GX1/2 0.5 ML 29 GAUGE X 1/2"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS SYR 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS SYR 1 ML<br>30GX5/16 1 ML 30 GAUGE X 5/16      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE PEN NDL 12.7MM<br>29G 29 GAUGE X 1/2"              | (pen needle, diabetic)            | 2         | PA; ST              |
| ADVOCATE PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)            | 2         | PA; ST              |
| ADVOCATE PEN NEEDLE 4MM<br>33G 33 GAUGE X 5/32"             | (pen needle, diabetic)            | 2         | PA; ST              |
| ADVOCATE PEN NEEDLES 5MM<br>31G 31 GAUGE X 3/16"            | (pen needle, diabetic)            | 2         | PA; ST              |
| ADVOCATE PEN NEEDLES 8MM<br>31G 31 GAUGE X 5/16"            | (pen needle, diabetic)            | 2         | PA; ST              |
| ALCOHOL 70% SWABS                                           | (Alcohol Pads)                    | 1         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------|------------------|----------------------------|
| ALCOHOL PADS TOPICAL PADS, (alcohol swabs)<br>MEDICATED                           | 1                | PA; ST                     |
| ALCOHOL PREP SWABS (alcohol swabs)<br>TOPICAL PADS, MEDICATED                     | 1                | PA; ST                     |
| ALCOHOL WIPES TOPICAL (alcohol swabs)<br>PADS, MEDICATED                          | 1                | PA; ST                     |
| AQINJECT PEN NEEDLE 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"            | 2                | PA; ST                     |
| AQINJECT PEN NEEDLE 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"            | 2                | PA; ST                     |
| ASSURE ID DUO PRO NDL 31G (pen needle, diabetic,<br>5MM 31 GAUGE X 3/16" safety)  | 2                | PA; ST                     |
| ASSURE ID DUO-SHIELD<br>30GX3/16" 30 GAUGE X 3/16"                                | 2                | PA; ST                     |
| ASSURE ID DUO-SHIELD<br>30GX5/16" 30 GAUGE X 5/16"                                | 2                | PA; ST                     |
| ASSURE ID INSULIN SAFETY<br>SYRINGE 1 ML 29 GAUGE X 1/2"                          | 2                | PA; ST                     |
| ASSURE ID PEN NEEDLE<br>30GX3/16" 30 GAUGE X 3/16"                                | 2                | PA; ST                     |
| ASSURE ID PEN NEEDLE<br>30GX5/16" 30 GAUGE X 5/16"                                | 2                | PA; ST                     |
| ASSURE ID PEN NEEDLE (pen needle, diabetic,<br>31GX3/16" 31 GAUGE X 3/16" safety) | 2                | PA; ST                     |
| ASSURE ID PRO PEN NDL 30G<br>5MM 30 GAUGE X 3/16"                                 | 2                | PA; ST                     |
| ASSURE ID SYR 0.5 ML 29GX1/2"<br>(RX) 0.5 ML 29 GAUGE X 1/2"                      | 2                | PA; ST                     |
| ASSURE ID SYR 0.5 ML<br>31GX15/64" 0.5 ML 31 GAUGE X<br>15/64"                    | 2                | PA; ST                     |
| ASSURE ID SYR 1 ML<br>31GX15/64" 1 ML 31 GAUGE X<br>15/64"                        | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| AUTOSHIELD DUO PEN NDL 30G<br>5MM 30 GAUGE X 3/16"                                                              | 2                | PA; ST                     |
| BD AUTOSHIELD DUO NDL<br>5MMX30G 30 GAUGE X 3/16"                                                               | 2                | PA; ST                     |
| BD ECLIPSE 30GX1/2" SYRINGE (insulin syringe-needle<br>1 ML 30 GAUGE X 1/2" u-100)                              | 2                | PA; ST                     |
| BD ECLIPSE NEEDLE 30GX1/2"<br>(OTC) 30 X 1/2 "                                                                  | 2                | PA; ST                     |
| BD INS SYR 0.3 ML<br>8MMX31G(1/2) 0.3 ML 31 GAUGE<br>X 5/16"                                                    | 2                | PA; ST                     |
| BD INS SYR UF 0.3 ML (insulin syringe-needle<br>12.7MMX30G 0.3 ML 30 GAUGE u-100)<br>X 1/2"                     | 2                | PA; ST                     |
| BD INS SYR UF 0.5 ML (insulin syringe-needle<br>12.7MMX30G NOT FOR RETAIL u-100)<br>SALE 0.5 ML 30 GAUGE X 1/2" | 2                | PA; ST                     |
| BD INSULIN SYR 1 ML 25GX1" 1<br>ML 25 X 1"                                                                      | 2                | PA; ST                     |
| BD INSULIN SYR 1 ML 25GX5/8" (insulin syringe-needle<br>1 ML 25 GAUGE X 5/8" u-100)                             | 2                | PA; ST                     |
| BD INSULIN SYR 1 ML 26GX1/2"<br>1 ML 26 X 1/2"                                                                  | 2                | PA; ST                     |
| BD INSULIN SYR 1 ML (insulin syringe-needle<br>27GX12.7MM 1 ML 27 GAUGE X u-100)<br>1/2"                        | 2                | PA; ST                     |
| BD INSULIN SYR 1 ML 27GX5/8" (insulin syringe-needle<br>MICRO-FINE 1 ML 27 GAUGE X u-100)<br>5/8"               | 2                | PA; ST                     |
| BD INSULIN SYRINGE SLIP TIP (insulin syringe<br>SYRINGE 1 ML needleless)                                        | 2                | PA; ST                     |
| BD NANO 2 GEN PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                                        | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------|------------------|----------------------------|
| BD SAFETGLD INS 0.3 ML 29G<br>13MM 0.3 ML 29 GAUGE X 1/2"                                   | 2                | PA; ST                     |
| BD SAFETGLD INS 0.5 ML (insulin syringe-needle<br>13MMX29G 0.5 ML 29 GAUGE X u-100)<br>1/2" | 2                | PA; ST                     |
| BD SAFETYGLD INS 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"                                  | 2                | PA; ST                     |
| BD SAFETYGLD INS 0.5 ML 30G<br>8MM 0.5 ML 30 GAUGE X 5/16"                                  | 2                | PA; ST                     |
| BD SAFETYGLD INS 1 ML 29G<br>13MM 1 ML 29 GAUGE X 1/2"                                      | 2                | PA; ST                     |
| BD SAFETYGLID INS 1 ML<br>6MMX31G 1 ML 31 GAUGE X<br>15/64"                                 | 2                | PA; ST                     |
| BD SAFETYGLIDE SYRINGE (insulin syringe-needle<br>27GX5/8 1 ML 27 GAUGE X 5/8" u-100)       | 2                | PA; ST                     |
| BD SAFTYGLD INS 0.3 ML<br>6MMX31G 0.3 ML 31 GAUGE X<br>15/64"                               | 2                | PA; ST                     |
| BD SAFTYGLD INS 0.5 ML 29G<br>13MM 0.5 ML 29 GAUGE X 1/2"                                   | 2                | PA; ST                     |
| BD SAFTYGLD INS 0.5 ML<br>6MMX31G 0.5 ML 31 GAUGE X<br>15/64"                               | 2                | PA; ST                     |
| BD SINGLE USE SWAB (alcohol swabs)                                                          | 1                | PA; ST                     |
| BD UF MICRO PEN NEEDLE (pen needle, diabetic)<br>6MMX32G 32 GAUGE X 1/4"                    | 2                | PA; ST                     |
| BD UF MINI PEN NEEDLE (pen needle, diabetic)<br>5MMX31G 31 GAUGE X 3/16"                    | 2                | PA; ST                     |
| BD UF NANO PEN NEEDLE (pen needle, diabetic)<br>4MMX32G 32 GAUGE X 5/32"                    | 2                | PA; ST                     |
| BD UF ORIG PEN NDL (pen needle, diabetic)<br>12.7MMX29G 29 GAUGE X 1/2"                     | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                     |                                   | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| BD UF SHORT PEN NEEDLE<br>8MMX31G 31 GAUGE X 5/16"            | (pen needle, diabetic)            | 2         | PA; ST              |
| BD VEO INS 0.3 ML 6MMX31G<br>(1/2) 0.3 ML 31 GAUGE X 15/64"   |                                   | 2         | PA; ST              |
| BD VEO INS SYRING 1 ML<br>6MMX31G 1 ML 31 GAUGE X<br>15/64"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| BD VEO INS SYRN 0.3 ML<br>6MMX31G 0.3 ML 31 GAUGE X<br>15/64" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| BD VEO INS SYRN 0.5 ML<br>6MMX31G 1/2 ML 31 GAUGE X<br>15/64" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| BORDERED GAUZE 2"X2" 2 X 2 "                                  | (gauze bandage)                   | 1         | PA; ST              |
| CAREFINE PEN NEEDLE 12.7MM<br>29G 29 GAUGE X 1/2"             | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLE 4MM<br>32G 32 GAUGE X 5/32"               | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLE 5MM<br>32G 32 GAUGE X 3/16"               | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLE 6MM<br>31G 31 GAUGE X 1/4"                | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLE 8MM<br>30G 30 GAUGE X 5/16"               | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLES 6MM<br>32G 32 GAUGE X 1/4"               | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLES 8MM<br>31G 31 GAUGE X 5/16"              | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH ALCOHOL 70%<br>PREP PAD                             | (alcohol swabs)                   | 1         | PA; ST              |
| CARETOUCH PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2"              | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"              | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                              |                                   | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| CARETOUCH PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"                     | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"                     | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH PEN NEEDLE<br>32GX3/16" 32 GAUGE X 3/16"                     | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"                     | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH SYR 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| CARETOUCH SYR 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| CARETOUCH SYR 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| CARETOUCH SYR 1 ML<br>28GX5/16" 1 ML 28 X 5/16"                        |                                   | 2         | PA; ST              |
| CARETOUCH SYR 1 ML<br>29GX5/16" 1 ML 29 GAUGE X 5/16"                  |                                   | 2         | PA; ST              |
| CARETOUCH SYR 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16"                  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| CARETOUCH SYR 1 ML<br>31GX5/16" 1 ML 31 GAUGE X 5/16"                  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| CLICKFINE PEN NEEDLE<br>32GX5/32" 32GX4MM, STERILE<br>32 GAUGE X 5/32" | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT EZ 0.3 ML 31G 15/64"<br>0.3 ML 31 GAUGE X 15/64"               | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ 0.5 ML 31G 15/64"<br>1/2 ML 31 GAUGE X 15/64"               | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                            |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| COMFORT EZ INS 0.3 ML<br>30GX1/2" 0.3 ML 30 GAUGE X<br>1/2"                          | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16"                        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ INS 1 ML 31G<br>15/64" 1 ML 31 GAUGE X 15/64"                             | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ INS 1 ML<br>31GX5/16" 1 ML 31 GAUGE X 5/16"                               | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ INSULIN SYR 0.3<br>ML 0.3 ML 31 GAUGE X 5/16"                             | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ INSULIN SYR 0.5<br>ML 0.5 ML 30 GAUGE X 5/16", 0.5<br>ML 31 GAUGE X 5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLE<br>12MM 29G 29 GAUGE X 1/2"                                    | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES<br>4MM 32G SINGLE USE, MICRO<br>32 GAUGE X 5/32"              | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES<br>4MM 33G 33 GAUGE X 5/32"                                   | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES<br>5MM 31G MINI 31 GAUGE X<br>3/16"                           | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES<br>5MM 32G SINGLE USE,MINI,HRI<br>32 GAUGE X 3/16"            | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES<br>5MM 33G 33 GAUGE X 3/16"                                   | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES<br>6MM 31G 31 GAUGE X 1/4"                                    | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES<br>6MM 32G 32 GAUGE X 1/4"                                    | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                   |                                   | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| COMFORT EZ PEN NEEDLES<br>6MM 33G 33 GAUGE X 1/4"           | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES<br>8MM 31G SHORT 31 GAUGE X<br>5/16" | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES<br>8MM 32G 32 GAUGE X 5/16"          | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES<br>8MM 33G 33 GAUGE X 5/16"          |                                   | 2         | PA; ST              |
| COMFORT EZ PRO PEN NDL 30G<br>8MM 30 GAUGE X 5/16"          |                                   | 2         | PA; ST              |
| COMFORT EZ PRO PEN NDL 31G<br>4MM 31 GAUGE X 5/32"          | (pen needle, diabetic,<br>safety) | 2         | PA; ST              |
| COMFORT EZ PRO PEN NDL 31G<br>5MM 31 GAUGE X 3/16"          | (pen needle, diabetic,<br>safety) | 2         | PA; ST              |
| COMFORT EZ SYR 0.3 ML<br>29GX1/2" 0.3 ML 29 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ SYR 0.5 ML<br>28GX1/2" 1/2 ML 28 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ SYR 0.5 ML<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ SYR 0.5 ML<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ SYR 1 ML<br>28GX1/2" 1 ML 28 GAUGE X 1/2"        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ SYR 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ SYR 1 ML<br>30GX1/2" 1 ML 30 GAUGE X 1/2"        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------|------------------|----------------------------|
| COMFORT EZ SYR 1 ML (insulin syringe-needle<br>30GX5/16" 1 ML 30 GAUGE X 5/16 u-100) | 2                | PA; ST                     |
| COMFORT POINT PEN NDL<br>31GX1/3" 31 GAUGE X 1/3"                                    | 2                | PA; ST                     |
| COMFORT POINT PEN NDL<br>31GX1/6" 31 GAUGE X 1/6"                                    | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic)<br>4MM 31 GAUGE X 5/32"             | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"             | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic)<br>6MM 31 GAUGE X 1/4"              | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"             | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"             | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>5MM 32 GAUGE X 3/16"             | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"              | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>8MM 32 GAUGE X 5/16"             | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic)<br>4MM 33 GAUGE X 5/32"             | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic)<br>6MM 33 GAUGE X 1/4"              | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL (pen needle, diabetic)<br>33GX5MM 33 GAUGE X 3/16"             | 2                | PA; ST                     |
| CURAD GAUZE PADS 2" X 2" 2 X (gauze bandage)<br>2 "                                  | 1                | PA; ST                     |
| CURITY ALCOHOL PREPS 2 (alcohol swabs)<br>PLY,MEDIUM                                 | 1                | PA; ST                     |
| CURITY GAUZE SPONGES (12<br>PLY)-200/BAG 2 X 2 "                                     | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------|------------------|----------------------------|
| CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 " (gauze bandage)                                   | 1                | PA; ST                     |
| DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 " (gauze bandage)                       | 1                | PA; ST                     |
| DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "                                               | 1                | PA; ST                     |
| DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "                                                  | 1                | PA; ST                     |
| DROPLET 0.3 ML 29G 12.7MM(1/2) 0.3 ML 29 GAUGE X 1/2"                                   | 2                | PA; ST                     |
| DROPLET 0.3 ML 30G 12.7MM(1/2) 0.3 ML 30 GAUGE X 1/2"                                   | 2                | PA; ST                     |
| DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"                                   | 2                | PA; ST                     |
| DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"                                   | 2                | PA; ST                     |
| DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)     | 2                | PA; ST                     |
| DROPLET INS 0.3 ML 30G 8MM(1/2) 0.3 ML 30 GAUGE X 5/16"                                 | 2                | PA; ST                     |
| DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)     | 2                | PA; ST                     |
| DROPLET INS 0.3 ML 31G 6MM(1/2) 0.3 ML 31 GAUGE X 1/4" (insulin syr/ndl u100 half mark) | 2                | PA; ST                     |
| DROPLET INS 0.3 ML 31G 8MM(1/2) 0.3 ML 31 GAUGE X 5/16"                                 | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------|------------------|----------------------------|
| DROPLET INS 0.5 ML 29G<br>12.7MM 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)       | 2                | PA; ST                     |
| DROPLET INS 0.5 ML 30G<br>12.7MM 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)       | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>30GX6MM(1/2) 0.5ML 30 GAUGE<br>X 15/64"                                | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>30GX8MM(1/2) 0.5 ML 30 GAUGE<br>X 5/16"                                | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>31GX6MM(1/2) 0.5 ML 31 GAUGE<br>X 15/64"                               | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>31GX8MM(1/2) 0.5 ML 31 GAUGE<br>X 5/16"                                | 2                | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>30GX6MM 0.3 ML 30 GAUGE X<br>15/64"                                | 2                | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>30GX8MM 0.3 ML 30 GAUGE X<br>5/16" (insulin syringe-needle u-100)  | 2                | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>31GX6MM 0.3 ML 31 GAUGE X<br>15/64" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>31GX8MM 0.3 ML 31 GAUGE X<br>5/16" (insulin syringe-needle u-100)  | 2                | PA; ST                     |
| DROPLET INS SYR 0.5 ML 30G<br>8MM 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)     | 2                | PA; ST                     |
| DROPLET INS SYR 0.5 ML 31G<br>6MM 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)      | 2                | PA; ST                     |
| DROPLET INS SYR 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)     | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                  |                                   | Drug Tier | Requirements/Limits |
|------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| DROPLET INS SYR 1 ML 29G<br>12.7MM 1 ML 29 GAUGE X 1/2"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET INS SYR 1 ML 30G<br>8MM 1 ML 30 GAUGE X 5/16       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET INS SYR 1 ML<br>30GX12.5MM 1 ML 30 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET INS SYR 1 ML<br>30GX6MM 1 ML 30 GAUGE X<br>15/64"  |                                   | 2         | PA; ST              |
| DROPLET INS SYR 1 ML 31G<br>6MM 1 ML 31 GAUGE X 1/4"       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET INS SYR 1 ML<br>31GX6MM 1 ML 31 GAUGE X<br>15/64"  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET INS SYR 1 ML<br>31GX8MM 1 ML 31 GAUGE X<br>5/16    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET MICRON 34G X 9/64"<br>34 GAUGE X 9/64"             |                                   | 2         | PA; ST              |
| DROPLET PEN NEEDLE 29G<br>10MM 29 GAUGE X 3/8"             |                                   | 2         | PA; ST              |
| DROPLET PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2"             | (pen needle, diabetic)            | 2         | PA; ST              |
| DROPLET PEN NEEDLE 30G<br>8MM 30 GAUGE X 5/16"             | (pen needle, diabetic)            | 2         | PA; ST              |
| DROPLET PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"             | (pen needle, diabetic)            | 2         | PA; ST              |
| DROPLET PEN NEEDLE 31G<br>6MM 31 GAUGE X 1/4"              | (pen needle, diabetic)            | 2         | PA; ST              |
| DROPLET PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"             | (pen needle, diabetic)            | 2         | PA; ST              |
| DROPLET PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                                                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| DROPLET PEN NEEDLE 32G (pen needle, diabetic)<br>5MM 32 GAUGE X 3/16"                                                                                                                                                    | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"                                                                                                                                                     | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 32G (pen needle, diabetic)<br>8MM 32 GAUGE X 5/16"                                                                                                                                                    | 2                | PA; ST                     |
| DROPSAFE ALCOHOL 70% PREP (alcohol swabs)<br>PADS                                                                                                                                                                        | 1                | PA; ST                     |
| DROPSAFE INS SYR 0.3 ML 31G<br>6MM 0.3 ML 31 GAUGE X 15/64"                                                                                                                                                              | 2                | PA; ST                     |
| DROPSAFE INS SYR 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"                                                                                                                                                               | 2                | PA; ST                     |
| DROPSAFE INS SYR 0.5 ML 31G<br>6MM 0.5 ML 31 GAUGE X 15/64"                                                                                                                                                              | 2                | PA; ST                     |
| DROPSAFE INS SYR 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16"                                                                                                                                                               | 2                | PA; ST                     |
| DROPSAFE INSUL SYR 1 ML 31G<br>6MM 1 ML 31 GAUGE X 15/64"                                                                                                                                                                | 2                | PA; ST                     |
| DROPSAFE INSUL SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16"                                                                                                                                                                 | 2                | PA; ST                     |
| DROPSAFE INSULN 1 ML 29G<br>12.5MM 1 ML 29 GAUGE X 1/2"                                                                                                                                                                  | 2                | PA; ST                     |
| DROPSAFE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"                                                                                                                                                                          | 2                | PA; ST                     |
| DROPSAFE PEN NEEDLE (pen needle, diabetic,<br>31GX3/16" 31 GAUGE X 3/16" safety)                                                                                                                                         | 2                | PA; ST                     |
| DROPSAFE PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"                                                                                                                                                                        | 2                | PA; ST                     |
| DRUG MART ULTRA COMFORT (insulin syringe-needle<br>SYR 0.3 ML 29 GAUGE X 1/2", 0.3 u-100)<br>ML 31 GAUGE X 5/16", 0.5 ML 30<br>GAUGE X 5/16", 0.5 ML 31<br>GAUGE X 5/16", 1 ML 29 GAUGE<br>X 1/2", 1 ML 30 GAUGE X 5/16" | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------|------------------|----------------------------|
| EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)       | 2                | PA; ST                     |
| EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"                                       | 2                | PA; ST                     |
| EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"                                      | 2                | PA; ST                     |
| EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"                                        | 2                | PA; ST                     |
| EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)   | 2                | PA; ST                     |
| EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)   | 2                | PA; ST                     |
| EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"                                | 2                | PA; ST                     |
| EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)   | 2                | PA; ST                     |
| EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)     | 2                | PA; ST                     |
| EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"                                    | 2                | PA; ST                     |
| EASY COMFORT ALCOHOL 70% PAD (alcohol swabs)                                         | 1                | PA; ST                     |
| EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)   | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------|------------------|----------------------------|
| EASY COMFORT PEN NDL 29G<br>4MM 29 GAUGE X 5/32"                                            | 2                | PA; ST                     |
| EASY COMFORT PEN NDL 29G<br>5MM 29 GAUGE X 3/16"                                            | 2                | PA; ST                     |
| EASY COMFORT PEN NDL (pen needle, diabetic)<br>31GX1/4" 31 GAUGE X 1/4"                     | 2                | PA; ST                     |
| EASY COMFORT PEN NDL (pen needle, diabetic)<br>31GX3/16" 31 GAUGE X 3/16"                   | 2                | PA; ST                     |
| EASY COMFORT PEN NDL (pen needle, diabetic)<br>31GX5/16" 31 GAUGE X 5/16"                   | 2                | PA; ST                     |
| EASY COMFORT PEN NDL (pen needle, diabetic)<br>32GX5/32" 32 GAUGE X 5/32"                   | 2                | PA; ST                     |
| EASY COMFORT PEN NDL 33G (pen needle, diabetic)<br>4MM 33 GAUGE X 5/32"                     | 2                | PA; ST                     |
| EASY COMFORT PEN NDL 33G (pen needle, diabetic)<br>5MM 33 GAUGE X 3/16"                     | 2                | PA; ST                     |
| EASY COMFORT PEN NDL 33G (pen needle, diabetic)<br>6MM 33 GAUGE X 1/4"                      | 2                | PA; ST                     |
| EASY COMFORT SYR 0.5 ML 29G (insulin syringe-needle<br>8MM 1/2 ML 29 X5/16 " u-100)         | 2                | PA; ST                     |
| EASY COMFORT SYR 1 ML 29G<br>8MM 1 ML 29 GAUGE X 5/16                                       | 2                | PA; ST                     |
| EASY COMFORT SYR 1 ML (insulin syringe-needle<br>30GX1/2" 1 ML 30 GAUGE X 1/2" u-100)       | 2                | PA; ST                     |
| EASY GLIDE INS 0.3 ML (insulin syringe-needle<br>31GX6MM 0.3 ML 31 GAUGE X u-100)<br>15/64" | 2                | PA; ST                     |
| EASY GLIDE INS 0.5 ML (insulin syringe-needle<br>31GX6MM 1/2 ML 31 GAUGE X u-100)<br>15/64" | 2                | PA; ST                     |
| EASY GLIDE INS 1 ML (insulin syringe-needle<br>31GX6MM 1 ML 31 GAUGE X u-100)<br>15/64"     | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| EASY GLIDE PEN NEEDLE 4MM (pen needle, diabetic)<br>33G 33 GAUGE X 5/32"                                            | 2                | PA; ST                     |
| EASY TOUCH 0.3 ML SYR (insulin syringe-needle<br>30GX1/2" 0.3 ML 30 GAUGE X u-100)<br>1/2"                          | 2                | PA; ST                     |
| EASY TOUCH 0.5 ML SYR (insulin syringe-needle<br>27GX1/2" 1/2 ML 27 GAUGE X u-100)<br>1/2"                          | 2                | PA; ST                     |
| EASY TOUCH 0.5 ML SYR<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2"                                                         | 2                | PA; ST                     |
| EASY TOUCH 0.5 ML SYR (insulin syringe-needle<br>30GX1/2" 0.5 ML 30 GAUGE X u-100)<br>1/2"                          | 2                | PA; ST                     |
| EASY TOUCH 0.5 ML SYR<br>30GX5/16 0.5 ML 30 GAUGE X<br>5/16"                                                        | 2                | PA; ST                     |
| EASY TOUCH 1 ML SYR (insulin syringe-needle<br>27GX1/2" 1 ML 27 GAUGE X u-100)<br>1/2"                              | 2                | PA; ST                     |
| EASY TOUCH 1 ML SYR<br>29GX1/2" 1 ML 29 GAUGE X 1/2"                                                                | 2                | PA; ST                     |
| EASY TOUCH 1 ML SYR<br>30GX1/2" 1 ML 30 GAUGE X 1/2"                                                                | 2                | PA; ST                     |
| EASY TOUCH ALCOHOL 70% (alcohol swabs)<br>PADS GAMMA-STERILIZED                                                     | 1                | PA; ST                     |
| EASY TOUCH FLIPLOK 1 ML<br>27GX0.5 1 ML 27 GAUGE X 1/2"                                                             | 2                | PA; ST                     |
| EASY TOUCH INSULIN 1 ML<br>29GX1/2 1 ML 29 GAUGE X 1/2"                                                             | 2                | PA; ST                     |
| EASY TOUCH INSULIN 1 ML<br>30GX1/2 1 ML 30 GAUGE X 1/2"                                                             | 2                | PA; ST                     |
| EASY TOUCH INSULIN SYR 0.3 (insulin syringe-needle<br>ML 0.3 ML 30 GAUGE X 5/16", 0.3 u-100)<br>ML 31 GAUGE X 5/16" | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)         | 2                | PA; ST                     |
| EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)                   | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"                                                          | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"                                                          | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"                                                         | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"                                                         | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"                                                         | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"                                                         | 2                | PA; ST                     |
| EASY TOUCH LUER LOK INSUL 1 ML (insulin syringe needleless)                                                   | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)                                         | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" (pen needle, diabetic)                                        | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)                                         | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)                                        | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)                                        | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                  |                                   | Drug Tier | Requirements/Limits |
|------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| EASY TOUCH PEN NEEDLE<br>32GX1/4" 32 GAUGE X 1/4"          | (pen needle, diabetic)            | 2         | PA; ST              |
| EASY TOUCH PEN NEEDLE<br>32GX3/16 32 GAUGE X 3/16"         | (pen needle, diabetic)            | 2         | PA; ST              |
| EASY TOUCH PEN NEEDLE<br>32GX5/32 32 GAUGE X 5/32"         | (pen needle, diabetic)            | 2         | PA; ST              |
| EASY TOUCH SAF PEN NDL 29G<br>5MM 29 GAUGE X 3/16"         |                                   | 2         | PA; ST              |
| EASY TOUCH SAF PEN NDL 29G<br>8MM 29 GAUGE X 5/16"         |                                   | 2         | PA; ST              |
| EASY TOUCH SAF PEN NDL 30G<br>5MM 30 GAUGE X 3/16"         |                                   | 2         | PA; ST              |
| EASY TOUCH SAF PEN NDL 30G<br>8MM 30 GAUGE X 5/16"         |                                   | 2         | PA; ST              |
| EASY TOUCH SYR 0.5 ML 28G<br>12.7MM 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH SYR 0.5 ML 29G<br>12.7MM 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH SYR 1 ML 27G<br>16MM 1 ML 27 GAUGE X 5/8"       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH SYR 1 ML 28G<br>12.7MM 1 ML 28 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH SYR 1 ML 29G<br>12.7MM 1 ML 29 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH UNI-SLIP SYR 1<br>ML                            | (insulin syringe<br>needleless)   | 2         | PA; ST              |
| EASYTOUCH SAF PEN NDL 30G<br>6MM 30 GAUGE X 1/4"           |                                   | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2"             | (pen needle, diabetic)            | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 30G<br>5MM 30 GAUGE X 3/16"             | (pen needle, diabetic)            | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 30G<br>8MM 30 GAUGE X 5/16"             | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                           |                                    | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------|------------------------------------|-----------|---------------------|
| EMBRACE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"                      | (pen needle, diabetic)             | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 31G<br>6MM 31 GAUGE X 1/4"                       | (pen needle, diabetic)             | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"                      | (pen needle, diabetic)             | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"                      | (pen needle, diabetic)             | 2         | PA; ST              |
| EQL INSULIN 0.5 ML SYRINGE<br>1/2 ML 29                             | (Utileit Insulin Syringe)          | 2         | PA; ST              |
| EQL INSULIN 0.5 ML SYRINGE<br>SHORT NEEDLE 1/2 ML 30<br>GAUGE       | (Ultra Comfort Insulin<br>Syringe) | 2         | PA; ST              |
| FP INSULIN 1 ML SYRINGE 1 ML<br>28 GAUGE                            |                                    | 2         | PA; ST              |
| FREESTYLE PREC 0.5 ML<br>30GX5/16 0.5 ML 30 GAUGE X<br>5/16"        | (insulin syringe-needle<br>u-100)  | 2         | PA; ST              |
| FREESTYLE PREC 0.5 ML<br>31GX5/16 0.5 ML 31 GAUGE X<br>5/16"        | (insulin syringe-needle<br>u-100)  | 2         | PA; ST              |
| FREESTYLE PREC 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16               | (insulin syringe-needle<br>u-100)  | 2         | PA; ST              |
| FREESTYLE PREC 1 ML<br>31GX5/16" 1 ML 31 GAUGE X 5/16               | (insulin syringe-needle<br>u-100)  | 2         | PA; ST              |
| GAUZE PAD TOPICAL<br>BANDAGE 2 X 2 "                                | (gauze bandage)                    | 1         | PA; ST              |
| GNP CLICKFINE 31G X 1/4" NDL<br>6MM, UNIVERSAL 31 GAUGE X<br>1/4"   | (pen needle, diabetic)             | 2         | PA; ST              |
| GNP CLICKFINE 31G X 5/16" NDL<br>8MM, UNIVERSAL 31 GAUGE X<br>5/16" | (pen needle, diabetic)             | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------|------------------|----------------------------|
| GNP SIMPLI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                  | 2                | PA; ST                     |
| GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"                        | 2                | PA; ST                     |
| GNP ULT CMFRT 0.5 ML 29GX1/2" 1/2 ML 29 (insulin syringe-needle u-100)                 | 2                | PA; ST                     |
| GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 30 GAUGE (insulin syringe-needle u-100)            | 2                | PA; ST                     |
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE                                           | 2                | PA; ST                     |
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 30 GAUGE X 7/16" (insulin syringe-needle u-100)    | 2                | PA; ST                     |
| GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30 (insulin syringe-needle u-100)                 | 2                | PA; ST                     |
| GS PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (1st Tier Unifine Pentips)                    | 2                | PA; ST                     |
| GS PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" (1st Tier Unifine Pentips)                    | 2                | PA; ST                     |
| HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)     | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------|------------------|----------------------------|
| HEALTHWISE INS 1 ML (insulin syringe-needle<br>31GX5/16" 1 ML 31 GAUGE X 5/16 u-100) | 2                | PA; ST                     |
| HEALTHWISE PEN NEEDLE 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"             | 2                | PA; ST                     |
| HEALTHWISE PEN NEEDLE 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"             | 2                | PA; ST                     |
| HEALTHWISE PEN NEEDLE 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"             | 2                | PA; ST                     |
| HEALTHY ACCENTS PENTIP (pen needle, diabetic)<br>4MM 32G 32 GAUGE X 5/32"            | 2                | PA; ST                     |
| HEALTHY ACCENTS PENTIP (pen needle, diabetic)<br>5MM 31G 31 GAUGE X 3/16"            | 2                | PA; ST                     |
| HEALTHY ACCENTS PENTIP (pen needle, diabetic)<br>6MM 31G 31 GAUGE X 1/4"             | 2                | PA; ST                     |
| HEALTHY ACCENTS PENTIP (pen needle, diabetic)<br>8MM 31G 31 GAUGE X 5/16"            | 2                | PA; ST                     |
| HEALTHY ACCENTS PENTP<br>12MM 29G 29 GAUGE X 1/2"                                    | 2                | PA; ST                     |
| HEB INCONTROL ALCOHOL 70% (alcohol swabs)<br>PADS                                    | 1                | PA; ST                     |
| INCONTROL PEN NEEDLE 12MM (pen needle, diabetic)<br>29G 29 GAUGE X 1/2"              | 2                | PA; ST                     |
| INCONTROL PEN NEEDLE 4MM (pen needle, diabetic)<br>32G 32 GAUGE X 5/32"              | 2                | PA; ST                     |
| INCONTROL PEN NEEDLE 5MM (pen needle, diabetic)<br>31G 31 GAUGE X 3/16"              | 2                | PA; ST                     |
| INCONTROL PEN NEEDLE 6MM (pen needle, diabetic)<br>31G 31 GAUGE X 1/4"               | 2                | PA; ST                     |
| INCONTROL PEN NEEDLE 8MM (pen needle, diabetic)<br>31G 31 GAUGE X 5/16"              | 2                | PA; ST                     |
| INPEN (FOR HUMALOG) BLUE<br>SUBCUTANEOUS INSULIN PEN                                 | 3                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------|------------------|----------------------------|
| INPEN (NOVOLOG OR FIASP)<br>BLUE SUBCUTANEOUS INSULIN<br>PEN                             | 3                |                            |
| INSULIN 1 ML SYRINGE 1 ML 30 GAUGE X 7/16" (Ultra Comfort Insulin Syringe)               | 2                | PA; ST                     |
| INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (Droplet Insulin Syr(half unit))  | 2                | PA; ST                     |
| INSULIN SYR 0.5 ML 28G 12.7MM (OTC) 1/2 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)  | 2                | PA; ST                     |
| INSULIN SYRIN 0.5 ML 30GX1/2" (RX) 0.5 ML 30 GAUGE X 1/2" (Comfort EZ Insulin Syringe)   | 2                | PA; ST                     |
| INSULIN SYRING 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2" (Easy Touch Insulin Syringe) | 2                | PA; ST                     |
| INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE (insulin syringe-needle u-100)                    | 2                | PA; ST                     |
| INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)     | 2                | PA; ST                     |
| INSULIN SYRINGE 0.5 ML 1/2 ML 29 (insulin syringe-needle u-100)                          | 2                | PA; ST                     |
| INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (Droplet Insulin Syringe)          | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 1 ML 29 GAUGE                                                       | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 27G 1/2" INNER 1 ML 27 GAUGE X 1/2" (Easy Touch Insulin Syringe)    | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8" (BD SafetyGlide Syringe)              | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 28G 12.7MM (OTC) 1 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)  | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------------|------------------|----------------------------|
| INSULIN SYRINGE 1 ML (BD Eclipse Luer-Lok)<br>30GX1/2" SHORT NEEDLE (OTC)<br>1 ML 30 GAUGE X 1/2" | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML (Droplet Insulin Syringe)<br>31GX1/4" 1 ML 31 GAUGE X 1/4"                   | 2                | PA; ST                     |
| INSULIN SYRINGE NEEDLELESS SYRINGE 1 ML (Easy Touch Luer Lock Insulin)                            | 2                | PA; ST                     |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)                    | 2                | PA; ST                     |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)            | 2                | PA; ST                     |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Monoject Syringe)                           | 2                | PA; ST                     |
| INSULIN U-500 SYRINGE-NEEDLE SYRINGE 1/2 ML 31 GAUGE X 15/64"                                     | 2                | PA; ST                     |
| INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic)                               | 2                | PA; ST                     |
| INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4" (pen needle, diabetic)                                | 2                | PA; ST                     |
| INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16" (pen needle, diabetic)                                | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2" (pen needle, diabetic)                                | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                                | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)                              | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE 32G 6MM (RX) 32 GAUGE X 1/4" (pen needle, diabetic)                            | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)                                | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" (pen needle, diabetic)                                        | 2                | PA; ST                     |
| IV ANTISEPTIC WIPES (alcohol swabs)                                                                       | 1                | PA; ST                     |
| KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)                                                              | 1                | PA; ST                     |
| LISCO SPONGES 100/BAG 2 X 2 "                                                                             | 1                | PA; ST                     |
| LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4" (pen needle, diabetic)                                     | 2                | PA; ST                     |
| LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE (insulin syringe-needle u-100) | 2                | PA; ST                     |
| LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" (insulin syringe-needle u-100)           | 2                | PA; ST                     |
| LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE                                                                 | 2                | PA; ST                     |
| LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)                           | 2                | PA; ST                     |
| LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2" (pen needle, diabetic)                                          | 2                | PA; ST                     |
| LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16" (pen needle, diabetic)                       | 2                | PA; ST                     |
| LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)                       | 2                | PA; ST                     |
| LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)                     | 2                | PA; ST                     |
| LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                     | 2                | PA; ST                     |
| LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                     | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                       |                                   | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| LITETOUCH SYR 0.5 ML<br>28GX1/2" 1/2 ML 28 GAUGE X<br>1/2"                      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| LITETOUCH SYR 0.5 ML<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2"                      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| LITETOUCH SYR 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"                    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| LITETOUCH SYRIN 1 ML<br>28GX1/2" 1 ML 28 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| LITETOUCH SYRIN 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| LITETOUCH SYRIN 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16                          | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MAGELLAN INSUL SYRINGE 0.3<br>ML 0.3 ML 30 X 5/16"                              |                                   | 2         | PA; ST              |
| MAGELLAN INSUL SYRINGE 0.5<br>ML 0.5 ML 30 GAUGE X 5/16"                        |                                   | 2         | PA; ST              |
| MAGELLAN INSULIN SYR 0.3<br>ML 0.3 ML 29 GAUGE X 1/2"                           |                                   | 2         | PA; ST              |
| MAGELLAN INSULIN SYR 0.5<br>ML 0.5 ML 29 GAUGE X 1/2"                           |                                   | 2         | PA; ST              |
| MAGELLAN INSULIN SYRINGE<br>1 ML 1 ML 29 GAUGE X 1/2", 1<br>ML 30 GAUGE X 5/16" |                                   | 2         | PA; ST              |
| MAXICOMFORT II PEN NDL<br>31GX6MM 31 GAUGE X 1/4"                               | (pen needle, diabetic)            | 2         | PA; ST              |
| MAXICOMFORT INS 0.5 ML<br>27GX1/2" 1/2 ML 27 GAUGE X<br>1/2"                    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MAXI-COMFORT INS 0.5 ML 28G<br>1/2 ML 28 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                   |                                   | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| MAXICOMFORT INS 1 ML<br>27GX1/2" 1 ML 27 GAUGE X 1/2"       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MAXI-COMFORT INS 1 ML<br>28GX1/2" 1 ML 28 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MAXICOMFORT PEN NDL 29G X<br>5MM 29 GAUGE X 3/16"           |                                   | 2         | PA; ST              |
| MAXICOMFORT PEN NDL 29G X<br>8MM 29 GAUGE X 5/16"           |                                   | 2         | PA; ST              |
| MICRODOT PEN NEEDLE<br>31GX6MM 31 GAUGE X 1/4"              | (pen needle, diabetic)            | 2         | PA; ST              |
| MICRODOT PEN NEEDLE<br>32GX4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)            | 2         | PA; ST              |
| MICRODOT PEN NEEDLE<br>33GX4MM 33 GAUGE X 5/32"             | (pen needle, diabetic)            | 2         | PA; ST              |
| MICRODOT READYGARD NDL<br>31G 5MM OUTER 31 GAUGE X<br>3/16" | (pen needle, diabetic,<br>safety) | 2         | PA; ST              |
| MINI PEN NEEDLE 32G 4MM 32<br>GAUGE X 5/32"                 | (1st Tier Unifine<br>Pentips)     | 2         | PA; ST              |
| MINI PEN NEEDLE 32G 5MM 32<br>GAUGE X 3/16"                 | (CareFine Pen Needle)             | 2         | PA; ST              |
| MINI PEN NEEDLE 32G 6MM 32<br>GAUGE X 1/4"                  | (CareFine Pen Needle)             | 2         | PA; ST              |
| MINI PEN NEEDLE 32G 8MM 32<br>GAUGE X 5/16"                 | (Comfort EZ Pen<br>Needles)       | 2         | PA; ST              |
| MINI PEN NEEDLE 33G 4MM 33<br>GAUGE X 5/32"                 | (Advocate Pen Needle)             | 2         | PA; ST              |
| MINI PEN NEEDLE 33G 5MM 33<br>GAUGE X 3/16"                 | (Comfort EZ Pen<br>Needles)       | 2         | PA; ST              |
| MINI PEN NEEDLE 33G 6MM 33<br>GAUGE X 1/4"                  | (Comfort EZ Pen<br>Needles)       | 2         | PA; ST              |
| MINI ULTRA-THIN II PEN NDL<br>31G STERILE 31 GAUGE X 3/16"  | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                   |                                 | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------|---------------------------------|-----------|---------------------|
| MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE                               | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"                             | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"                      | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"                        | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"          | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"                           | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"       | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)                               | (insulin syringes (disposable)) | 2         | PA; ST              |
| MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"                   | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"                   | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16                    | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"                           | (insulin syringe-needle u-100)  | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------|------------------|----------------------------|
| MONOJECT INSULIN SYR U-100<br>1 ML 29 GAUGE X 1/2"                             | 2                | PA; ST                     |
| MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)      | 2                | PA; ST                     |
| MS INSULIN SYR 1 ML 31GX5/16" (OTC) 1 ML 31 GAUGE X 5/16 (Advocate Syringes)   | 2                | PA; ST                     |
| MS INSULIN SYRINGE 0.3 ML 0.3 ML 30 (Ultra Comfort Insulin Syringe)            | 2                | PA; ST                     |
| NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)          | 2                | PA; ST                     |
| NANO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                | 2                | PA; ST                     |
| NOVOFINE 30 NEEDLE                                                             | 2                | PA; ST                     |
| NOVOFINE 32G NEEDLES 32 GAUGE X 1/4" (pen needle, diabetic)                    | 2                | PA; ST                     |
| NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"                                 | 2                | PA; ST                     |
| NOVOTWIST NEEDLE 32 GAUGE X 1/5"                                               | 2                | PA; ST                     |
| OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE                             | 3                | QL (10 per 30 days)        |
| OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE                          | 3                | QL (1 per 365 days)        |
| OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE                            | 3                | QL (10 per 30 days)        |
| OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE                          | 3                | QL (1 per 365 days)        |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------|------------------|----------------------------|
| OMNIPOD CLASSIC PDM KIT(GEN 3)                                                      | 3                | QL (1 per 365 days)        |
| OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE                                 | 3                | QL (10 per 30 days)        |
| OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE                               | 3                | QL (1 per 365 days)        |
| OMNIPOD DASH PDM KIT (GEN 4)                                                        | 3                | QL (1 per 365 days)        |
| OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE                                    | 3                | QL (10 per 30 days)        |
| PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16" (pen needle, diabetic)         | 2                | PA; ST                     |
| PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16" (Embrace Pen Needle)                      | 2                | PA; ST                     |
| PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16" (CareFine Pen Needle)                     | 2                | PA; ST                     |
| PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16" (pen needle, diabetic)                      | 2                | PA; ST                     |
| PEN NEEDLE 31G X 1/4" HRI 31 GAUGE X 1/4" (1st Tier Unifine Pentips)                | 2                | PA; ST                     |
| PEN NEEDLE 6MM 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)                       | 2                | PA; ST                     |
| PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips Plus)         | 2                | PA; ST                     |
| PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2" (pen needle, diabetic)           | 2                | PA; ST                     |
| PEN NEEDLES 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)                         | 2                | PA; ST                     |
| PEN NEEDLES 5MM 31G 31GX5MM,STRL,MINI (OTC) 31 GAUGE X 3/16" (pen needle, diabetic) | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------|------------------|----------------------------|
| PEN NEEDLES 8MM 31G (pen needle, diabetic)<br>31GX8MM,STRL,SHORT (OTC) 31<br>GAUGE X 5/16" | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 29G 1/2" (pen needle, diabetic)<br>29 GAUGE X 1/2"                      | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 31G 1/4" (pen needle, diabetic)<br>31 GAUGE X 1/4"                      | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 31GX3/16" (pen needle, diabetic)<br>MINI, 5MM 31 GAUGE X 3/16"          | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 31GX5/16" (pen needle, diabetic)<br>SHORT, 8MM 31 GAUGE X 5/16"         | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 32G 1/4" (pen needle, diabetic)<br>32 GAUGE X 1/4"                      | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 32GX5/32" (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                | 2                | PA; ST                     |
| PIP PEN NEEDLE 31G X 5MM 31 (pen needle, diabetic)<br>GAUGE X 3/16"                        | 2                | PA; ST                     |
| PIP PEN NEEDLE 32G X 4MM 32 (pen needle, diabetic)<br>GAUGE X 5/32"                        | 2                | PA; ST                     |
| PREFPLS INS SYR 1 ML (Advocate Syringes)<br>30GX5/16" (OTC) 1 ML 30 GAUGE<br>X 5/16        | 2                | PA; ST                     |
| PREVENT PEN NEEDLE 31GX1/4"<br>31 GAUGE X 1/4"                                             | 2                | PA; ST                     |
| PREVENT PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"                                           | 2                | PA; ST                     |
| PRO COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle<br>0.5 ML 30 GAUGE X 1/2" u-100)       | 2                | PA; ST                     |
| PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle<br>0.5 ML 30 GAUGE X 5/16" u-100)     | 2                | PA; ST                     |
| PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle<br>0.5 ML 31 GAUGE X 5/16" u-100)     | 2                | PA; ST                     |
| PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle<br>ML 30 GAUGE X 1/2" u-100)           | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------|------------------|----------------------------|
| PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle<br>ML 30 GAUGE X 5/16 u-100)            | 2                | PA; ST                     |
| PRO COMFORT 1 ML 31GX5/16" 1 (insulin syringe-needle<br>ML 31 GAUGE X 5/16 u-100)            | 2                | PA; ST                     |
| PRO COMFORT ALCOHOL 70% (alcohol swabs)<br>PADS                                              | 1                | PA; ST                     |
| PRO COMFORT PEN NDL (pen needle, diabetic)<br>31GX5/16" 31 GAUGE X 5/16"                     | 2                | PA; ST                     |
| PRO COMFORT PEN NDL 32G X (pen needle, diabetic)<br>1/4" 32 GAUGE X 1/4"                     | 2                | PA; ST                     |
| PRO COMFORT PEN NDL 4MM (pen needle, diabetic)<br>32G 32 GAUGE X 5/32"                       | 2                | PA; ST                     |
| PRO COMFORT PEN NDL 5MM (pen needle, diabetic)<br>32G 32 GAUGE X 3/16"                       | 2                | PA; ST                     |
| PRODIGY INS SYR 1 ML (insulin syringe-needle<br>28GX1/2" 1 ML 28 GAUGE X 1/2" u-100)         | 2                | PA; ST                     |
| PRODIGY SYRNG 0.5 ML (insulin syringe-needle<br>31GX5/16" 0.5 ML 31 GAUGE X u-100)<br>5/16"  | 2                | PA; ST                     |
| PRODIGY SYRNGE 0.3 ML (insulin syringe-needle<br>31GX5/16" 0.3 ML 31 GAUGE X u-100)<br>5/16" | 2                | PA; ST                     |
| PURE CMFT SFTY PEN NDL 31G (pen needle, diabetic,<br>5MM 31 GAUGE X 3/16" safety)            | 2                | PA; ST                     |
| PURE CMFT SFTY PEN NDL 31G<br>6MM 31 GAUGE X 1/4"                                            | 2                | PA; ST                     |
| PURE CMFT SFTY PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                                           | 2                | PA; ST                     |
| PURE COMFORT ALCOHOL 70% (alcohol swabs)<br>PADS                                             | 1                | PA; ST                     |
| PURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                      | 2                | PA; ST                     |
| PURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>5MM 32 GAUGE X 3/16"                      | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------|------------------|----------------------------|
| PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)                 | 2                | PA; ST                     |
| PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic)                | 2                | PA; ST                     |
| RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"                                     | 2                | PA; ST                     |
| RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort Touch Pen Needle)            | 2                | PA; ST                     |
| RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"                                      | 2                | PA; ST                     |
| RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"                                      | 2                | PA; ST                     |
| RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (Comfort EZ Insulin Syringe) | 2                | PA; ST                     |
| RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (Comfort EZ Insulin Syringe) | 2                | PA; ST                     |
| RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" (Comfort EZ Insulin Syringe)  | 2                | PA; ST                     |
| RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"                                      | 2                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"           | 2                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"             | 2                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"           | 2                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"                 | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------|------------------|----------------------------|
| SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"            | 2                | PA; ST                     |
| SAFETY PEN NEEDLE 31G 4MM (Comfort EZ PRO Safety Pen Ndl)<br>31 GAUGE X 5/32"  | 2                | PA; ST                     |
| SAFETY PEN NEEDLE 5MM X (pen needle, diabetic, safety)<br>31G 31 GAUGE X 3/16" | 2                | PA; ST                     |
| SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"                          | 2                | PA; ST                     |
| SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"                            | 2                | PA; ST                     |
| SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"                    | 2                | PA; ST                     |
| SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"                      | 2                | PA; ST                     |
| SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"                                 | 2                | PA; ST                     |
| SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"                                 | 2                | PA; ST                     |
| SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"                        | 2                | PA; ST                     |
| STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)                                   | 1                | PA; ST                     |
| SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"                                 | 2                | PA; ST                     |
| SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"                                | 2                | PA; ST                     |
| NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)                  | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)           | 2                | PA; ST                     |
| SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2                | PA; ST                     |
| SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)                                   | 2                | PA; ST                     |
| SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                                                                   | 2                | PA; ST                     |
| SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic)                                                                                                   | 2                | PA; ST                     |
| SURE COMFORT ALCOHOL PREP PADS (alcohol swabs)                                                                                                                        | 1                | PA; ST                     |
| SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)                                                                                 | 2                | PA; ST                     |
| SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)                                                                                 | 2                | PA; ST                     |
| SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)                                                                                    | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)                                                                                           | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                                                                                                  | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                                                                                                  | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                              |                                | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------------|--------------------------------|-----------|---------------------|
| SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"                                                          | (pen needle, diabetic)         | 2         | PA; ST              |
| SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"                                                           | (pen needle, diabetic)         | 2         | PA; ST              |
| SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"                                                           | (pen needle, diabetic)         | 2         | PA; ST              |
| SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"                                                             | (pen needle, diabetic)         | 2         | PA; ST              |
| SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"                                                             | (pen needle, diabetic)         | 2         | PA; ST              |
| SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle u-100) | 2         | PA; ST              |
| SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2         | PA; ST              |
| SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"                                                      | (insulin syringe-needle u-100) | 2         | PA; ST              |
| SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"                              | (insulin syringe-needle u-100) | 2         | PA; ST              |
| SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16"                                                   | (insulin syringe-needle u-100) | 2         | PA; ST              |
| SURE-PREP ALCOHOL PREP PADS                                                                            | (alcohol swabs)                | 1         | PA; ST              |
| TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"                                                  |                                | 2         | PA; ST              |
| TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"                                                  |                                | 2         | PA; ST              |
| TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"                                                 |                                | 2         | PA; ST              |
| TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"                                                  |                                | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------|------------------|----------------------------|
| TECHLITE 0.5 ML 30GX12MM<br>(1/2) 0.5 ML 30 GAUGE X 1/2"                                  | 2                | PA; ST                     |
| TECHLITE 0.5 ML 30GX8MM<br>(1/2) 0.5 ML 30 GAUGE X 5/16"                                  | 2                | PA; ST                     |
| TECHLITE 0.5 ML 31GX6MM<br>(1/2) 0.5 ML 31 GAUGE X 15/64"                                 | 2                | PA; ST                     |
| TECHLITE 0.5 ML 31GX8MM<br>(1/2) 0.5 ML 31 GAUGE X 5/16"                                  | 2                | PA; ST                     |
| TECHLITE INS SYR 1 ML (insulin syringe-needle<br>29GX12MM 1 ML 29 GAUGE X u-100)<br>1/2"  | 2                | PA; ST                     |
| TECHLITE INS SYR 1 ML (insulin syringe-needle<br>30GX12MM 1 ML 30 GAUGE X u-100)<br>1/2"  | 2                | PA; ST                     |
| TECHLITE INS SYR 1 ML (insulin syringe-needle<br>31GX6MM 1 ML 31 GAUGE X u-100)<br>15/64" | 2                | PA; ST                     |
| TECHLITE INS SYR 1 ML (insulin syringe-needle<br>31GX8MM 1 ML 31 GAUGE X u-100)<br>5/16"  | 2                | PA; ST                     |
| TECHLITE PEN NEEDLE (pen needle, diabetic)<br>29GX1/2" 29 GAUGE X 1/2"                    | 2                | PA; ST                     |
| TECHLITE PEN NEEDLE<br>29GX3/8" 29 GAUGE X 3/8"                                           | 2                | PA; ST                     |
| TECHLITE PEN NEEDLE (pen needle, diabetic)<br>31GX1/4" 31 GAUGE X 1/4"                    | 2                | PA; ST                     |
| TECHLITE PEN NEEDLE (pen needle, diabetic)<br>31GX3/16" 31 GAUGE X 3/16"                  | 2                | PA; ST                     |
| TECHLITE PEN NEEDLE (pen needle, diabetic)<br>31GX5/16" 31 GAUGE X 5/16"                  | 2                | PA; ST                     |
| TECHLITE PEN NEEDLE (pen needle, diabetic)<br>32GX1/4" 32 GAUGE X 1/4"                    | 2                | PA; ST                     |
| TECHLITE PEN NEEDLE (pen needle, diabetic)<br>32GX5/16" 32 GAUGE X 5/16"                  | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| TECHLITE PEN NEEDLE (pen needle, diabetic)<br>32GX5/32" 32 GAUGE X 5/32"                                                                    | 2                | PA; ST                     |
| TECHLITE PLUS PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                                                                    | 2                | PA; ST                     |
| TERUMO INS SYRINGE U100-1 (insulin syringe-needle<br>ML 1 ML 27 GAUGE X 1/2", 1 ML u-100)<br>28 GAUGE X 1/2", 1 ML 29<br>GAUGE X 1/2"       | 2                | PA; ST                     |
| TERUMO INS SYRINGE U100-1 (Thinpro Insulin<br>ML 1 ML 30 GAUGE X 3/8" Syringe)                                                              | 2                | PA; ST                     |
| TERUMO INS SYRINGE U100-1/2 (insulin syringe-needle<br>ML 1/2 ML 30 X 3/8" u-100)                                                           | 2                | PA; ST                     |
| TERUMO INS SYRINGE U100-1/3 (insulin syringe-needle<br>ML 0.3 ML 30 X 3/8" u-100)                                                           | 2                | PA; ST                     |
| TERUMO INS SYRNG U100-1/2 (insulin syringe-needle<br>ML 0.5 ML 29 GAUGE X 1/2", 1/2 u-100)<br>ML 27 GAUGE X 1/2", 1/2 ML 28<br>GAUGE X 1/2" | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-0.3 (insulin syringe-needle<br>ML 0.3 ML 29 GAUGE X 1/2", 0.3 u-100)<br>ML 30 X 3/8"                                 | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-0.3<br>ML 0.3 ML 31 X 3/8"                                                                                           | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-0.5 (insulin syringe-needle<br>ML 0.5 ML 29 GAUGE X 1/2", 1/2 u-100)<br>ML 28 GAUGE X 1/2", 1/2 ML 30 X<br>3/8"      | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-0.5<br>ML 0.5 ML 31 X 3/8"                                                                                           | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-1 ML (insulin syringe-needle<br>1 ML 28 GAUGE X 1/2", 1 ML 29 u-100)<br>GAUGE X 1/2", 1 ML 30 GAUGE X<br>3/8"        | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-1 ML<br>1 ML 31 X 3/8"                                                                                               | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                                                                                                                                                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| TOPCARE CLICKFINE 31G X 1/4" (pen needle, diabetic)<br>31 GAUGE X 1/4"                                                                                                                                                                                                                                    | 2                | PA; ST                     |
| TOPCARE CLICKFINE 31G X (pen needle, diabetic)<br>5/16" 31 GAUGE X 5/16"                                                                                                                                                                                                                                  | 2                | PA; ST                     |
| TOPCARE ULTRA COMFORT (insulin syringe-needle<br>SYRINGE 0.3 ML 29 GAUGE X u-100)<br>1/2", 0.3 ML 30 GAUGE X 5/16",<br>0.3 ML 31 GAUGE X 5/16", 0.5 ML<br>29 GAUGE X 1/2", 0.5 ML 30<br>GAUGE X 5/16", 0.5 ML 31<br>GAUGE X 5/16", 1 ML 29 GAUGE<br>X 1/2", 1 ML 30 GAUGE X 5/16, 1<br>ML 31 GAUGE X 5/16 | 2                | PA; ST                     |
| TRUE CMFRT PRO 0.5 ML 30G (insulin syringe-needle<br>5/16" 0.5 ML 30 GAUGE X 5/16" u-100)                                                                                                                                                                                                                 | 2                | PA; ST                     |
| TRUE CMFRT PRO 0.5 ML 31G (insulin syringe-needle<br>5/16" 0.5 ML 31 GAUGE X 5/16" u-100)                                                                                                                                                                                                                 | 2                | PA; ST                     |
| TRUE CMFRT PRO 0.5 ML 32G<br>5/16" 1/2 ML 32 GAUGE X 5/16"                                                                                                                                                                                                                                                | 2                | PA; ST                     |
| TRUE CMFT SFTY PEN NDL 31G (pen needle, diabetic,<br>5MM 31 GAUGE X 3/16" safety)                                                                                                                                                                                                                         | 2                | PA; ST                     |
| TRUE CMFT SFTY PEN NDL 31G<br>6MM 31 GAUGE X 1/4"                                                                                                                                                                                                                                                         | 2                | PA; ST                     |
| TRUE CMFT SFTY PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                                                                                                                                                                                                                                                        | 2                | PA; ST                     |
| TRUE COMFORT 0.5 ML 30G 1/2"<br>0.5 ML 30 GAUGE X 1/2"                                                                                                                                                                                                                                                    | 2                | PA; ST                     |
| TRUE COMFORT 0.5 ML 30G<br>5/16" 0.5 ML 30 GAUGE X 5/16"                                                                                                                                                                                                                                                  | 2                | PA; ST                     |
| TRUE COMFORT 0.5 ML 31G<br>5/16" 0.5 ML 31 GAUGE X 5/16"                                                                                                                                                                                                                                                  | 2                | PA; ST                     |
| TRUE COMFORT 0.5 ML (insulin syringe-needle<br>31GX5/16" 0.5 ML 31 GAUGE X u-100)<br>5/16"                                                                                                                                                                                                                | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------|------------------|----------------------------|
| TRUE COMFORT 1 ML 31GX5/16" (insulin syringe-needle u-100)<br>1 ML 31 GAUGE X 5/16     | 2                | PA; ST                     |
| TRUE COMFORT ALCOHOL 70% (alcohol swabs)<br>PADS                                       | 1                | PA; ST                     |
| TRUE COMFORT PEN NDL 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"                | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL (pen needle, diabetic)<br>31GX5MM 31 GAUGE X 3/16"                | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL (pen needle, diabetic)<br>31GX6MM 31 GAUGE X 1/4"                 | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 32G (pen needle, diabetic)<br>5MM 32 GAUGE X 3/16"                | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"                 | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL (pen needle, diabetic)<br>32GX4MM 32 GAUGE X 5/32"                | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 33G (pen needle, diabetic)<br>4MM 33 GAUGE X 5/32"                | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 33G (pen needle, diabetic)<br>5MM 33 GAUGE X 3/16"                | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 33G (pen needle, diabetic)<br>6MM 33 GAUGE X 1/4"                 | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 30G (insulin syringe-needle u-100)<br>1/2" 1 ML 30 GAUGE X 1/2"  | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 30G (insulin syringe-needle u-100)<br>5/16" 1 ML 30 GAUGE X 5/16 | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 31G (insulin syringe-needle u-100)<br>5/16" 1 ML 31 GAUGE X 5/16 | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 32G<br>5/16" 1 ML 32 GAUGE X 5/16"                               | 2                | PA; ST                     |
| TRUE COMFORT PRO ALCOHOL (alcohol swabs)<br>PADS                                       | 1                | PA; ST                     |
| TRUE COMFORT SFTY 1 ML 30G<br>1/2" 1 ML 30 GAUGE X 1/2"                                | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------|------------------|----------------------------|
| TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| TRUE COMFRT SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"                                 | 2                | PA; ST                     |
| TRUE COMFRT SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"                                 | 2                | PA; ST                     |
| TRUE COMFRT SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"                                 | 2                | PA; ST                     |
| TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)                   | 2                | PA; ST                     |
| TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)                 | 2                | PA; ST                     |
| TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)                 | 2                | PA; ST                     |
| TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)                 | 2                | PA; ST                     |
| TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)                 | 2                | PA; ST                     |
| TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)    | 2                | PA; ST                     |
| TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)  | 2                | PA; ST                     |
| TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)  | 2                | PA; ST                     |
| TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)    | 2                | PA; ST                     |
| TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)    | 2                | PA; ST                     |
| TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)  | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                           |                                     | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------|-------------------------------------|-----------|---------------------|
| TRUEPLUS SYR 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"         | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| TRUEPLUS SYR 1 ML 28GX1/2" 1<br>ML 28 GAUGE X 1/2"                  | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| TRUEPLUS SYR 1 ML 29GX1/2" 1<br>ML 29 GAUGE X 1/2"                  | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| TRUEPLUS SYR 1 ML 30GX5/16"<br>1 ML 30 GAUGE X 5/16                 | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| TRUEPLUS SYR 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16                 | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| ULTICAR INS 0.3 ML<br>31GX1/4(1/2) 0.3 ML 31 GAUGE X<br>1/4"        | (insulin syr/ndl u100<br>half mark) | 2         | PA; ST              |
| ULTICARE INS 1 ML 31GX1/4" 1<br>ML 31 GAUGE X 1/4"                  | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| ULTICARE INS SYR 0.3 ML 30G<br>8MM 0.3 ML 30 GAUGE X 5/16"          | (Advocate Syringes)                 | 2         | PA; ST              |
| ULTICARE INS SYR 0.3 ML 31G<br>6MM 0.3 ML 31 GAUGE X 1/4"           | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| ULTICARE INS SYR 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"          | (Advocate Syringes)                 | 2         | PA; ST              |
| ULTICARE INS SYR 0.5 ML 30G<br>8MM (OTC) 0.5 ML 30 GAUGE X<br>5/16" | (Advocate Syringes)                 | 2         | PA; ST              |
| ULTICARE INS SYR 0.5 ML 31G<br>6MM 1/2 ML 31 GAUGE X 1/4"           | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| ULTICARE INS SYR 0.5 ML 31G<br>8MM (OTC) 0.5 ML 31 GAUGE X<br>5/16" | (Advocate Syringes)                 | 2         | PA; ST              |
| ULTICARE INS SYR 1 ML<br>30GX1/2" 1 ML 30 GAUGE X 1/2"              | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| ULTICARE PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"                   | (pen needle, diabetic)              | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------|------------------|----------------------------|
| ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)                             | 2                | PA; ST                     |
| ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)                            | 2                | PA; ST                     |
| ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)                           | 2                | PA; ST                     |
| ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)            | 2                | PA; ST                     |
| ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)                            | 2                | PA; ST                     |
| ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"                                                 | 2                | PA; ST                     |
| ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"                                                 | 2                | PA; ST                     |
| ULTICARE SAFETY 0.5 ML 29GX1/2 (RX) 0.5 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)        | 2                | PA; ST                     |
| ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)             | 2                | PA; ST                     |
| ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)             | 2                | PA; ST                     |
| ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)             | 2                | PA; ST                     |
| ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)               | 2                | PA; ST                     |
| ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"                                                  | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| ULTIGUARD SAFE0.3 ML 30G<br>12.7MM 0.3 ML 30 X 1/2"                                                                                             | 2                | PA; ST                     |
| ULTIGUARD SAFE0.5 ML 30G<br>12.7MM 1/2 ML 30 X 1/2"                                                                                             | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 1 ML<br>31G 8MM 1 ML 31 X 5/16"                                                                                              | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 29G<br>12.7MM 29 GAUGE X 1/2"                                                                                                | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 31G<br>5MM 31 GAUGE X 3/16"                                                                                                  | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 31G<br>6MM 31 GAUGE X 1/4"                                                                                                   | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 31G<br>8MM 31 GAUGE X 5/16"                                                                                                  | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 32G<br>4MM 32 GAUGE X 5/32"                                                                                                  | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 32G<br>6MM 32 GAUGE X 1/4"                                                                                                   | 2                | PA; ST                     |
| ULTIGUARD SAFEPK 0.3 ML 31G<br>8MM 0.3 ML 31 X 5/16"                                                                                            | 2                | PA; ST                     |
| ULTIGUARD SAFEPK 0.5 ML 31G<br>8MM 1/2 ML 31 X 5/16"                                                                                            | 2                | PA; ST                     |
| ULTILET ALCOHOL STERL (alcohol swabs)<br>SWAB                                                                                                   | 1                | PA; ST                     |
| ULTILET INSULIN SYRINGE 0.3 (insulin syringe-needle<br>ML 0.3 ML 29 GAUGE X 1/2", 0.3 u-100)<br>ML 30 GAUGE X 5/16", 0.3 ML 31<br>GAUGE X 5/16" | 2                | PA; ST                     |
| ULTILET INSULIN SYRINGE 0.5 (insulin syringe-needle<br>ML 0.5 ML 29 GAUGE X 1/2", 0.5 u-100)<br>ML 30 GAUGE X 5/16", 0.5 ML 31<br>GAUGE X 5/16" | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2                | PA; ST                     |
| ULTILET PEN NEEDLE 29 GAUGE                                                                                                  | 2                | PA; ST                     |
| ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)                                                           | 2                | PA; ST                     |
| ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)                                          | 2                | PA; ST                     |
| ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)                          | 2                | PA; ST                     |
| ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)                                          | 2                | PA; ST                     |
| ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE (insulin syringe-needle u-100)                                                  | 2                | PA; ST                     |
| ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)                                             | 2                | PA; ST                     |
| ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)                                               | 2                | PA; ST                     |
| ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"                                                                       | 2                | PA; ST                     |
| ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"                                                                      | 2                | PA; ST                     |
| ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"                                                                      | 2                | PA; ST                     |
| ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                                                         | 2                | PA; ST                     |
| ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                                                         | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                    |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| ULTRA FLO PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA FLO PEN NEEDLE 33G<br>4MM 33 GAUGE X 5/32"             | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA FLO PEN NEEDLES<br>12MM 29G 29 GAUGE X 1/2"            | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA FLO SYR 0.3 ML<br>29GX1/2" 0.3 ML 29 GAUGE X<br>1/2"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA FLO SYR 0.3 ML 30G<br>5/16" 0.3 ML 30 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA FLO SYR 0.3 ML 31G<br>5/16" 0.3 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA FLO SYR 0.5 ML 29G 1/2"<br>0.5 ML 29 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA THIN PEN NDL 32G X<br>4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 0.5 ML<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 1 ML 30G X<br>5/16" 1 ML 30 GAUGE X 5/16"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                   |                                   | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| ULTRACARE INS 1 ML 30GX1/2"<br>1 ML 30 GAUGE X 1/2"         | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 1 ML 31G X<br>5/16" 1 ML 31 GAUGE X 5/16"     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"            | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>32GX1/4" 32 GAUGE X 1/4"            | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>32GX3/16" 32 GAUGE X 3/16"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>33GX5/32" 33 GAUGE X 5/32"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE 0.3 ML 30G 12.7MM<br>0.3 ML 30 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE 0.3 ML 31G 6MM<br>(1/2) 0.3 ML 31 GAUGE X 15/64" |                                   | 2         | PA; ST              |
| ULTRA-FINE 0.3 ML 31G 8MM<br>(1/2) 0.3 ML 31 GAUGE X 5/16"  |                                   | 2         | PA; ST              |
| ULTRA-FINE 0.5 ML 30G 12.7MM<br>0.5 ML 30 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE INS SYR 1 ML 31G<br>6MM 1 ML 31 GAUGE X 15/64"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE INS SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE PEN NDL 29G<br>12.7MM 29 GAUGE X 1/2"            | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"           | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                 |                                   | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------|-----------------------------------|-----------|---------------------|
| ULTRA-FINE PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"         | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE PEN NEEDLE 32G<br>6MM 32 GAUGE X 1/4"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE SYR 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE SYR 0.5 ML 31G<br>6MM 1/2 ML 31 GAUGE X 15/64" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE SYR 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16"  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE SYR 1 ML 30G<br>12.7MM 1 ML 30 GAUGE X 1/2"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II 1 ML 31GX5/16" 1<br>ML 31 GAUGE X 5/16      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.3 ML 30G<br>0.3 ML 30 GAUGE X 5/16"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.3 ML 31G<br>0.3 ML 31 GAUGE X 5/16"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.5 ML 29G<br>0.5 ML 29 GAUGE X 1/2"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.5 ML 30G<br>0.5 ML 30 GAUGE X 5/16"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.5 ML 31G<br>0.5 ML 31 GAUGE X 5/16"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS SYR 1 ML<br>29G 1 ML 29 GAUGE X 1/2"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS SYR 1 ML<br>30G 1 ML 30 GAUGE X 5/16    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II PEN NDL<br>29GX1/2" 29 GAUGE X 1/2"         | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-THIN II PEN NDL<br>31GX5/16 31 GAUGE X 5/16"        | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE OTC PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"        | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------|------------------|----------------------------|
| UNIFINE OTC PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                | 2                | PA; ST                     |
| UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                    | 2                | PA; ST                     |
| UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2" (pen needle, diabetic)        | 2                | PA; ST                     |
| UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16" (pen needle, diabetic)   | 2                | PA; ST                     |
| UNIFINE PENTIPS 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                       | 2                | PA; ST                     |
| UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)                       | 2                | PA; ST                     |
| UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)                     | 2                | PA; ST                     |
| UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)                        | 2                | PA; ST                     |
| UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16" (pen needle, diabetic)                 | 2                | PA; ST                     |
| UNIFINE PENTIPS NEEDLES 29G 29 GAUGE                                                  | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2" (pen needle, diabetic)             | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16" (pen needle, diabetic)                | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4" (pen needle, diabetic) | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16" (pen needle, diabetic)           | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------|------------------|----------------------------|
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>31GX5/16" SHORT 31 GAUGE X 5/16" | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>32GX5/32" 32 GAUGE X 5/32"       | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>33GX5/32" 33 GAUGE X 5/32"       | 2                | PA; ST                     |
| UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"                                        | 2                | PA; ST                     |
| UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"                                        | 2                | PA; ST                     |
| UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"                                        | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"                                    | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16"                                    | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 31G (pen needle, diabetic, safety)<br>5MM 31 GAUGE X 3/16"  | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 31G<br>6MM 31 GAUGE X 1/4"                                  | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 31G<br>8MM 31 GAUGE X 5/16"                                 | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 32G<br>4MM 32 GAUGE X 5/32"                                 | 2                | PA; ST                     |
| UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"        | 2                | PA; ST                     |
| UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic)<br>6MM 31 GAUGE X 1/4"         | 2                | PA; ST                     |
| UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"        | 2                | PA; ST                     |
| UNIFINE ULTRA PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"        | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------|------------------|----------------------------|
| VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"                                       | 2                | PA; ST                     |
| VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)           | 2                | PA; ST                     |
| VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)         | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)                        | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                        | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4" (pen needle, diabetic)                       | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                      | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)                         | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                      | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16" (pen needle, diabetic)                      | 2                | PA; ST                     |
| VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                      | 2                | PA; ST                     |
| VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                      | 2                | PA; ST                     |
| VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                      | 2                | PA; ST                     |
| VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"                            | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                                                                                                                |                                   | Drug Tier | Requirements/Limits                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-----------|-------------------------------------|
| VERIFINE SYRING 0.5 ML 29G<br>1/2" 0.5 ML 29 GAUGE X 1/2"                                                                                                                                                | (insulin syringe-needle<br>u-100) | 2         | PA; ST                              |
| VERIFINE SYRING 1 ML 31G<br>5/16" 1 ML 31 GAUGE X 5/16                                                                                                                                                   | (insulin syringe-needle<br>u-100) | 2         | PA; ST                              |
| VERIFINE SYRNG 0.3 ML 31G<br>5/16" 0.3 ML 31 GAUGE X 5/16"                                                                                                                                               | (insulin syringe-needle<br>u-100) | 2         | PA; ST                              |
| VERIFINE SYRNG 0.5 ML 31G<br>5/16" 0.5 ML 31 GAUGE X 5/16"                                                                                                                                               | (insulin syringe-needle<br>u-100) | 2         | PA; ST                              |
| VERSALON ALL PURPOSE<br>SPONGE 25'S,N-STERILE,3PLY 2<br>X 2 "                                                                                                                                            |                                   | 1         | PA; ST                              |
| V-GO 20 DEVICE                                                                                                                                                                                           |                                   | 3         | QL (30 per 30 days)                 |
| V-GO 30 DEVICE                                                                                                                                                                                           |                                   | 3         | QL (30 per 30 days)                 |
| V-GO 40 DEVICE                                                                                                                                                                                           |                                   | 3         | QL (30 per 30 days)                 |
| WEBCOL ALCOHOL PREPS<br>20'S,LARGE                                                                                                                                                                       | (alcohol swabs)                   | 1         | PA; ST                              |
| <b>Enzyme Cofactors/Chaperones</b>                                                                                                                                                                       |                                   |           |                                     |
| <b>Enzyme Cofactors/Chaperones</b>                                                                                                                                                                       |                                   |           |                                     |
| MIPLYFFA ORAL CAPSULE 124<br>MG, 47 MG, 62 MG, 93 MG                                                                                                                                                     |                                   | 5         | PA; NM; NDS; QL (90<br>per 30 days) |
| <b>Enzyme<br/>Replacement/Modifiers</b>                                                                                                                                                                  |                                   |           |                                     |
| <b>Enzyme Replacement/Modifiers</b>                                                                                                                                                                      |                                   |           |                                     |
| CREON ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 12,000-38,000 -<br>60,000 UNIT, 24,000-76,000 -<br>120,000 UNIT, 3,000-9,500- 15,000<br>UNIT, 36,000-114,000- 180,000<br>UNIT, 6,000-19,000 -30,000 UNIT |                                   | 3         |                                     |
| <i>javygtor oral tablet,soluble 100 mg</i>                                                                                                                                                               | (sapropterin)                     | 5         | PA; NM; NDS                         |
| <i>nitisinone oral capsule 10 mg, 2 mg,<br/>20 mg, 5 mg</i>                                                                                                                                              | (Orfadin)                         | 5         | PA; NM; NDS                         |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                                                                                                                                                                                              | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| ORFADIN ORAL SUSPENSION 4 MG/ML                                                                                                                                                                                                                                                        | 5         | PA; NM; NDS         |
| PULMOZYME INHALATION SOLUTION 1 MG/ML                                                                                                                                                                                                                                                  | 5         | PA BvD; NM; NDS     |
| <i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)                                                                                                                                                                                                                              | 5         | PA; NM; NDS         |
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML                                                                                                                                                                                                     | 5         | PA; NM; LA; NDS     |
| ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000 - 84,000 UNIT, 25,000-79,000 - 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000 - 168,000 UNIT, 5,000-17,000 - 24,000 UNIT, 60,000-189,600 - 252,600 UNIT | 3         |                     |
| <b>Eye, Ear, Nose, Throat Agents</b>                                                                                                                                                                                                                                                   |           |                     |
| <b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>                                                                                                                                                                                                                                    |           |                     |
| <i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)                                                                                                                                                                                                                           | 2         |                     |
| <i>azelastine nasal spray, non-aerosol 137 mcg (0.1 %)</i>                                                                                                                                                                                                                             | 2         | QL (60 per 30 days) |
| <i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)                                                                                                                                                                                                        | 2         | QL (30 per 25 days) |
| <i>azelastine ophthalmic (eye) drops 0.05 %</i>                                                                                                                                                                                                                                        | 2         |                     |
| <i>cromolyn ophthalmic (eye) drops 4 %</i>                                                                                                                                                                                                                                             | 2         |                     |
| <i>epinastine ophthalmic (eye) drops 0.05 %</i>                                                                                                                                                                                                                                        | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| Drug Name                                                                              | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------|-----------|---------------------|
| <i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>                     | 2         | QL (30 per 28 days) |
| <i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>                     | 2         | QL (15 per 10 days) |
| MIEBO (PF) OPHTHALMIC (EYE) DROPS 100 %                                                | 3         | QL (12 per 28 days) |
| <i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)         | 2         |                     |
| <i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Advanced Eye Relief (olopatad))       | 2         |                     |
| <b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>                                   |           |                     |
| <i>acetic acid otic (ear) solution 2 %</i>                                             | 2         |                     |
| <i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>                              | 2         |                     |
| <i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin) | 2         |                     |
| <i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>                                  | 2         |                     |
| <i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>               | 2         | QL (7.5 per 7 days) |
| <i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>                        | 2         | QL (3.5 per 4 days) |
| <i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>                              | 2         |                     |
| <i>gentamicin ophthalmic (eye) drops 0.3 %</i>                                         | 2         |                     |
| <i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>                               | 2         |                     |
| <i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)                             | 2         |                     |
| NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %                                          | 4         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)       | 2                |                            |
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)      | 2                |                            |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol) | 2                |                            |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)          | 2                |                            |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>                      | 2                |                            |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>                           | 2                |                            |
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>                                   | 2                |                            |
| <i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (neomycin-bacitracin-poly-hc)       | 2                |                            |
| <i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (neomycin-bacitracin-polymyxin)      | 2                |                            |
| <i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)                                                         | 2                |                            |
| <i>ofloxacin otic (ear) drops 0.3 %</i>                                                                         | 2                |                            |
| <i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i> (bacitracin-polymyxin b)                          | 2                |                            |
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>                                | 1                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|-------------------------------------------------------------------------------|------------------|----------------------------------|
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>                       | 2                |                                  |
| <i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>                    | 2                |                                  |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i> | 2                |                                  |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i>                                | 1                |                                  |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>   | 2                |                                  |
| <i>trifluridine ophthalmic (eye) drops 1 %</i>                                | 2                |                                  |
| XDEMVIY OPHTHALMIC (EYE) DROPS 0.25 %                                         | 5                | PA; NM; NDS; QL (10 per 42 days) |
| ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %                                            | 4                |                                  |
| ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %                             | 3                |                                  |
| <b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>                        |                  |                                  |
| ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 % (loteprednol etabonate)         | 3                | ST                               |
| <i>bromfenac ophthalmic (eye) drops 0.07 %</i> (Prolensa)                     | 2                |                                  |
| <i>bromfenac ophthalmic (eye) drops 0.075 %</i> (BromSite)                    | 2                |                                  |
| <i>bromfenac ophthalmic (eye) drops 0.09 %</i>                                | 2                |                                  |
| <i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> (Restasis)            | 2                | QL (60 per 30 days)              |
| <i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>            | 2                |                                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>                                          | 2                |                            |
| <i>difluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol)                                   | 2                |                            |
| EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %                                               | 3                | QL (8.3 per 14 days)       |
| <i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>                                    | 2                | QL (50 per 25 days)        |
| <i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)                       | 2                |                            |
| <i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)                 | 4                |                            |
| <i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>                                       | 2                |                            |
| <i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief) | 1                | QL (16 per 30 days)        |
| ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %                                                 | 3                |                            |
| INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %                                                 | 3                | QL (5.6 per 14 days)       |
| <i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)                                         | 2                | QL (10 per 25 days)        |
| LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %                                                        | 3                | QL (3.5 per 14 days)       |
| LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %                                                   | 3                | QL (5 per 16 days)         |
| <i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)                        | 2                | QL (10 per 14 days)        |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)                   | 2                | ST                         |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>                           | 2                | QL (15 per 19 days)        |
| <i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Allergy Nasal (mometasone))        | 2                | QL (34 per 30 days)        |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                             | Drug Tier | Requirements/Limits     |
|-------------------------------------------------------------------------------------------------------|-----------|-------------------------|
| <i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)                        | 4         |                         |
| XIIDRA OPTHALMIC (EYE) DROPPERETTE 5 %                                                                | 3         | QL (60 per 30 days)     |
| <b>Gastrointestinal Agents</b>                                                                        |           |                         |
| <b>Antiulcer Agents And Acid Suppressants</b>                                                         |           |                         |
| <i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>                                   | 2         |                         |
| <i>cimetidine hcl oral solution 300 mg/5 ml</i>                                                       | 2         |                         |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i> (Acid Reducer (esomeprazole)) | 2         | QL (30 per 30 days)     |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i> (Nexium)                      | 2         | QL (60 per 30 days)     |
| <i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)        | 2         | ST; QL (30 per 30 days) |
| <i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)               | 2         | ST; QL (60 per 30 days) |
| <i>famotidine oral tablet 20 mg</i> (Acid Controller)                                                 | 1         |                         |
| <i>famotidine oral tablet 40 mg</i> (Pepcid)                                                          | 1         |                         |
| <i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i> (Acid Reducer (lansoprazole))           | 2         | QL (30 per 30 days)     |
| <i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i> (Prevacid)                              | 2         | QL (60 per 30 days)     |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)                                             | 2         |                         |
| <i>omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>                             | 1         |                         |
| <i>pantoprazole oral tablet,delayed release (dr/ec) 20 mg</i> (Protonix)                              | 1         | QL (30 per 30 days)     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                 | Drug Tier | Requirements/Limits  |
|---------------------------------------------------------------------------|-----------|----------------------|
| <i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> (Protonix) | 1         | QL (60 per 30 days)  |
| <i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex)   | 2         | QL (30 per 30 days)  |
| <i>sucralfate oral tablet 1 gram</i> (Carafate)                           | 2         |                      |
| <b>Gastrointestinal Agents, Other</b>                                     |           |                      |
| <i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)          | 5         | PA; NM; NDS          |
| <i>constulose oral solution 10 gram/15 ml</i> (lactulose)                 | 2         |                      |
| <i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)                 | 2         |                      |
| <i>dicyclomine oral capsule 10 mg</i>                                     | 2         |                      |
| <i>dicyclomine oral solution 10 mg/5 ml</i>                               | 2         |                      |
| <i>dicyclomine oral tablet 20 mg</i>                                      | 2         |                      |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)          | 2         |                      |
| <i>enulose oral solution 10 gram/15 ml</i> (lactulose)                    | 2         |                      |
| <i>generlac oral solution 10 gram/15 ml</i> (lactulose)                   | 2         |                      |
| <i>glycopyrrolate oral tablet 1 mg</i> (Robinul)                          | 2         |                      |
| <i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)                    | 2         |                      |
| <i>kionex (with sorbitol) oral suspension 15-20 gram/60 ml</i>            | 2         |                      |
| <i>lactulose oral solution 10 gram/15 ml</i> (Constulose)                 | 2         |                      |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG                             | 3         | QL (30 per 30 days)  |
| LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM                             | 3         |                      |
| <i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))         | 2         |                      |
| <i>lubiprostone oral capsule 24 mcg</i> (Amitiza)                         | 2         | QL (60 per 30 days)  |
| <i>lubiprostone oral capsule 8 mcg</i> (Amitiza)                          | 2         | QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                            | Drug Tier | Requirements/Limits              |
|--------------------------------------------------------------------------------------|-----------|----------------------------------|
| <i>metoclopramide hcl oral solution 5 mg/5 ml</i>                                    | 2         |                                  |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)                           | 1         |                                  |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG                                                  | 3         | QL (30 per 30 days)              |
| <i>sodium polystyrene sulfonate oral powder 15 gram</i>                              | 2         |                                  |
| <i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>                          | 2         |                                  |
| <i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)                                | 5         | NM; NDS                          |
| <i>ursodiol oral capsule 300 mg</i>                                                  | 2         |                                  |
| <i>ursodiol oral tablet 250 mg</i>                                                   | 2         |                                  |
| <i>ursodiol oral tablet 500 mg</i> (URSO Forte)                                      | 2         |                                  |
| VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM                | 3         |                                  |
| XERMELO ORAL TABLET 250 MG                                                           | 5         | PA; NM; NDS; QL (84 per 28 days) |
| <b>Laxatives</b>                                                                     |           |                                  |
| CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML | 3         |                                  |
| <i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)  | 2         |                                  |
| <i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)  | 2         |                                  |
| <i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)                    | 2         |                                  |
| <i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)  | 2         |                                  |
| <i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)                    | 2         |                                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| Drug Name                                                                                       | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit) | 3         |                     |
| <i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>          | 2         |                     |
| SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM                                                       | 3         |                     |
| <b>Phosphate Binders</b>                                                                        |           |                     |
| <i>calcium acetate(phosphat bind) oral capsule 667 mg</i>                                       | 2         |                     |
| <i>calcium acetate(phosphat bind) oral tablet 667 mg</i>                                        | 2         |                     |
| <i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)                   | 2         |                     |
| <i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)                                         | 2         |                     |
| <i>sevelamer hcl oral tablet 400 mg, 800 mg</i>                                                 | 2         |                     |
| <b>Genitourinary Agents</b>                                                                     |           |                     |
| <b>Antispasmodics, Urinary</b>                                                                  |           |                     |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>                               | 2         |                     |
| <i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)                      | 2         |                     |
| <i>flavoxate oral tablet 100 mg</i>                                                             | 2         |                     |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG (mirabegron)                          | 2         |                     |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i>                                                 | 2         |                     |
| <i>oxybutynin chloride oral tablet 5 mg</i>                                                     | 2         |                     |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>                 | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

| <b>Drug Name</b>                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|------------------------------------------------------------------------------------|------------------|-----------------------------------|
| <i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)                              | 1                |                                   |
| <i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i>                  | 2                |                                   |
| <i>tolterodine oral tablet 1 mg, 2 mg</i>                                          | 2                |                                   |
| <i>trospium oral capsule, extended release 24hr 60 mg</i>                          | 2                |                                   |
| <i>trospium oral tablet 20 mg</i>                                                  | 2                |                                   |
| <b>Genitourinary Agents, Miscellaneous</b>                                         |                  |                                   |
| <i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)              | 2                | QL (30 per 30 days)               |
| <i>dutasteride oral capsule 0.5 mg</i> (Avodart)                                   | 2                |                                   |
| <i>finasteride oral tablet 5 mg</i> (Proscar)                                      | 1                |                                   |
| <i>tamsulosin oral capsule 0.4 mg</i> (Flomax)                                     | 1                |                                   |
| <i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                              | 1                |                                   |
| <b>Heavy Metal Antagonists</b>                                                     |                  |                                   |
| <b>Heavy Metal Antagonists</b>                                                     |                  |                                   |
| <i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle) | 5                | PA; NM; NDS                       |
| <i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)                      | 2                | PA                                |
| <i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)                          | 5                | PA; NM; NDS                       |
| <i>trientine oral capsule 250 mg</i> (Syprine)                                     | 5                | PA; NM; NDS; QL (240 per 30 days) |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying</b>                            |                  |                                   |
| <b>Androgens</b>                                                                   |                  |                                   |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>                                  | 2                |                                   |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                                          | Drug Tier | Requirements/Limits      |
|------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------|
| <i>oxandrolone oral tablet 10 mg, 2.5 mg</i>                                                                                       | 2         | PA                       |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)                                           | 2         | PA                       |
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>                                                                   | 2         | PA                       |
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i>                                                                          | 2         | PA; QL (5 per 28 days)   |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)                                        | 2         | PA; QL (300 per 30 days) |
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)                                    | 2         | PA; QL (150 per 30 days) |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram)</i>                                                                  | 2         | PA; QL (300 per 30 days) |
| <i>testosterone transdermal gel in packet 1 % (50 mg/5 gram)</i> (Vogelxo)                                                         | 2         | PA; QL (300 per 30 days) |
| XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML                                                       | 3         | PA; QL (2 per 28 days)   |
| <b>Estrogens And Antiestrogens</b>                                                                                                 |           |                          |
| <i>abigale lo oral tablet 0.5-0.1 mg</i> (estradiol-norethindrone acet)                                                            | 1         |                          |
| <i>abigale oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)                                                                 | 2         |                          |
| DUAVEE ORAL TABLET 0.45-20 MG                                                                                                      | 3         |                          |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)                                                                          | 1         |                          |
| <i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti) | 2         | QL (8 per 28 days)       |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                                                                | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>estradiol transdermal patch weekly</i> (Climara)<br>0.025 mg/24 hr, 0.0375 mg/24 hr,<br>0.05 mg/24 hr, 0.06 mg/24 hr, 0.075<br>mg/24 hr, 0.1 mg/24 hr | 2         | QL (4 per 28 days)  |
| <i>estradiol vaginal cream 0.01 %</i> (Estrace)<br>(0.1 mg/gram)                                                                                         | 2         |                     |
| <i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)                                                                                                        | 2         | QL (18 per 28 days) |
| <i>estradiol-norethindrone acet oral</i> (Abigale Lo)<br><i>tablet 0.5-0.1 mg</i>                                                                        | 2         |                     |
| <i>estradiol-norethindrone acet oral</i> (Abigale)<br><i>tablet 1-0.5 mg</i>                                                                             | 2         |                     |
| <i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone<br>acet)                                                                                     | 2         |                     |
| PREMARIN ORAL TABLET 0.3<br>MG, 0.45 MG, 0.9 MG                                                                                                          | 3         |                     |
| PREMARIN ORAL TABLET 0.625 (conjugated estrogens)<br>MG, 1.25 MG                                                                                         | 3         |                     |
| PREMARIN VAGINAL CREAM<br>0.625 MG/GRAM                                                                                                                  | 3         |                     |
| PREMPHASE ORAL TABLET<br>0.625 MG (14)/ 0.625MG-5MG(14)                                                                                                  | 3         |                     |
| PREMPRO ORAL TABLET 0.3-1.5<br>MG, 0.45-1.5 MG, 0.625-2.5 MG,<br>0.625-5 MG                                                                              | 3         |                     |
| <i>raloxifene oral tablet 60 mg</i> (Evista)                                                                                                             | 2         |                     |
| <i>yuvaferm vaginal tablet 10 mcg</i> (estradiol)                                                                                                        | 2         | QL (18 per 28 days) |
| <b>Glucocorticoids/Mineralocorticoids</b>                                                                                                                |           |                     |
| <i>dexamethasone oral solution 0.5</i><br><i>mg/5 ml</i>                                                                                                 | 2         |                     |
| <i>dexamethasone oral tablet 0.5 mg,</i><br><i>0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6</i><br><i>mg</i>                                                     | 2         |                     |
| <i>dexamethasone sodium phosphate</i><br><i>injection solution 10 mg/ml, 4 mg/ml</i>                                                                     | 1         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---------------------------------------------------------------------------------------------|------------------|----------------------------------|
| <i>fludrocortisone oral tablet 0.1 mg</i>                                                   | 2                |                                  |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)                               | 2                |                                  |
| <i>methylprednisolone acetate injection suspension 40 mg/ml</i> (Depo-Medrol)               | 2                |                                  |
| <i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)                            | 2                |                                  |
| <i>methylprednisolone oral tablet 32 mg</i>                                                 | 2                |                                  |
| <i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))                       | 1                |                                  |
| <i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>                                | 2                | PA BvD                           |
| <i>prednisolone oral solution 15 mg/5 ml</i>                                                | 2                | PA BvD                           |
| <i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>                     | 2                | PA BvD                           |
| <i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred) | 2                | PA BvD                           |
| <i>prednisone oral solution 5 mg/5 ml</i>                                                   | 2                | PA BvD                           |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>                       | 1                | PA BvD                           |
| <i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>      | 2                |                                  |
| <i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)                      | 2                |                                  |
| <b>Pituitary</b>                                                                            |                  |                                  |
| ACTHAR INJECTION GEL 80 UNIT/ML                                                             | 5                | PA; NM; NDS; QL (35 per 28 days) |
| ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML                                    | 5                | PA; NM; NDS; QL (15 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|----------------------------------------------------------------------------------------------------------|------------------|---------------------------------------|
| ACTHAR SELFJECT<br>SUBCUTANEOUS PEN INJECTOR<br>80 UNIT/ML                                               | 5                | PA; NM; NDS; QL (30 per 30 days)      |
| CORTROPHIN GEL INJECTION<br>GEL 80 UNIT/ML                                                               | 5                | PA; NM; NDS; QL (35 per 28 days)      |
| <i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>                                              | 2                |                                       |
| <i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>                                       | 2                |                                       |
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)                                                   | 2                |                                       |
| INCRELEX SUBCUTANEOUS<br>SOLUTION 10 MG/ML                                                               | 5                | PA; NM; NDS                           |
| <i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)                                  | 5                | PA NSO; NM; NDS; QL (0.5 per 28 days) |
| LUPRON DEPOT (3 MONTH)<br>INTRAMUSCULAR SYRINGE KIT<br>11.25 MG                                          | 5                | PA NSO; NM; NDS                       |
| LUPRON DEPOT<br>INTRAMUSCULAR SYRINGE KIT<br>3.75 MG                                                     | 5                | PA NSO; NM; NDS                       |
| LUPRON DEPOT-PED (3 MONTH)<br>INTRAMUSCULAR SYRINGE KIT<br>11.25 MG, 30 MG                               | 5                | PA; NM; NDS                           |
| LUPRON DEPOT-PED<br>INTRAMUSCULAR SYRINGE KIT<br>45 MG                                                   | 5                | PA; NM; NDS                           |
| LUTRATE DEPOT (3 MONTH) (leuprolide (3 month))<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 22.5 MG | 4                | PA NSO                                |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                                                                    | Drug Tier | Requirements/Limits                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------|
| NORDITROPIN FLEXP<br>SUBCUTANEOUS PEN INJECTOR<br>10 MG/1.5 ML (6.7 MG/ML), 15<br>MG/1.5 ML (10 MG/ML), 30 MG/3<br>ML (10 MG/ML), 5 MG/1.5 ML (3.3<br>MG/ML) | 5         | PA; NM; NDS                              |
| <i>octreotide acetate injection solution</i><br><i>1,000 mcg/ml, 200 mcg/ml</i>                                                                              | 2         |                                          |
| <i>octreotide acetate injection solution</i> (Sandostatin)<br><i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>                                                       | 2         |                                          |
| ORGOVYX ORAL TABLET 120<br>MG                                                                                                                                | 5         | PA NSO; NM; NDS                          |
| ORILISSA ORAL TABLET 150 MG                                                                                                                                  | 5         | PA; NM; NDS; QL (28<br>per 28 days)      |
| ORILISSA ORAL TABLET 200 MG                                                                                                                                  | 5         | PA; NM; NDS; QL (56<br>per 28 days)      |
| SEROSTIM SUBCUTANEOUS<br>RECON SOLN 4 MG, 5 MG, 6 MG                                                                                                         | 5         | PA; NM; NDS                              |
| SIGNIFOR SUBCUTANEOUS<br>SOLUTION 0.3 MG/ML (1 ML), 0.6<br>MG/ML (1 ML), 0.9 MG/ML (1 ML)                                                                    | 5         | PA; NM; NDS; QL (60<br>per 30 days)      |
| SOMATULINE DEPOT (lanreotide)<br>SUBCUTANEOUS SYRINGE 60<br>MG/0.2 ML                                                                                        | 5         | PA NSO; NM; NDS; QL<br>(0.2 per 28 days) |
| SOMATULINE DEPOT (lanreotide)<br>SUBCUTANEOUS SYRINGE 90<br>MG/0.3 ML                                                                                        | 5         | PA NSO; NM; NDS; QL<br>(0.3 per 28 days) |
| SOMAVERT SUBCUTANEOUS<br>RECON SOLN 10 MG, 15 MG, 20<br>MG, 25 MG, 30 MG                                                                                     | 5         | PA; NM; NDS                              |
| <b>Progestins</b>                                                                                                                                            |           |                                          |
| DEPO-SUBQ PROVERA 104<br>SUBCUTANEOUS SYRINGE 104<br>MG/0.65 ML                                                                                              | 3         | QL (0.65 per 84 days)                    |
| <i>gallifrey oral tablet 5 mg</i> (norethindrone acetate)                                                                                                    | 2         |                                          |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)                                                              | 2                |                            |
| <i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)                                                                 | 2                |                            |
| <i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)                                                                      | 1                |                            |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>                                                         | 2                |                            |
| <i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)                                                                                 | 2                |                            |
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)                                                                   | 2                |                            |
| <b>Thyroid And Antithyroid Agents</b>                                                                                                     |                  |                            |
| <i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox) | 1                |                            |
| <i>levothyroxine oral tablet 300 mcg</i> (Levo-T)                                                                                         | 1                |                            |
| <i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)                                                                           | 2                |                            |
| <i>methimazole oral tablet 10 mg, 5 mg</i>                                                                                                | 1                |                            |
| <i>propylthiouracil oral tablet 50 mg</i>                                                                                                 | 2                |                            |
| <b>Immunological Agents</b>                                                                                                               |                  |                            |
| <b>Immunological Agents</b>                                                                                                               |                  |                            |
| ACTEMRA ACTPEN<br>SUBCUTANEOUS PEN INJECTOR<br>162 MG/0.9 ML                                                                              | 5                | PA; NM; NDS                |
| ACTEMRA INTRAVENOUS<br>SOLUTION 200 MG/10 ML (20<br>MG/ML), 400 MG/20 ML (20<br>MG/ML), 80 MG/4 ML (20 MG/ML)                             | 5                | PA; NM; NDS                |
| ACTEMRA SUBCUTANEOUS<br>SYRINGE 162 MG/0.9 ML                                                                                             | 5                | PA; NM; NDS                |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b>             |
|--------------------------------------------------------------------------------|------------------|----------------------------------------|
| ARCALYST SUBCUTANEOUS<br>RECON SOLN 220 MG                                     | 5                | PA; NM; NDS                            |
| ASTAGRAF XL ORAL (tacrolimus)<br>CAPSULE,EXTENDED RELEASE<br>24HR 0.5 MG, 1 MG | 4                | PA BvD                                 |
| ASTAGRAF XL ORAL (tacrolimus)<br>CAPSULE,EXTENDED RELEASE<br>24HR 5 MG         | 5                | PA BvD; NM; NDS                        |
| <i>azathioprine oral tablet 50 mg</i> (Imuran)                                 | 2                | PA BvD                                 |
| <i>azathioprine sodium injection recon<br/>soln 100 mg</i>                     | 2                | PA BvD                                 |
| BENLYSTA SUBCUTANEOUS<br>AUTO-INJECTOR 200 MG/ML                               | 5                | PA; NM; NDS; QL (8<br>per 28 days)     |
| BENLYSTA SUBCUTANEOUS<br>SYRINGE 200 MG/ML                                     | 5                | PA; NM; NDS; QL (8<br>per 28 days)     |
| BESREMI SUBCUTANEOUS<br>SYRINGE 500 MCG/ML                                     | 5                | PA NSO; NM; NDS; QL<br>(2 per 28 days) |
| CIMZIA POWDER FOR RECONST<br>SUBCUTANEOUS KIT 400 MG<br>(200 MG X 2 VIALS)     | 5                | PA; NM; NDS                            |
| CIMZIA SUBCUTANEOUS<br>SYRINGE KIT 400 MG/2 ML (200<br>MG/ML X 2)              | 5                | PA; NM; NDS                            |
| COSENTYX (2 SYRINGES)<br>SUBCUTANEOUS SYRINGE 150<br>MG/ML                     | 5                | PA; NM; NDS                            |
| COSENTYX PEN (2 PENS)<br>SUBCUTANEOUS PEN INJECTOR<br>150 MG/ML                | 5                | PA; NM; NDS                            |
| COSENTYX SUBCUTANEOUS<br>SYRINGE 75 MG/0.5 ML                                  | 5                | PA; NM; NDS                            |
| COSENTYX UNOREADY PEN<br>SUBCUTANEOUS PEN INJECTOR<br>300 MG/2 ML              | 5                | PA; NM; NDS                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>cyclosporine intravenous solution</i> (Sandimmune)<br>250 mg/5 ml                                                   | 2                | PA BvD                     |
| <i>cyclosporine modified oral capsule</i> (Gengraf)<br>100 mg, 25 mg                                                   | 2                | PA BvD                     |
| <i>cyclosporine modified oral capsule</i><br>50 mg                                                                     | 2                | PA BvD                     |
| <i>cyclosporine modified oral solution</i> (Gengraf)<br>100 mg/ml                                                      | 2                | PA BvD                     |
| <i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)                                                            | 2                | PA BvD                     |
| CYLTEZO(CF) PEN CROHN'S-UC- (adalimumab-adbm)<br>HS SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.4 ML, 40<br>MG/0.8 ML     | 5                | PA; NM; NDS                |
| CYLTEZO(CF) PEN PSORIASIS- (adalimumab-adbm)<br>UV SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.4 ML, 40<br>MG/0.8 ML      | 5                | PA; NM; NDS                |
| CYLTEZO(CF) PEN (adalimumab-adbm)<br>SUBCUTANEOUS PEN INJECTOR<br>KIT 40 MG/0.4 ML, 40 MG/0.8 ML                       | 5                | PA; NM; NDS                |
| CYLTEZO(CF) SUBCUTANEOUS (adalimumab-adbm)<br>SYRINGE KIT 10 MG/0.2 ML, 20<br>MG/0.4 ML, 40 MG/0.4 ML, 40<br>MG/0.8 ML | 5                | PA; NM; NDS                |
| DUPIXENT PEN<br>SUBCUTANEOUS PEN INJECTOR<br>200 MG/1.14 ML, 300 MG/2 ML                                               | 5                | PA; NM; NDS                |
| DUPIXENT SYRINGE<br>SUBCUTANEOUS SYRINGE 100<br>MG/0.67 ML, 200 MG/1.14 ML, 300<br>MG/2 ML                             | 5                | PA; NM; NDS                |
| ENBREL MINI SUBCUTANEOUS<br>CARTRIDGE 50 MG/ML (1 ML)                                                                  | 5                | PA; NM; NDS                |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>                       |
|----------------------------------------------------------------------------------------------------------|------------------|--------------------------------------------------|
| ENBREL SUBCUTANEOUS<br>RECON SOLN 25 MG (1 ML)                                                           | 5                | PA; NM; NDS                                      |
| ENBREL SUBCUTANEOUS<br>SOLUTION 25 MG/0.5 ML                                                             | 5                | PA; NM; NDS                                      |
| ENBREL SUBCUTANEOUS<br>SYRINGE 25 MG/0.5 ML (0.5), 50<br>MG/ML (1 ML)                                    | 5                | PA; NM; NDS                                      |
| ENBREL SURECLICK<br>SUBCUTANEOUS PEN INJECTOR<br>50 MG/ML (1 ML)                                         | 5                | PA; NM; NDS                                      |
| <i>everolimus (immunosuppressive) oral</i> (Zortress)<br><i>tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i>    | 5                | PA BvD; NM; NDS                                  |
| GAMUNEX-C INJECTION<br>SOLUTION 1 GRAM/10 ML (10 %)                                                      | 5                | PA BvD; NM; NDS                                  |
| <i>engraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)                                         | 2                | PA BvD                                           |
| <i>engraf oral solution 100 mg/ml</i> (cyclosporine modified)                                            | 2                | PA BvD                                           |
| HUMIRA PEN CROHNS-UC-HS<br>START SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.8 ML                           | 5                | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| HUMIRA PEN PSOR-UEVITS-<br>ADOL HS SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.8 ML                         | 5                | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| HUMIRA PEN SUBCUTANEOUS<br>PEN INJECTOR KIT 40 MG/0.8 ML                                                 | 5                | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| HUMIRA SUBCUTANEOUS<br>SYRINGE KIT 40 MG/0.8 ML                                                          | 5                | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| HUMIRA(CF) PEDI CROHNS<br>STARTER SUBCUTANEOUS<br>SYRINGE KIT 80 MG/0.8 ML, 80<br>MG/0.8 ML-40 MG/0.4 ML | 5                | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| HUMIRA(CF) PEN CROHNS-UC-<br>HS SUBCUTANEOUS PEN<br>INJECTOR KIT 80 MG/0.8 ML                            | 5                | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b>                       |
|----------------------------------------------------------------------------------------------------------------|------------------|--------------------------------------------------|
| HUMIRA(CF) PEN PEDIATRIC<br>UC SUBCUTANEOUS PEN<br>INJECTOR KIT 80 MG/0.8 ML                                   | 5                | PA; NM; NDS                                      |
| HUMIRA(CF) PEN PSOR-UV-<br>ADOL HS SUBCUTANEOUS PEN<br>INJECTOR KIT 80 MG/0.8 ML-40<br>MG/0.4 ML               | 5                | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| HUMIRA(CF) PEN<br>SUBCUTANEOUS PEN INJECTOR<br>KIT 40 MG/0.4 ML, 80 MG/0.8 ML                                  | 5                | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| HUMIRA(CF) SUBCUTANEOUS<br>SYRINGE KIT 10 MG/0.1 ML, 20<br>MG/0.2 ML, 40 MG/0.4 ML                             | 5                | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| <i>infliximab intravenous recon soln</i> (Remicade)<br>100 mg                                                  | 5                | PA; NM; NDS                                      |
| KINERET SUBCUTANEOUS<br>SYRINGE 100 MG/0.67 ML                                                                 | 5                | PA; NM; NDS                                      |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)                                                            | 2                |                                                  |
| <i>mycophenolate mofetil (hcl)</i> (CellCept Intravenous)<br><i>intravenous recon soln 500 mg</i>              | 2                | PA BvD                                           |
| <i>mycophenolate mofetil oral capsule</i> (CellCept)<br>250 mg                                                 | 2                | PA BvD                                           |
| <i>mycophenolate mofetil oral</i> (CellCept)<br><i>suspension for reconstitution 200</i><br><i>mg/ml</i>       | 5                | PA BvD; NM; NDS                                  |
| <i>mycophenolate mofetil oral tablet</i> (CellCept)<br>500 mg                                                  | 2                | PA BvD                                           |
| <i>mycophenolate sodium oral</i> (Myfortic)<br><i>tablet, delayed release (dr/ec) 180</i><br><i>mg, 360 mg</i> | 2                | PA BvD                                           |
| NIKTIMVO INTRAVENOUS<br>SOLUTION 50 MG/ML                                                                      | 5                | PA NSO; NM; NDS                                  |
| NULOJIX INTRAVENOUS<br>RECON SOLN 250 MG                                                                       | 5                | PA BvD; NM; NDS                                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                                                                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------------------------------|
| ORENCIA (WITH MALTOSE)<br>INTRAVENOUS RECON SOLN<br>250 MG                                                                                                                                    | 5                | PA; NM; NDS                          |
| ORENCIA CLICKJECT<br>SUBCUTANEOUS AUTO-<br>INJECTOR 125 MG/ML                                                                                                                                 | 5                | PA; NM; NDS                          |
| ORENCIA SUBCUTANEOUS<br>SYRINGE 125 MG/ML, 50 MG/0.4<br>ML, 87.5 MG/0.7 ML                                                                                                                    | 5                | PA; NM; NDS                          |
| OTEZLA ORAL TABLET 20 MG,<br>30 MG                                                                                                                                                            | 5                | PA; NM; NDS                          |
| OTEZLA STARTER ORAL<br>TABLETS,DOSE PACK 10 MG (4)-<br>20 MG (51), 10 MG (4)-20 MG (4)-<br>30 MG (47), 10 MG (4)-20 MG (4)-<br>30 MG(19)                                                      | 5                | PA; NM; NDS                          |
| PROGRAF INTRAVENOUS<br>SOLUTION 5 MG/ML                                                                                                                                                       | 4                | PA BvD                               |
| PROGRAF ORAL GRANULES IN<br>PACKET 0.2 MG, 1 MG                                                                                                                                               | 4                | PA BvD                               |
| RASUVO (PF) SUBCUTANEOUS<br>AUTO-INJECTOR 10 MG/0.2 ML,<br>12.5 MG/0.25 ML, 15 MG/0.3 ML,<br>17.5 MG/0.35 ML, 20 MG/0.4 ML,<br>22.5 MG/0.45 ML, 25 MG/0.5 ML,<br>30 MG/0.6 ML, 7.5 MG/0.15 ML | 4                | ST                                   |
| REZUROCK ORAL TABLET 200<br>MG                                                                                                                                                                | 5                | PA NSO; NM; NDS                      |
| RINVOQ LQ ORAL SOLUTION 1<br>MG/ML                                                                                                                                                            | 5                | PA; NM; NDS; QL (360<br>per 30 days) |
| RINVOQ ORAL TABLET<br>EXTENDED RELEASE 24 HR 15<br>MG, 30 MG, 45 MG                                                                                                                           | 5                | PA; NM; NDS                          |
| SELARSDI INTRAVENOUS<br>SOLUTION 130 MG/26 ML                                                                                                                                                 | 5                | PA; NM; NDS                          |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| SELARSDI SUBCUTANEOUS SYRINGE 45 MG/0.5 ML (ustekinumab-aekn)                               | 3                | PA                                |
| SELARSDI SUBCUTANEOUS SYRINGE 90 MG/ML (ustekinumab-aekn)                                   | 5                | PA; NM; NDS                       |
| <i>sirolimus oral solution 1 mg/ml</i>                                                      | 5                | PA BvD; NM; NDS                   |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>                                             | 2                | PA BvD                            |
| SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML                                                       | 5                | PA; NM; NDS                       |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML                                                 | 5                | PA; NM; NDS                       |
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML                                       | 5                | PA; NM; NDS                       |
| SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)                             | 5                | PA; NM; NDS                       |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML) | 5                | PA; NM; NDS                       |
| STELARA INTRAVENOUS SOLUTION 130 MG/26 ML (ustekinumab)                                     | 5                | PA; NM; NDS                       |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML (ustekinumab)                                    | 5                | PA; NM; NDS                       |
| STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML (ustekinumab)                           | 5                | PA; NM; NDS                       |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)                                 | 2                | PA BvD                            |
| TAVNEOS ORAL CAPSULE 10 MG                                                                  | 5                | PA; NM; NDS; QL (180 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------|------------------|----------------------------|
| TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)                                                | 5                | PA; NM; NDS                |
| TREMFYA PEN INDUCTION PK-CROHN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML                                | 5                | PA; NM; NDS                |
| TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML                                                   | 5                | PA; NM; NDS                |
| TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML                                                        | 5                | PA; NM; NDS                |
| TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML                                                 | 5                | PA; NM; NDS                |
| TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML                                         | 5                | PA; NM; NDS                |
| TYENNE INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML) | 5                | PA; NM; NDS                |
| TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML                                                           | 5                | PA; NM; NDS                |
| XELJANZ ORAL SOLUTION 1 MG/ML                                                                       | 5                | PA; NM; NDS                |
| XELJANZ ORAL TABLET 10 MG, 5 MG                                                                     | 5                | PA; NM; NDS                |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG                                          | 5                | PA; NM; NDS                |
| YESINTEK INTRAVENOUS SOLUTION 130 MG/26 ML                                                          | 5                | PA; NM; NDS                |
| YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML                                                         | 3                | PA                         |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| YESINTEK SUBCUTANEOUS<br>SYRINGE 45 MG/0.5 ML                                                                   | 3                | PA                         |
| YESINTEK SUBCUTANEOUS<br>SYRINGE 90 MG/ML                                                                       | 5                | PA; NM; NDS                |
| YUFLYMA(CF) AI CROHN'S-UC- (adalimumab-aaty)<br>HS SUBCUTANEOUS AUTO-<br>INJECTOR, KIT 80 MG/0.8 ML             | 5                | PA; NM; NDS                |
| YUFLYMA(CF) AUTOINJECTOR (adalimumab-aaty)<br>SUBCUTANEOUS AUTO-<br>INJECTOR, KIT 40 MG/0.4 ML, 80<br>MG/0.8 ML | 5                | PA; NM; NDS                |
| YUFLYMA(CF) SUBCUTANEOUS (adalimumab-aaty)<br>SYRINGE KIT 20 MG/0.2 ML, 40<br>MG/0.4 ML                         | 5                | PA; NM; NDS                |
| <b>Vaccines</b>                                                                                                 |                  |                            |
| ABRYSVO (PF)<br>INTRAMUSCULAR RECON SOLN<br>120 MCG/0.5 ML                                                      | 6                | \$0 copay                  |
| ACTHIB (PF) INTRAMUSCULAR<br>RECON SOLN 10 MCG/0.5 ML                                                           | 6                |                            |
| ADACEL(TDAP<br>ADOLESN/ADULT)(PF)<br>INTRAMUSCULAR SUSPENSION<br>2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML                | 6                | \$0 copay                  |
| ADACEL(TDAP<br>ADOLESN/ADULT)(PF)<br>INTRAMUSCULAR SYRINGE 2<br>LF-(2.5-5-3-5 MCG)-5LF/0.5 ML                   | 6                | \$0 copay                  |
| AREXVY (PF) INTRAMUSCULAR<br>SUSPENSION FOR<br>RECONSTITUTION 120 MCG/0.5<br>ML                                 | 6                | \$0 copay                  |
| BCG VACCINE, LIVE (PF)<br>PERCUTANEOUS SUSPENSION<br>FOR RECONSTITUTION 50 MG                                   | 6                | \$0 copay                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------|------------------|----------------------------|
| BEXSERO INTRAMUSCULAR<br>SYRINGE 50-50-50-25 MCG/0.5<br>ML                                   | 6                | \$0 copay                  |
| BOOSTRIX TDAP<br>INTRAMUSCULAR SUSPENSION<br>2.5-8-5 LF-MCG-LF/0.5ML                         | 6                | \$0 copay                  |
| BOOSTRIX TDAP<br>INTRAMUSCULAR SYRINGE 2.5-<br>8-5 LF-MCG-LF/0.5ML                           | 6                | \$0 copay                  |
| DAPTACEL (DTAP PEDIATRIC)<br>(PF) INTRAMUSCULAR<br>SUSPENSION 15-10-5 LF-MCG-<br>LF/0.5ML    | 6                |                            |
| DENG VAXIA (PF)<br>SUBCUTANEOUS SUSPENSION<br>FOR RECONSTITUTION<br>10EXP4.5-6 CCID50/0.5 ML | 6                | QL (3 per 365 days)        |
| ENGRIX-B (PF)<br>INTRAMUSCULAR SUSPENSION<br>20 MCG/ML                                       | 6                | PA BvD; \$0 copay          |
| ENGRIX-B (PF)<br>INTRAMUSCULAR SYRINGE 20<br>MCG/ML                                          | 6                | PA BvD; \$0 copay          |
| ENGRIX-B PEDIATRIC (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG/0.5 ML                            | 6                | PA BvD; \$0 copay          |
| GARDASIL 9 (PF)<br>INTRAMUSCULAR SUSPENSION<br>0.5 ML                                        | 6                | \$0 copay                  |
| GARDASIL 9 (PF)<br>INTRAMUSCULAR SYRINGE 0.5<br>ML                                           | 6                | \$0 copay                  |
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 1,440 ELISA UNIT/ML                                     | 6                | \$0 copay                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------|------------------|----------------------------|
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML             | 6                |                            |
| HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML                 | 6                | PA BvD; \$0 copay          |
| HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML                 | 6                |                            |
| IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT        | 6                | PA BvD; \$0 copay          |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML | 6                |                            |
| IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML                       | 6                | \$0 copay                  |
| IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML                      | 6                | \$0 copay                  |
| JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5  | 6                | \$0 copay                  |
| KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML         | 6                |                            |
| MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML                   | 6                | \$0 copay                  |
| MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML                 | 6                | \$0 copay                  |
| MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML       | 6                | \$0 copay                  |
| M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML    | 6                | \$0 copay                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------|------------------|----------------------------|
| MRESVIA (PF)<br>INTRAMUSCULAR SYRINGE 50<br>MCG/0.5 ML                                              | 6                | \$0 copay                  |
| PEDIARIX (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG-25LF-25 MCG-10LF/0.5 ML                            | 6                |                            |
| PEDVAX HIB (PF)<br>INTRAMUSCULAR SOLUTION<br>7.5 MCG/0.5 ML                                         | 6                |                            |
| PENBRAYA (PF)<br>INTRAMUSCULAR KIT 5-120<br>MCG/0.5 ML                                              | 6                | \$0 copay                  |
| PENBRAYA MENACWY<br>COMPONENT(PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 5<br>MCG/0.5 ML | 6                | \$0 copay                  |
| PENBRAYA MENB COMPONENT<br>(PF) INTRAMUSCULAR<br>SYRINGE 120 MCG/0.5 ML                             | 6                | \$0 copay                  |
| PENMENVY MEN A-B-C-W-Y<br>(PF) INTRAMUSCULAR KIT 0.5<br>ML                                          | 6                | \$0 copay                  |
| PENMENVY MENACWY<br>COMPONENT(PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 10-5<br>MCG     | 6                | \$0 copay                  |
| PENMENVY MENB COMPONENT<br>(PF) INTRAMUSCULAR<br>SYRINGE 50-50-50-25 MCG/0.5<br>ML                  | 6                | \$0 copay                  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| PENTACEL (PF)<br>INTRAMUSCULAR KIT 15 LF<br>UNIT-20 MCG-5 LF/0.5 ML, 15LF-<br>20MCG-5LF- 62 DU/0.5 ML | 6                |                            |
| PREHEVBRIO (PF)<br>INTRAMUSCULAR SUSPENSION<br>10 MCG/ML                                              | 6                | PA BvD; \$0 copay          |
| PRIORIX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10EXP3.4-4.2-<br>3.3CCID50/0.5ML        | 6                | \$0 copay                  |
| PROQUAD (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10EXP3-4.3-3-<br>3.99 TCID50/0.5        | 6                |                            |
| QUADRACEL (PF)<br>INTRAMUSCULAR SUSPENSION<br>15 LF-48 MCG- 5 LF UNIT/0.5ML                           | 6                |                            |
| QUADRACEL (PF)<br>INTRAMUSCULAR SYRINGE 15<br>LF-48 MCG- 5 LF UNIT/0.5ML                              | 6                |                            |
| RABAVERT (PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 2.5 UNIT                              | 6                | PA BvD; \$0 copay          |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SUSPENSION<br>10 MCG/ML, 40 MCG/ML, 5<br>MCG/0.5 ML               | 6                | PA BvD; \$0 copay          |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG/ML, 5 MCG/0.5 ML                                | 6                | PA BvD; \$0 copay          |
| ROTARIX ORAL SUSPENSION<br>10EXP6 CCID50 /1.5 ML                                                      | 6                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                     | <b>Drug Tier</b>                  | <b>Requirements/Limits</b>        |
|--------------------------------------------------------------------------------------|-----------------------------------|-----------------------------------|
| ROTARIX ORAL SUSPENSION<br>FOR RECONSTITUTION 10EXP6<br>CCID50/ML                    | 6                                 |                                   |
| ROTATEQ VACCINE ORAL<br>SOLUTION 2 ML                                                | 6                                 |                                   |
| SHINGRIX (PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 50<br>MCG/0.5 ML     | 6                                 | \$0 copay; QL (2 per 365<br>days) |
| TDVAX INTRAMUSCULAR<br>SUSPENSION 2-2 LF UNIT/0.5 ML                                 | 6                                 | \$0 copay                         |
| TENIVAC (PF)<br>INTRAMUSCULAR SUSPENSION<br>5 LF UNIT- 2 LF UNIT/0.5ML               | 6                                 | \$0 copay                         |
| TENIVAC (PF)<br>INTRAMUSCULAR SYRINGE 5-2<br>LF UNIT/0.5 ML                          | 6                                 | \$0 copay                         |
| TETANUS,DIPHThERIA TOX<br>PED(PF) INTRAMUSCULAR<br>SUSPENSION 5-25 LF UNIT/0.5<br>ML | 6                                 |                                   |
| TICOVAC INTRAMUSCULAR<br>SYRINGE 1.2 MCG/0.25 ML                                     | 6                                 |                                   |
| TICOVAC INTRAMUSCULAR<br>SYRINGE 2.4 MCG/0.5 ML                                      | 6                                 | \$0 copay                         |
| TRUMENBA INTRAMUSCULAR<br>SYRINGE 120 MCG/0.5 ML                                     | 6                                 | \$0 copay                         |
| TWINRIX (PF)<br>INTRAMUSCULAR SYRINGE 720<br>ELISA UNIT- 20 MCG/ML                   | 6                                 | \$0 copay                         |
| TYPHIM VI INTRAMUSCULAR<br>SOLUTION 25 MCG/0.5 ML                                    | 6                                 | \$0 copay                         |
| TYPHIM VI INTRAMUSCULAR<br>SYRINGE 25 MCG/0.5 ML                                     | (typhoid vi polysacch<br>vaccine) | \$0 copay                         |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                                           | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 25 UNIT/0.5 ML                                                                               | 6         |                     |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 50 UNIT/ML                                                                                   | 6         | \$0 copay           |
| VAQTA (PF) INTRAMUSCULAR<br>SYRINGE 25 UNIT/0.5 ML                                                                                  | 6         |                     |
| VAQTA (PF) INTRAMUSCULAR<br>SYRINGE 50 UNIT/ML                                                                                      | 6         | \$0 copay           |
| VARIVAX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 1,350<br>UNIT/0.5 ML                                                  | 6         | \$0 copay           |
| VAXCHORA VACCINE ORAL<br>SUSPENSION FOR<br>RECONSTITUTION 4X10EXP8 TO<br>2X 10EXP9 CF UNIT                                          | 6         | \$0 copay           |
| VIMKUNYA INTRAMUSCULAR<br>SYRINGE 40 MCG/0.8 ML                                                                                     | 6         | \$0 copay           |
| VIVOTIF ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 2 BILLION<br>UNIT                                                                 | 6         | \$0 copay           |
| YF-VAX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10 EXP4.74<br>UNIT/0.5 ML, 10 EXP4.74<br>UNIT/0.5 ML(2.5 ML IN 1 VIAL) | 6         | \$0 copay           |
| <b>Inflammatory Bowel Disease<br/>Agents</b>                                                                                        |           |                     |
| <b>Inflammatory Bowel Disease Agents</b>                                                                                            |           |                     |
| <i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)                                                                                | 2         |                     |
| <i>balsalazide oral capsule 750 mg</i> (Colazal)                                                                                    | 2         |                     |
| <i>budesonide oral<br/>capsule, delayed, extend. release 3 mg</i>                                                                   | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|---------------------------------------------------------------------------------------|------------------|---------------------------------|
| <i>budesonide rectal foam 2 mg/actuation</i> (Uceris)                                 | 2                |                                 |
| <i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)                           | 2                |                                 |
| <i>mesalamine oral capsule, extended release 500 mg</i> (Pentasa)                     | 2                |                                 |
| <i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)             | 2                |                                 |
| <i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)              | 2                | QL (120 per 30 days)            |
| <i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)                                  | 2                |                                 |
| <i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs) | 4                |                                 |
| <b>Metabolic Bone Disease Agents</b>                                                  |                  |                                 |
| <b>Metabolic Bone Disease Agents</b>                                                  |                  |                                 |
| <i>alendronate oral solution 70 mg/75 ml</i>                                          | 2                | QL (300 per 28 days)            |
| <i>alendronate oral tablet 10 mg</i>                                                  | 1                | QL (30 per 30 days)             |
| <i>alendronate oral tablet 35 mg</i>                                                  | 1                | QL (4 per 28 days)              |
| <i>alendronate oral tablet 70 mg</i> (Fosamax)                                        | 1                | QL (4 per 28 days)              |
| <i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>                | 2                |                                 |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>                                      | 2                |                                 |
| <i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)                                 | 2                | QL (60 per 30 days)             |
| <i>cinacalcet oral tablet 90 mg</i> (Sensipar)                                        | 5                | NM; NDS; QL (120 per 30 days)   |
| <i>ibandronate oral tablet 150 mg</i>                                                 | 2                | QL (1 per 28 days)              |
| NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE    | 5                | PA; NM; NDS; QL (2 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                           | Drug Tier | Requirements/Limits                |
|-------------------------------------------------------------------------------------|-----------|------------------------------------|
| OSENVELT SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)                             | 5         | PA; NM; NDS                        |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)                             | 2         |                                    |
| <i>paricalcitol oral capsule 4 mcg</i>                                              | 2         |                                    |
| PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML                                                | 3         | QL (1 per 180 days)                |
| RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG                                 | 3         | QL (60 per 30 days)                |
| STOBOCLO SUBCUTANEOUS SYRINGE 60 MG/ML                                              | 3         | QL (1 per 180 days)                |
| <i>teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)</i> (Bonsity) | 5         | PA; NM; NDS; QL (2.48 per 28 days) |
| TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)                         | 5         | PA; NM; NDS; QL (1.56 per 30 days) |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)                                | 5         | PA; NM; NDS                        |
| <b>Miscellaneous Therapeutic Agents</b>                                             |           |                                    |
| <b>Miscellaneous Therapeutic Agents</b>                                             |           |                                    |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML                                      | 5         | PA; NM; NDS                        |
| BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION                                     | 3         |                                    |
| <i>betaine oral powder 1 gram/scoop</i> (Cystadane)                                 | 5         | PA; NM; NDS                        |
| <i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>                      | 1         |                                    |
| COSENTYX INTRAVENOUS SOLUTION 25 MG/ML                                              | 5         | PA; NM; NDS                        |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|----------------------------------------------------------------------------|------------------|--------------------------------------|
| <i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)                      | 2                |                                      |
| <i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)       | 5                | PA; NM; NDS; QL (180 per 30 days)    |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML | 3                |                                      |
| GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML   | 3                |                                      |
| GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML                                    | 3                |                                      |
| <i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>                       | 1                |                                      |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>            | 2                |                                      |
| <i>mesna oral tablet 400 mg</i> (Mesnex)                                   | 5                | NM; NDS                              |
| <i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)                  | 2                | QL (30 per 30 days)                  |
| <i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)                 | 2                |                                      |
| THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG                        | 5                | PA NSO; NM; NDS; QL (56 per 28 days) |
| TYBOST ORAL TABLET 150 MG                                                  | 3                | QL (30 per 30 days)                  |
| VEOZAH ORAL TABLET 45 MG                                                   | 4                | PA; QL (30 per 30 days)              |
| VOWST ORAL CAPSULE                                                         | 5                | PA; NM; NDS; QL (12 per 30 days)     |
| ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML            | 3                |                                      |
| ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML                       | 3                |                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| Drug Name                                                                 | Drug Tier | Requirements/Limits  |
|---------------------------------------------------------------------------|-----------|----------------------|
| <b>Ophthalmic Agents</b>                                                  |           |                      |
| <b>Antiglaucoma Agents</b>                                                |           |                      |
| <i>acetazolamide oral capsule, extended release 500 mg</i>                | 2         |                      |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i>                           | 2         |                      |
| <i>acetazolamide sodium injection recon soln 500 mg</i>                   | 2         |                      |
| <i>betaxolol ophthalmic (eye) drops 0.5 %</i>                             | 2         |                      |
| <i>bimatoprost ophthalmic (eye) drops 0.03 %</i>                          | 2         | QL (2.5 per 25 days) |
| <i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> (Alphagan P)      | 2         |                      |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i>                           | 2         |                      |
| <i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)    | 2         |                      |
| <i>brinzolamide ophthalmic (eye) drops, suspension 1 %</i> (Azopt)        | 2         |                      |
| <i>carteolol ophthalmic (eye) drops 1 %</i>                               | 2         |                      |
| <i>dorzolamide ophthalmic (eye) drops 2 %</i>                             | 2         |                      |
| <i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt) | 2         |                      |
| <i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)               | 1         | QL (2.5 per 25 days) |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i>                           | 2         |                      |
| LUMIGAN OPTHALMIC (EYE) DROPS 0.01 %                                      | 3         | QL (2.5 per 25 days) |
| <i>methazolamide oral tablet 25 mg, 50 mg</i>                             | 2         |                      |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                        | Drug Tier | Requirements/Limits  |
|------------------------------------------------------------------------------------------------------------------|-----------|----------------------|
| <i>pilocarpine hcl ophthalmic (eye)<br/>drops 1 %, 2 %, 4 %</i>                                                  | 2         |                      |
| RHOPRESSA OPTHALMIC<br>(EYE) DROPS 0.02 %                                                                        | 3         | QL (2.5 per 25 days) |
| ROCKLATAN OPTHALMIC<br>(EYE) DROPS 0.02-0.005 %                                                                  | 3         | QL (2.5 per 25 days) |
| SIMBRINZA OPTHALMIC (EYE)<br>DROPS,SUSPENSION 1-0.2 %                                                            | 3         |                      |
| <i>tafluprost (pf) ophthalmic (eye)</i> (Zioptan (PF))<br><i>dropperette 0.0015 %</i>                            | 2         | QL (30 per 30 days)  |
| <i>timolol maleate ophthalmic (eye)<br/>drops 0.25 %, 0.5 %</i>                                                  | 1         |                      |
| <i>timolol ophthalmic (eye) drops 0.5 %</i> (Betimol)                                                            | 1         |                      |
| <i>travoprost ophthalmic (eye) drops</i> (Travatan Z)<br><i>0.004 %</i>                                          | 2         | QL (2.5 per 25 days) |
| VYZULTA OPTHALMIC (EYE)<br>DROPS 0.024 %                                                                         | 4         | QL (5 per 30 days)   |
| <b>Replacement Preparations</b>                                                                                  |           |                      |
| <b>Replacement Preparations</b>                                                                                  |           |                      |
| <i>d5 % (d-glucose)-0.9 % sodchlr</i> (d5 % and 0.9 % sodium<br><i>intravenous parenteral solution</i> chloride) | 2         |                      |
| <i>d5 % and 0.9 % sodium chloride</i> (D5 % (d-glucose)-0.9<br><i>intravenous parenteral solution</i> % sodchlr) | 2         |                      |
| <i>d5 %-0.45 % sodium chloride</i><br><i>intravenous parenteral solution</i>                                     | 2         |                      |
| <i>klor-con m10 oral tablet,er</i> (potassium chloride)<br><i>particles/crystals 10 meq</i>                      | 2         |                      |
| <i>klor-con m15 oral tablet,er</i> (potassium chloride)<br><i>particles/crystals 15 meq</i>                      | 2         |                      |
| <i>klor-con m20 oral tablet,er</i> (potassium chloride)<br><i>particles/crystals 20 meq</i>                      | 2         |                      |
| <i>magnesium sulfate injection solution</i><br><i>500 mg/ml (50 %)</i>                                           | 4         |                      |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>magnesium sulfate injection syringe<br/>500 mg/ml (50 %)</i>                           | 2                |                            |
| <i>potassium chloride intravenous<br/>solution 2 meq/ml</i>                               | 2                | PA BvD                     |
| <i>potassium chloride oral capsule,<br/>extended release 10 meq, 8 meq</i>                | 2                |                            |
| <i>potassium chloride oral liquid 20<br/>meq/15 ml, 40 meq/15 ml</i>                      | 2                |                            |
| <i>potassium chloride oral tablet (Klor-Con 10)<br/>extended release 10 meq</i>           | 2                |                            |
| <i>potassium chloride oral tablet<br/>extended release 15 meq, 20 meq</i>                 | 2                |                            |
| <i>potassium chloride oral tablet (Klor-Con 8)<br/>extended release 8 meq</i>             | 2                |                            |
| <i>potassium chloride oral tablet,er (Klor-Con M10)<br/>particles/crystals 10 meq</i>     | 2                |                            |
| <i>potassium chloride oral tablet,er (Klor-Con M15)<br/>particles/crystals 15 meq</i>     | 2                |                            |
| <i>potassium chloride oral tablet,er (Klor-Con M20)<br/>particles/crystals 20 meq</i>     | 2                |                            |
| <i>potassium citrate oral tablet extended (Urocit-K 10)<br/>release 10 meq (1,080 mg)</i> | 2                |                            |
| <i>potassium citrate oral tablet extended (Urocit-K 15)<br/>release 15 meq</i>            | 2                |                            |
| <i>potassium citrate oral tablet extended<br/>release 5 meq (540 mg)</i>                  | 2                |                            |
| <i>sodium chloride 0.45 % intravenous<br/>parenteral solution 0.45 %</i>                  | 2                |                            |
| <i>sodium chloride 0.9 % intravenous<br/>parenteral solution</i>                          | 2                |                            |
| <i>sodium chloride 0.9% solution mini-<br/>bag, single use</i>                            | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                                                  | Drug Tier | Requirements/Limits          |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------|
| <b>Respiratory Tract Agents</b>                                                                                                            |           |                              |
| <b>Anti-Inflammatories, Inhaled Corticosteroids</b>                                                                                        |           |                              |
| ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol) | 3         | QL (12 per 30 days)          |
| AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION                                                                                             | 3         | QL (32.1 per 30 days)        |
| ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION (fluticasone furoate)                | 3         | QL (30 per 30 days)          |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol)                              | 3         | QL (60 per 30 days)          |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE                                                                                 | 3         | QL (60 per 30 days)          |
| <i>breyana inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (budesonide-formoterol)                          | 2         | QL (30.9 per 30 days)        |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)                                  | 2         | PA BvD; QL (120 per 30 days) |
| <i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (Breyna)                           | 2         | QL (30.6 per 30 days)        |
| <i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>                                                             | 2         | QL (12 per 30 days)          |
| <i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>                                                             | 2         | QL (24 per 30 days)          |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                                                                             | Drug Tier | Requirements/Limits   |
|---------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------|
| <i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>                                                         | 2         | QL (21.2 per 30 days) |
| <i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Wixela Inhub) | 2         | QL (60 per 30 days)   |
| <i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (fluticasone propion-salmeterol) | 2         | QL (60 per 30 days)   |
| <b>Antileukotrienes</b>                                                                                                               |           |                       |
| <i>montelukast oral tablet 10 mg</i> (Singulair)                                                                                      | 1         |                       |
| <i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)                                                                       | 2         |                       |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)                                                                                | 2         |                       |
| <b>Bronchodilators</b>                                                                                                                |           |                       |
| AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION                                                                           | 3         | QL (32.1 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Ventolin HFA)                                               | 2         | QL (17 per 30 days)   |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>                                                  | 2         | QL (13.4 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>                                                  | 2         | QL (36 per 30 days)   |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>       | 2         | PA BvD                |
| ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION (umeclidinium-vilanterol)                                          | 3         | QL (60 per 30 days)   |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|---------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| ATROVENT HFA INHALATION<br>HFA AEROSOL INHALER 17<br>MCG/ACTUATION                                      | 4                | QL (25.8 per 28 days)           |
| BREZTRI AEROSPHERE<br>INHALATION HFA AEROSOL<br>INHALER 160-9-4.8<br>MCG/ACTUATION                      | 3                | QL (10.7 per 30 days)           |
| COMBIVENT RESPIMAT<br>INHALATION MIST 20-100<br>MCG/ACTUATION                                           | 3                | QL (8 per 30 days)              |
| <i>ipratropium bromide inhalation<br/>solution 0.02 %</i>                                               | 2                | PA BvD                          |
| <i>ipratropium-albuterol inhalation<br/>solution for nebulization 0.5 mg-3<br/>mg(2.5 mg base)/3 ml</i> | 2                | PA BvD; QL (540 per 30<br>days) |
| SEREVENT DISKUS<br>INHALATION BLISTER WITH<br>DEVICE 50 MCG/DOSE                                        | 3                | QL (60 per 30 days)             |
| SPIRIVA RESPIMAT<br>INHALATION MIST 1.25<br>MCG/ACTUATION, 2.5<br>MCG/ACTUATION                         | 3                | QL (4 per 30 days)              |
| STIOLTO RESPIMAT<br>INHALATION MIST 2.5-2.5<br>MCG/ACTUATION                                            | 3                | QL (4 per 30 days)              |
| STRIVERDI RESPIMAT<br>INHALATION MIST 2.5<br>MCG/ACTUATION                                              | 3                | QL (4 per 28 days)              |
| <i>theophylline oral solution 80 mg/15<br/>ml</i>                                                       | 2                |                                 |
| <i>theophylline oral tablet extended<br/>release 12 hr 100 mg, 200 mg, 300<br/>mg, 450 mg</i>           | 2                |                                 |
| <i>theophylline oral tablet extended<br/>release 24 hr 400 mg, 600 mg</i>                               | 2                |                                 |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| Drug Name                                                                                          | Drug Tier | Requirements/Limits                 |
|----------------------------------------------------------------------------------------------------|-----------|-------------------------------------|
| <i>tiotropium bromide inhalation capsule, w/inhalation device 18 mcg</i> (Spiriva with HandiHaler) | 2         | QL (30 per 30 days)                 |
| TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG                    | 3         | QL (60 per 30 days)                 |
| <b>Respiratory Tract Agents, Other</b>                                                             |           |                                     |
| <i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>                                  | 2         | PA BvD                              |
| ALYFTREK ORAL TABLET 10-50-125 MG                                                                  | 5         | PA; NM; NDS; QL (60 per 30 days)    |
| ALYFTREK ORAL TABLET 4-20-50 MG                                                                    | 5         | PA; NM; NDS; QL (90 per 30 days)    |
| BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG                                           | 5         | NM; NDS; QL (560 per 28 days)       |
| CINQAIR INTRAVENOUS SOLUTION 10 MG/ML                                                              | 5         | PA; NM; NDS                         |
| <i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>                                    | 2         | PA BvD                              |
| FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML                                                    | 5         | PA; NM; NDS; QL (1 per 28 days)     |
| FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML                                                | 5         | PA; NM; NDS; QL (1 per 28 days)     |
| KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG                              | 5         | PA; NM; NDS; QL (56 per 28 days)    |
| KALYDECO ORAL TABLET 150 MG                                                                        | 5         | PA; NM; NDS; QL (56 per 28 days)    |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML                                                        | 5         | PA; NM; LA; NDS; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS RECON SOLN 100 MG                                                              | 5         | PA; NM; LA; NDS; QL (3 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| Drug Name                                                                      | Drug Tier | Requirements/Limits                   |
|--------------------------------------------------------------------------------|-----------|---------------------------------------|
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML                                          | 5         | PA; NM; LA; NDS; QL (3 per 28 days)   |
| NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML                                       | 5         | PA; NM; LA; NDS; QL (0.4 per 28 days) |
| OFEV ORAL CAPSULE 100 MG, 150 MG                                               | 5         | PA; NM; NDS; QL (60 per 30 days)      |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG                                     | 5         | PA; NM; NDS; QL (112 per 28 days)     |
| <i>pirfenidone oral capsule 267 mg</i> (Esbriet)                               | 5         | PA; NM; NDS; QL (270 per 30 days)     |
| <i>pirfenidone oral tablet 267 mg</i> (Esbriet)                                | 5         | PA; NM; NDS; QL (270 per 30 days)     |
| <i>pirfenidone oral tablet 534 mg</i>                                          | 5         | PA; NM; NDS; QL (90 per 30 days)      |
| <i>pirfenidone oral tablet 801 mg</i> (Esbriet)                                | 5         | PA; NM; NDS; QL (90 per 30 days)      |
| <i>roflumilast oral tablet 250 mcg</i> (Daliresp)                              | 2         | QL (28 per 28 days)                   |
| <i>roflumilast oral tablet 500 mcg</i> (Daliresp)                              | 2         | QL (30 per 30 days)                   |
| WINREVAIR SUBCUTANEOUS KIT 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2) | 5         | PA; NM; NDS; QL (1 per 21 days)       |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML         | 5         | PA; NM; NDS                           |
| XOLAIR SUBCUTANEOUS RECON SOLN 150 MG                                          | 5         | PA; NM; NDS                           |
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML               | 5         | PA; NM; NDS                           |
| <b>Skeletal Muscle Relaxants</b>                                               |           |                                       |
| <b>Skeletal Muscle Relaxants</b>                                               |           |                                       |
| <i>baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg</i>                          | 2         |                                       |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| Drug Name                                                                       | Drug Tier | Requirements/Limits                   |
|---------------------------------------------------------------------------------|-----------|---------------------------------------|
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>                                  | 2         |                                       |
| <i>dantrolene oral capsule 100 mg, 50 mg</i>                                    | 2         |                                       |
| <i>dantrolene oral capsule 25 mg</i> (Dantrium)                                 | 2         |                                       |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i>                                 | 2         |                                       |
| <i>tizanidine oral tablet 2 mg</i>                                              | 2         |                                       |
| <i>tizanidine oral tablet 4 mg</i> (Zanaflex)                                   | 2         |                                       |
| <b>Sleep Disorder Agents</b>                                                    |           |                                       |
| <b>Sleep Disorder Agents</b>                                                    |           |                                       |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)          | 2         | PA; QL (30 per 30 days)               |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG                                  | 3         | QL (30 per 30 days)                   |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)                       | 2         | QL (30 per 30 days)                   |
| <i>modafinil oral tablet 100 mg</i> (Provigil)                                  | 2         | PA; QL (30 per 30 days)               |
| <i>modafinil oral tablet 200 mg</i> (Provigil)                                  | 2         | PA; QL (60 per 30 days)               |
| <i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)                           | 5         | PA; NM; LA; NDS; QL (540 per 30 days) |
| <i>zaleplon oral capsule 10 mg, 5 mg</i>                                        | 2         | QL (30 per 30 days)                   |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)                                | 1         | QL (30 per 30 days)                   |
| <i>zolpidem oral tablet,ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR) | 2         | QL (30 per 30 days)                   |
| <b>Vasodilating Agents</b>                                                      |           |                                       |
| <b>Vasodilating Agents</b>                                                      |           |                                       |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG                          | 5         | PA; NM; NDS; QL (90 per 30 days)      |
| <i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))                  | 2         | PA; QL (60 per 30 days)               |

You can find information on what the symbols and abbreviations on this table mean by going to the page number  
vii

10/01/2025

| <b>Drug Name</b>                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|-------------------------------------------------------------------------------------------|------------------|--------------------------------------|
| <i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)                                    | 5                | PA; NM; LA; NDS; QL (60 per 30 days) |
| OPSUMIT ORAL TABLET 10 MG                                                                 | 5                | PA; NM; NDS; QL (30 per 30 days)     |
| <i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)                         | 2                | PA; QL (360 per 30 days)             |
| <i>tadalafil oral tablet 2.5 mg</i>                                                       | 2                | PA                                   |
| <i>tadalafil oral tablet 5 mg</i> (Cialis)                                                | 2                | PA                                   |
| UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG                                                  | 5                | PA; NM; NDS; QL (60 per 30 days)     |
| UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG | 5                | PA; NM; NDS; QL (60 per 30 days)     |
| UPTRAVI ORAL TABLET 200 MCG                                                               | 5                | PA; NM; NDS; QL (240 per 30 days)    |
| UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)                                | 5                | PA; NM; NDS                          |

## **Vitamins And Minerals**

### **Vitamins And Minerals**

|                                                            |   |  |
|------------------------------------------------------------|---|--|
| <i>bal-care dha combo pack 27-1-430 mg</i>                 | 2 |  |
| <i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i> | 2 |  |
| <i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>         | 2 |  |
| <i>completenate tablet chew 29 mg iron-1 mg</i>            | 2 |  |
| <i>folivane-ob capsule 85-1 mg</i>                         | 2 |  |
| <i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>      | 2 |  |
| <i>marnatal-f capsule 60 mg iron-1 mg</i>                  | 2 |  |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>                             | 2                |                            |
| <i>mynatal advance oral tablet 90-1-50 mg</i>                                                            | 2                |                            |
| <i>mynatal capsule 65 mg iron- 1 mg</i>                                                                  | 2                |                            |
| <i>mynatal oral tablet 90-1-50 mg</i>                                                                    | 2                |                            |
| <i>mynatal plus captab 65 mg iron- 1 mg</i>                                                              | 2                |                            |
| <i>mynatal-z captab 65 mg iron- 1 mg</i>                                                                 | 2                |                            |
| <i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>                                       | 2                |                            |
| <i>newgen tablet 32-1,000 mg-mcg</i>                                                                     | 2                |                            |
| <i>niva-plus tablet 27 mg iron- 1 mg</i>                                                                 | 2                |                            |
| <i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>                                                | 2                |                            |
| <i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>                            | 2                |                            |
| <i>o-cal prenatal oral tablet 15 mg iron-1,000 mcg</i>                                                   | 2                |                            |
| <i>pnv 29-1 oral tablet 29 mg iron- 1 mg</i>                                                             | 2                |                            |
| <i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i> | 2                |                            |
| <i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>                                                 | 2                |                            |
| <i>pnv-omega softgel 28-1-300 mg</i>                                                                     | 2                |                            |
| <i>pr natal 400 combo pack 29-1-400 mg</i>                                                               | 2                |                            |
| <i>pr natal 400 ec combo pack 29-1-400 mg</i>                                                            | 2                |                            |
| <i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>                                                   | 2                |                            |
| <i>pr natal 430 ec combo pack 29-1-430 mg</i>                                                            | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>prenal true combo pack 30 mg iron-1.4 mg-300 mg</i>                                              | 2                |                            |
| <i>prenaissance oral capsule 29-1.25-55-325 mg</i>                                                  | 2                |                            |
| <i>prenaissance plus oral capsule 28-1-50-250 mg</i>                                                | 2                |                            |
| <i>prenatabs fa tablet 29-1 mg</i>                                                                  | 2                |                            |
| <i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>                               | 2                |                            |
| <i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>                                                 | 2                |                            |
| <i>prenatal low iron oral tablet 27 mg iron- 1 mg</i>                                               | 2                |                            |
| <i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i> (pnv,calcium 72-iron,carb-folic)             | 2                |                            |
| <i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid) | 2                |                            |
| <i>prenatal-u capsule 106.5-1 mg</i>                                                                | 2                |                            |
| <i>preplus oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)                        | 2                |                            |
| <i>pretab oral tablet 29-1 mg</i>                                                                   | 2                |                            |
| <i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>                                                   | 2                |                            |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i>                                                   | 2                |                            |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i>                                                   | 2                |                            |
| <i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>                                                 | 2                |                            |
| <i>taron-c dha capsule 35-1-200 mg</i>                                                              | 2                |                            |
| <i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>                          | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

| <b>Drug Name</b>                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------|------------------|----------------------------|
| <i>triveen-duo dha oral combo pack 29-1-400 mg</i>         | 2                |                            |
| <i>virt-c dha oral capsule 35-1-200 mg</i>                 | 2                |                            |
| <i>virt-nate dha softgel 28 mg iron-1 mg-200 mg</i>        | 2                |                            |
| <i>virt-pn dha softgel (rx) 27 mg iron-1 mg-300 mg</i>     | 2                |                            |
| <i>virt-pn plus oral capsule 28-1-300 mg</i>               | 2                |                            |
| <i>vitafol gummies 3.33 mg iron- 0.33 mg</i>               | 2                |                            |
| <i>vitafol nano oral tablet 18 mg iron- 1 mg</i>           | 2                |                            |
| <i>vitafol-ob+dha combo pack 65-1-250 mg</i>               | 2                |                            |
| <i>vp-ch-pnv oral capsule 30 mg iron-1 mg-50 mg-260 mg</i> | 2                |                            |
| <i>vp-pnv-dha oral capsule 28 mg iron-1 mg-200 mg</i>      | 2                |                            |
| <i>zatean-pn dha capsule 27 mg iron-1 mg-300 mg</i>        | 2                |                            |
| <i>zatean-pn plus softgel 28-1-300 mg</i>                  | 2                |                            |
| <i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>       | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the page number

vii

10/01/2025

## INDEX

|                                        |                                            |                                                    |
|----------------------------------------|--------------------------------------------|----------------------------------------------------|
| 1ST TIER UNIFINE PENTIPS 113           | ADVOCATE SYRINGES.....114                  | <i>amlodipine-atorvastatin</i> ..... 91            |
| 1ST TIER UNIFINE PENTIPS PLUS..... 113 | <i>afirmelle</i> .....98                   | <i>amlodipine-benazepril</i> .....89               |
| <i>abacavir</i> ..... 71               | AIMOVIG AUTOINJECTOR... 57                 | <i>amlodipine-olmesartan</i> .....89               |
| <i>abacavir-lamivudine</i> .....71     | AIRSUPRA..... 201, 202                     | <i>amlodipine-valsartan</i> .....89                |
| ABELCET..... 54                        | AJOVY AUTOINJECTOR..... 57                 | <i>amlodipine-valsartan-hcthiiazid</i> ..89        |
| <i>abigale</i> ..... 175               | AJOVY SYRINGE.....57                       | <i>ammonium lactate</i> .....109                   |
| <i>abigale lo</i> ..... 175            | AKEEGA..... 18                             | <i>amoxapine</i> .....45                           |
| ABILIFY ASIMTUFII..... 63              | <i>ala-cort</i> ..... 110                  | <i>amoxicil-clarithromy-lansopraz</i><br>..... 170 |
| ABILIFY MAINTENA..... 63               | <i>albendazole</i> .....60                 | <i>amoxicillin</i> ..... 14                        |
| <i>abiraterone</i> ..... 18            | <i>albuterol sulfate</i> .....202          | <i>amoxicillin-pot clavulanate</i> .. 14, 15       |
| <i>abirtega</i> .....18                | ALCOHOL PADS.....115                       | <i>amphotericin b</i> .....54                      |
| ABOUTTIME PEN NEEDLE..113              | ALCOHOL PREP PADS..... 137                 | <i>amphotericin b liposome</i> ..... 54            |
| ABRYSVO (PF)..... 188                  | ALCOHOL PREP SWABS.....115                 | <i>ampicillin</i> ..... 15                         |
| <i>acamprosate</i> .....7              | ALCOHOL SWABS..... 114                     | <i>ampicillin sodium</i> ..... 15                  |
| <i>acarbose</i> .....48                | ALCOHOL WIPES..... 115                     | <i>ampicillin-sulbactam</i> ..... 15               |
| <i>acebutolol</i> ..... 86             | ALECENSA..... 18                           | <i>anagrelide</i> .....81                          |
| <i>acetaminophen-codeine</i> .....3    | <i>alendronate</i> ..... 195               | <i>anastrozole</i> ..... 18                        |
| <i>acetazolamide</i> ..... 198         | <i>alfuzosin</i> .....174                  | ANKTIVA.....18                                     |
| <i>acetazolamide sodium</i> .....198   | <i>aliskiren</i> ..... 93                  | ANORO ELLIPTA.....202                              |
| <i>acetic acid</i> .....166            | <i>allopurinol</i> ..... 56                | <i>aprepitant</i> ..... 59                         |
| <i>acetylcysteine</i> .....204         | <i>alosetron</i> ..... 194                 | APRETUDE..... 71                                   |
| <i>acitretin</i> .....108              | <i>alprazolam</i> .....8                   | <i>apri</i> ..... 99                               |
| ACTEMRA.....180                        | ALREX..... 168                             | APTIVUS..... 71                                    |
| ACTEMRA ACTPEN..... 180                | <i>altavera (28)</i> ..... 98              | AQINJECT PEN NEEDLE..... 115                       |
| ACTHAR.....177                         | ALTRENO.....113                            | ARCALYST..... 181                                  |
| ACTHAR SELFJECT..... 177, 178          | ALUNBRIG.....18                            | AREXVY (PF)..... 188                               |
| ACTHIB (PF)..... 188                   | ALVAIZ..... 80                             | ARIKAYCE.....10                                    |
| ACTIMMUNE.....196                      | <i>alyacen 1/35 (28)</i> .....98           | <i>aripiprazole</i> ..... 63                       |
| <i>acyclovir</i> ..... 78, 108         | <i>alyacen 7/7/7 (28)</i> .....98          | ARISTADA..... 64                                   |
| <i>acyclovir sodium</i> .....78        | ALYFTREK..... 204                          | ARISTADA INITIO.....64                             |
| ADACEL(TDAP                            | <i>alyq</i> ..... 206                      | <i>armodafinil</i> ..... 206                       |
| ADOLESN/ADULT)(PF)..... 188            | <i>amantadine hcl</i> ..... 61, 62         | ARNUITY ELLIPTA.....201                            |
| <i>adapalene</i> .....113              | <i>amethyst (28)</i> ..... 98              | <i>asenapine maleate</i> ..... 64                  |
| <i>adefovir</i> .....78                | <i>amikacin</i> .....10                    | <i>aspirin-dipyridamole</i> ..... 81               |
| ADEMPAS.....206                        | <i>amiloride</i> .....90                   | ASSURE ID DUO PRO SFTY                             |
| <i>adrucil</i> ..... 18                | <i>amiloride-hydrochlorothiazide</i> ...90 | PEN NDL..... 115                                   |
| ADVAIR HFA.....201                     | <i>amiodarone</i> .....85                  | ASSURE ID DUO-SHIELD .... 115                      |
| ADVOCATE PEN NEEDLE... 114             | <i>amitriptyline</i> ..... 45              |                                                    |
|                                        | <i>amlodipine</i> ..... 89                 |                                                    |

|                                      |        |                                     |     |                                          |          |
|--------------------------------------|--------|-------------------------------------|-----|------------------------------------------|----------|
| ASSURE ID INSULIN SAFETY.....        | 115    | <i>azurette (28)</i> .....          | 99  | <i>benazepril</i> .....                  | 84       |
| ASSURE ID PEN NEEDLE.....            | 115    | <i>bacitracin</i> .....             | 166 | <i>benazepril-hydrochlorothiazide</i> .. | 84       |
| ASSURE ID PRO PEN NEEDLE.....        | 115    | <i>bacitracin-polymyxin b</i> ..... | 166 | <i>bendamustine</i> .....                | 19       |
| ASTAGRAF XL.....                     | 181    | <i>baclofen</i> .....               | 205 | BENDAMUSTINE.....                        | 19       |
| <i>atazanavir</i> .....              | 71     | <i>bal-care dha</i> .....           | 207 | BENDEKA.....                             | 19       |
| <i>atenolol</i> .....                | 86     | <i>bal-care dha essential</i> ..... | 207 | BENLYSTA.....                            | 181      |
| <i>atenolol-chlorthalidone</i> ..... | 86     | <i>balsalazide</i> .....            | 194 | <i>benztropine</i> .....                 | 62       |
| <i>atomoxetine</i> .....             | 94     | BALVERSA.....                       | 19  | BESREMI.....                             | 181      |
| <i>atorvastatin</i> .....            | 91     | BAQSIMI.....                        | 196 | <i>betaine</i> .....                     | 196      |
| <i>atovaquone</i> .....              | 60     | BCG VACCINE, LIVE (PF)....          | 188 | <i>betamethasone dipropionate</i> ....   | 110      |
| <i>atovaquone-proguanil</i> .....    | 60     | BD ALCOHOL SWABS.....               | 117 | <i>betamethasone valerate</i> .....      | 110      |
| <i>atropine</i> .....                | 165    | BD AUTOSHIELD DUO PEN NEEDLE.....   | 116 | <i>betamethasone, augmented</i><br>..... | 110, 111 |
| ATROVENT HFA.....                    | 203    | BD ECLIPSE LUER-LOK.....            | 116 | BETASERON.....                           | 95       |
| <i>aubra eq</i> .....                | 99     | BD INSULIN SYRINGE.....             | 116 | <i>betaxolol</i> .....                   | 198      |
| AUGTYRO.....                         | 18     | BD INSULIN SYRINGE (HALF UNIT)..... | 116 | <i>bethanechol chloride</i> .....        | 173      |
| <i>aurovela 1.5/30 (21)</i> .....    | 99     | BD INSULIN SYRINGE SLIP TIP.....    | 116 | <i>bexarotene</i> .....                  | 19       |
| <i>aurovela 1/20 (21)</i> .....      | 99     | BD INSULIN SYRINGE ULTRA-FINE.....  | 116 | BEXSERO.....                             | 189      |
| <i>aurovela 24 fe</i> .....          | 99     | BD NANO 2ND GEN PEN NEEDLE.....     | 116 | <i>bicalutamide</i> .....                | 19       |
| <i>aurovela fe 1.5/30 (28)</i> ..... | 99     | BD SAFETYGLIDE INSULIN SYRINGE..... | 117 | BICILLIN L-A.....                        | 15       |
| <i>aurovela fe 1-20 (28)</i> .....   | 99     | BD SAFETYGLIDE SYRINGE.....         | 117 | BIKTARVY.....                            | 71       |
| AUSTEDO.....                         | 94     | BD ULTRA-FINE MICRO PEN NEEDLE..... | 117 | <i>bimatoprost</i> .....                 | 198      |
| AUSTEDO XR.....                      | 94, 95 | BD ULTRA-FINE MINI PEN NEEDLE.....  | 117 | <i>bisoprolol fumarate</i> .....         | 86       |
| AUSTEDO XR TITRATION KT(WK1-4).....  | 95     | BD ULTRA-FINE NANO PEN NEEDLE.....  | 117 | <i>bisoprolol-hydrochlorothiazide</i> .. | 86       |
| AUTOSHIELD DUO PEN NEEDLE.....       | 116    | BD ULTRA-FINE ORIG PEN NEEDLE.....  | 117 | BIZENGRI.....                            | 19       |
| AUVELITY.....                        | 45     | BD ULTRA-FINE SHORT PEN NEEDLE..... | 118 | <i>bleomycin</i> .....                   | 19       |
| <i>aviane</i> .....                  | 99     | BD VEO INSULIN SYR (HALF UNIT)..... | 118 | <i>blisovi 24 fe</i> .....               | 99       |
| AVMAPKI.....                         | 18     | BD VEO INSULIN SYRINGE UF.....      | 118 | <i>blisovi fe 1.5/30 (28)</i> .....      | 99       |
| AVMAPKI-FAKZYNJA.....                | 19     | BELSOMRA.....                       | 206 | <i>blisovi fe 1/20 (28)</i> .....        | 99       |
| AVONEX.....                          | 95     |                                     |     | BOOSTRIX TDAP.....                       | 189      |
| AXTLE.....                           | 19     |                                     |     | BORDERED GAUZE.....                      | 118      |
| <i>ayuna</i> .....                   | 99     |                                     |     | <i>bortezomib</i> .....                  | 19       |
| AYVAKIT.....                         | 19     |                                     |     | BORUZU.....                              | 20       |
| <i>azacitidine</i> .....             | 19     |                                     |     | <i>bosentan</i> .....                    | 207      |
| <i>azathioprine</i> .....            | 181    |                                     |     | BOSULIF.....                             | 20       |
| <i>azathioprine sodium</i> .....     | 181    |                                     |     | BRAFTOVI.....                            | 20       |
| <i>azelastine</i> .....              | 165    |                                     |     | BREO ELLIPTA.....                        | 201      |
| <i>azithromycin</i> .....            | 13     |                                     |     | <i>breyana</i> .....                     | 201      |
| <i>aztreonam</i> .....               | 13     |                                     |     | BREZTRI AEROSPHERE.....                  | 203      |
|                                      |        |                                     |     | BRILINTA.....                            | 81       |
|                                      |        |                                     |     | <i>brimonidine</i> .....                 | 198      |
|                                      |        |                                     |     | <i>brimonidine-timolol</i> .....         | 198      |

|                                            |               |                                            |                                           |             |
|--------------------------------------------|---------------|--------------------------------------------|-------------------------------------------|-------------|
| <i>brinzolamide</i> .....                  | 198           | CARETOUCH PEN NEEDLE                       | <i>ciprofloxacin-dexamethasone</i> ...    | 166         |
| BRIVIACT.....                              | 38            | .....                                      | <i>citalopram</i> .....                   | 45          |
| <i>bromfenac</i> .....                     | 168           | <i>carglumic acid</i> .....                | <i>clarithromycin</i> .....               | 13          |
| <i>bromocriptine</i> .....                 | 62            | <i>carteolol</i> .....                     | CLENPIQ.....                              | 172         |
| BRONCHITOL.....                            | 204           | <i>cartia xt</i> .....                     | CLICKFINE PEN NEEDLE                      |             |
| BRUKINSA.....                              | 20            | <i>carvedilol</i> .....                    | .....                                     | 119, 132    |
| <i>budesonide</i> .....                    | 194, 195, 201 | CAYSTON.....                               | <i>clindamycin hcl</i> .....              | 10          |
| <i>budesonide-formoterol</i> .....         | 201           | <i>cefaclor</i> .....                      | <i>clindamycin phosphate</i> .....        | 10, 57, 109 |
| <i>bumetanide</i> .....                    | 90            | <i>cefadroxil</i> .....                    | <i>clindamycin-benzoyl peroxide</i> ..    | 110         |
| <i>buprenorphine</i> .....                 | 3             | <i>cefazolin</i> .....                     | CLINIMIX 6%-D5W                           |             |
| <i>buprenorphine hcl</i> .....             | 7             | <i>cefdinir</i> .....                      | (SULFITE-FREE).....                       | 82          |
| <i>buprenorphine-naloxone</i> .....        | 7             | <i>cefepime</i> .....                      | CLINIMIX 8%-                              |             |
| <i>bupropion hcl</i> .....                 | 45            | <i>cefixime</i> .....                      | D10W(SULFITE-FREE).....                   | 82          |
| <i>bupropion hcl (smoking deter)</i> ..... | 8             | <i>cefoxitin</i> .....                     | CLINIMIX 8%-                              |             |
| <i>buspirone</i> .....                     | 196           | <i>cefpodoxime</i> .....                   | D14W(SULFITE-FREE).....                   | 82          |
| <i>butalbital-acetaminop-caf-cod</i> ..... | 3             | <i>cefprozil</i> .....                     | CLINIMIX E 8%-D10W                        |             |
| <i>butalbital-acetaminophen-caff</i> ..... | 3             | <i>ceftazidime</i> .....                   | SULFITEFREE.....                          | 82          |
| CABENUVA.....                              | 71            | <i>ceftriaxone</i> .....                   | CLINIMIX E 8%-D14W                        |             |
| <i>cabergoline</i> .....                   | 62            | <i>cefuroxime axetil</i> .....             | SULFITEFREE.....                          | 82          |
| CABOMETYX.....                             | 20            | <i>cefuroxime sodium</i> .....             | <i>clobazam</i> .....                     | 39          |
| <i>cabotegravir</i> .....                  | 71            | <i>celecoxib</i> .....                     | <i>clobetasol</i> .....                   | 111         |
| <i>calcipotriene</i> .....                 | 109           | <i>cephalexin</i> .....                    | <i>clobetasol-emollient</i> .....         | 111         |
| <i>calcitonin (salmon)</i> .....           | 195           | <i>cevimeline</i> .....                    | <i>clomipramine</i> .....                 | 45          |
| <i>calcitriol</i> .....                    | 195           | <i>chateal eq (28)</i> .....               | <i>clonazepam</i> .....                   | 8, 9        |
| <i>calcium acetate(phosphat bind)</i>      | 173           | <i>chlordiazepoxide hcl</i> .....          | <i>clonidine</i> .....                    | 82          |
| CALQUENCE.....                             | 20            | <i>chlorhexidine gluconate</i> .....       | <i>clonidine hcl</i> .....                | 82          |
| CALQUENCE                                  |               | <i>chloroquine phosphate</i> .....         | <i>clopidogrel</i> .....                  | 81          |
| (ACALABRUTINIB MAL).....                   | 20            | <i>chlorpromazine</i> .....                | <i>clorazepate dipotassium</i> .....      | 9           |
| <i>camila</i> .....                        | 99            | <i>chlorthalidone</i> .....                | <i>clotrimazole</i> .....                 | 54          |
| CAMZYOS.....                               | 88            | <i>cholestyramine (with sugar)</i> .....   | <i>clotrimazole-betamethasone</i> .....   | 54          |
| <i>candesartan</i> .....                   | 83            | <i>cholestyramine light</i> .....          | <i>clozapine</i> .....                    | 64          |
| <i>candesartan-hydrochlorothiazid</i>      | 83            | <i>ciclopirox</i> .....                    | <i>c-nate dha</i> .....                   | 207         |
| CAPLYTA.....                               | 64            | <i>cilostazol</i> .....                    | COARTEM.....                              | 61          |
| CAPRELSA.....                              | 20            | CIMDUO.....                                | COBENFY.....                              | 65          |
| <i>captopril</i> .....                     | 84            | <i>cimetidine hcl</i> .....                | COBENFY STARTER PACK...                   | 65          |
| <i>carbamazepine</i> .....                 | 38, 39        | CIMZIA.....                                | <i>colchicine</i> .....                   | 56          |
| <i>carbidopa-levodopa</i> .....            | 62            | CIMZIA POWDER FOR                          | <i>colesevelam</i> .....                  | 91          |
| CAREFINE PEN NEEDLE.....                   | 118           | RECONST.....                               | <i>colestipol</i> .....                   | 91          |
| CARETOUCH ALCOHOL                          |               | <i>cinacalcet</i> .....                    | <i>colistin (colistimethate na)</i> ..... | 10          |
| PREP PAD.....                              | 118           | CINQAIR.....                               | COMBIVENT RESPIMAT.....                   | 203         |
| CARETOUCH INSULIN                          |               | <i>ciprofloxacin hcl</i> .....             | COMETRIQ.....                             | 20          |
| SYRINGE.....                               | 119           | <i>ciprofloxacin in 5 % dextrose</i> ..... |                                           |             |

|                                        |                    |                                                       |          |                                                       |           |
|----------------------------------------|--------------------|-------------------------------------------------------|----------|-------------------------------------------------------|-----------|
| COMFORT EZ INSULIN<br>SYRINGE.....     | 119, 120, 121, 122 | <i>d5 % (d-glucose)-0.9 % sodchlr</i><br>.....        | 199      | <i>dextroamphetamine-</i><br><i>amphetamine</i> ..... | 95        |
| COMFORT EZ PEN<br>NEEDLES.....         | 120, 121           | <i>d5 % and 0.9 % sodium</i><br><i>chloride</i> ..... | 199      | <i>dextrose 5 % in water (d5w)</i> .....              | 82        |
| COMFORT EZ PRO SAFETY<br>PEN NDL.....  | 121                | <i>d5 %-0.45 % sodium chloride..</i>                  | 199      | DIACOMIT .....                                        | 39        |
| COMFORT TOUCH PEN<br>NEEDLE.....       | 122                | <i>dabigatran etexilate</i> .....                     | 78       | <i>diazepam</i> .....                                 | 9, 39     |
| <i>completenate</i> .....              | 207                | <i>dalfampridine</i> .....                            | 95       | <i>diazepam intensol</i> .....                        | 9         |
| <i>compro</i> .....                    | 59                 | <i>danazol</i> .....                                  | 174      | <i>diazoxide</i> .....                                | 197       |
| <i>constulose</i> .....                | 171                | <i>dantrolene</i> .....                               | 206      | <i>diclofenac epolamine</i> .....                     | 5         |
| COPIKTRA .....                         | 21                 | DANYELZA .....                                        | 21       | <i>diclofenac potassium</i> .....                     | 5         |
| CORLANOR .....                         | 88                 | DANZITEN .....                                        | 21       | <i>diclofenac sodium</i> .....                        | 5, 6, 169 |
| CORTROPHIN GEL .....                   | 178                | <i>dapsone</i> .....                                  | 59       | <i>diclofenac-misoprostol</i> .....                   | 6         |
| COSENTYX .....                         | 181, 196           | DAPTACEL (DTAP<br>PEDIATRIC) (PF) .....               | 189      | <i>dicloxacillin</i> .....                            | 15        |
| COSENTYX (2 SYRINGES)...               | 181                | <i>daptomycin</i> .....                               | 11       | <i>dicyclomine</i> .....                              | 171       |
| COSENTYX PEN (2 PENS)....              | 181                | <i>darunavir</i> .....                                | 71       | <i>didanosine</i> .....                               | 72        |
| COSENTYX UNOREADY<br>PEN .....         | 181                | <i>dasatinib</i> .....                                | 21       | DIFICID .....                                         | 13        |
| COTELLIC .....                         | 21                 | <i>dasetta 1/35 (28)</i> .....                        | 100      | <i>difluprednate</i> .....                            | 169       |
| CREON .....                            | 164                | <i>dasetta 7/7/7 (28)</i> .....                       | 100      | <i>digoxin</i> .....                                  | 88        |
| CRESEMBA .....                         | 54                 | DATROWAY .....                                        | 21       | <i>dihydroergotamine</i> .....                        | 57        |
| <i>cromolyn</i> .....                  | 165, 171, 204      | DAURISMO .....                                        | 21       | <i>diltiazem hcl</i> .....                            | 87        |
| <i>cryselle (28)</i> .....             | 99                 | <i>deblitane</i> .....                                | 100      | <i>dilt-xr</i> .....                                  | 87        |
| CURAD GAUZE PAD .....                  | 122                | <i>decitabine</i> .....                               | 21       | <i>dimethyl fumarate</i> .....                        | 95        |
| CURITY ALCOHOL SWABS                   | 122                | <i>deferasirox</i> .....                              | 174      | <i>diphenoxylate-atropine</i> .....                   | 171       |
| CURITY GAUZE .....                     | 122, 123           | DELSTRIGO .....                                       | 72       | <i>dipyridamole</i> .....                             | 81        |
| <i>cyclafem 1/35 (28)</i> .....        | 99                 | <i>demeclocycline</i> .....                           | 17       | <i>disulfiram</i> .....                               | 8         |
| <i>cyclafem 7/7/7 (28)</i> .....       | 100                | DENG VAXIA (PF) .....                                 | 189      | <i>divalproex</i> .....                               | 39        |
| <i>cyclobenzaprine</i> .....           | 206                | <i>denta 5000 plus</i> .....                          | 108      | <i>dofetilide</i> .....                               | 85        |
| <i>cyclophosphamide</i> .....          | 21                 | <i>dentagel</i> .....                                 | 108      | <i>dolishale</i> .....                                | 100       |
| <i>cyclosporine</i> .....              | 168, 182           | DEPO-SUBQ PROVERA                                     | 104, 179 | <i>donepezil</i> .....                                | 44        |
| <i>cyclosporine modified</i> .....     | 182                | DERMACEA .....                                        | 123      | <i>dorzolamide</i> .....                              | 198       |
| CYLTEZO(CF) .....                      | 182                | DERMACEA NON-WOVEN..                                  | 123      | <i>dorzolamide-timolol</i> .....                      | 198       |
| CYLTEZO(CF) PEN .....                  | 182                | <i>dermacinrx lidocan</i> .....                       | 7        | DOVATO .....                                          | 72        |
| CYLTEZO(CF) PEN<br>CROHN'S-UC-HS ..... | 182                | DESCOVY .....                                         | 72       | <i>doxazosin</i> .....                                | 82        |
| CYLTEZO(CF) PEN<br>PSORIASIS-UV .....  | 182                | <i>desipramine</i> .....                              | 45       | <i>doxepin</i> .....                                  | 45        |
| <i>cyred eq</i> .....                  | 100                | <i>desmopressin</i> .....                             | 178      | <i>doxorubicin, peg-liposomal</i> .....               | 21        |
|                                        |                    | <i>desog-e.estradiol/e.estradiol</i> ....             | 100      | <i>doxy-100</i> .....                                 | 17        |
|                                        |                    | <i>desogestrel-ethinyl estradiol</i> ....             | 100      | <i>doxycycline hyclate</i> .....                      | 17        |
|                                        |                    | <i>desvenlafaxine succinate</i> .....                 | 45       | <i>doxycycline monohydrate</i> .....                  | 17        |
|                                        |                    | <i>dexamethasone</i> .....                            | 176      | DRIZALMA SPRINKLE .....                               | 46        |
|                                        |                    | <i>dexamethasone sodium</i><br><i>phosphate</i> ..... | 168, 176 | <i>dronabinol</i> .....                               | 59        |
|                                        |                    |                                                       |          | DROPLET INSULIN<br>SYR(HALF UNIT) .....               | 123, 124  |

|                          |                                            |                                          |          |
|--------------------------|--------------------------------------------|------------------------------------------|----------|
| DROPLET INSULIN          | EASY TOUCH SAFETY PEN                      | ENBREL SURECLICK.....                    | 183      |
| SYRINGE.....             | NEEDLE.....                                | <i>endocet</i> .....                     | 3        |
| DROPLET MICRON PEN       | EASY TOUCH                                 | ENGERIX-B (PF).....                      | 189      |
| NEEDLE.....              | SHEATHLOCK INSULIN                         | ENGERIX-B PEDIATRIC (PF)                 |          |
| DROPLET PEN NEEDLE       | .....                                      | .....                                    | 189      |
| .....                    | EASY TOUCH UNI-SLIP.....                   | <i>enilloring</i> .....                  | 100      |
| DROPSAFE ALCOHOL PREP    | <i>econazole nitrate</i> .....             | <i>enoxaparin</i> .....                  | 79       |
| PADS.....                | EDURANT.....                               | <i>enpresse</i> .....                    | 100      |
| DROPSAFE INSULIN         | EDURANT PED.....                           | <i>enskyce</i> .....                     | 100      |
| SYRINGE.....             | <i>efavirenz</i> .....                     | <i>entacapone</i> .....                  | 62       |
| DROPSAFE PEN NEEDLE..... | <i>efavirenz-emtricitabin-tenofov</i> ...  | <i>entecavir</i> .....                   | 78       |
| <i>droxidopa</i> .....   | <i>efavirenz-lamivu-tenofov disop</i> ...  | ENTRESTO SPRINKLE.....                   | 83       |
| DUAVEE.....              | ELAHERE.....                               | <i>enulose</i> .....                     | 171      |
| <i>duloxetine</i> .....  | ELEPSIA XR.....                            | EPCLUSA.....                             | 77       |
| DUPIXENT PEN.....        | ELIGARD.....                               | EPIDIOLEX.....                           | 39       |
| DUPIXENT SYRINGE.....    | ELIGARD (3 MONTH).....                     | <i>epinastine</i> .....                  | 165      |
| <i>dutasteride</i> ..... | ELIGARD (4 MONTH).....                     | <i>epinephrine</i> .....                 | 88       |
| EASY COMFORT ALCOHOL     | ELIGARD (6 MONTH).....                     | <i>epitol</i> .....                      | 39       |
| PAD.....                 | <i>elimest</i> .....                       | EPIVIR HBV.....                          | 72       |
| EASY COMFORT INSULIN     | ELIQUIS.....                               | EPKINLY.....                             | 22       |
| SYRINGE.....             | ELIQUIS DVT-PE TREAT                       | <i>eplerenone</i> .....                  | 93       |
| EASY COMFORT PEN         | 30D START.....                             | EPRONTIA.....                            | 39       |
| NEEDLES.....             | ELREXFIO.....                              | ERBITUX.....                             | 22       |
| EASY COMFORT SAFETY      | <i>eltrombopag olamine</i> .....           | <i>ergoloid</i> .....                    | 44       |
| PEN NEEDLE.....          | <i>eluryng</i> .....                       | ERIVEDGE.....                            | 22       |
| EASY GLIDE INSULIN       | EMBRACE PEN NEEDLE                         | ERLEADA.....                             | 22       |
| SYRINGE.....             | .....                                      | <i>erlotinib</i> .....                   | 22, 23   |
| EASY GLIDE PEN NEEDLE..  | EMCYT.....                                 | <i>errin</i> .....                       | 100      |
| EASY TOUCH.....          | EMGALITY PEN.....                          | <i>ertapenem</i> .....                   | 14       |
| EASY TOUCH ALCOHOL       | EMGALITY SYRINGE.....                      | <i>erythromycin</i> .....                | 13, 166  |
| PREP PADS.....           | <i>emoquette</i> .....                     | <i>erythromycin ethylsuccinate</i> ..... | 13       |
| EASY TOUCH FLIPLOCK      | EMRELIS.....                               | <i>erythromycin with ethanol</i> .....   | 110      |
| INSULIN.....             | EMSAM.....                                 | ERZOFRI.....                             | 65       |
| EASY TOUCH FLIPLOCK      | <i>emtricitabine</i> .....                 | <i>escitalopram oxalate</i> .....        | 46       |
| SYRINGE.....             | <i>emtricitabine-tenofov</i> ir (tdf)..... | <i>eslicarbazepine</i> .....             | 39, 40   |
| EASY TOUCH INSULIN       | <i>emtricitabine-tenofov</i> ir (tdf)..... | <i>esomeprazole magnesium</i> .....      | 170      |
| SAFETY SYR.....          | EMTRIVA.....                               | <i>estarylla</i> .....                   | 100      |
| EASY TOUCH INSULIN       | <i>emzahn</i> .....                        | <i>estradiol</i> .....                   | 175, 176 |
| SYRINGE.....             | <i>enalapril maleate</i> .....             | <i>estradiol-norethindrone acet</i> .... | 176      |
| EASY TOUCH LUER LOCK     | <i>enalapril-hydrochlorothiazide</i> ....  | <i>eszopiclone</i> .....                 | 206      |
| INSULIN.....             | ENBREL.....                                | <i>ethambutol</i> .....                  | 59       |
| EASY TOUCH PEN NEEDLE    | ENBREL MINI.....                           | <i>ethosuximide</i> .....                | 40       |
| 130                      |                                            |                                          |          |

|                                           |        |                                            |                    |                                            |              |
|-------------------------------------------|--------|--------------------------------------------|--------------------|--------------------------------------------|--------------|
| <i>ethynodiol diac-eth estradiol</i> .... | 101    | FETZIMA.....                               | 46                 | <i>fosphenytoin</i> .....                  | 40           |
| <i>etodolac</i> .....                     | 6      | FIASP FLEXTOUCH U-100                      |                    | FOTIVDA.....                               | 23           |
| <i>etonogestrel-ethinyl estradiol</i> ... | 101    | INSULIN.....                               | 51                 | FREESTYLE PRECISION.....                   | 132          |
| ETOPOPHOS.....                            | 23     | FIASP PENFILL U-100                        |                    | FRUZAQLA.....                              | 23, 24       |
| <i>etoposide</i> .....                    | 23     | INSULIN.....                               | 51                 | <i>fulvestrant</i> .....                   | 24           |
| <i>etravirine</i> .....                   | 72     | FIASP U-100 INSULIN.....                   | 51                 | <i>furosemide</i> .....                    | 90           |
| EUCRISA.....                              | 111    | <i>fidaxomicin</i> .....                   | 13                 | FUZEON.....                                | 73           |
| EULEXIN.....                              | 23     | <i>finasteride</i> .....                   | 174                | FYARRO.....                                | 24           |
| <i>everolimus (antineoplastic)</i> .....  | 23     | <i>finingolimod</i> .....                  | 96                 | FYCOMPA.....                               | 40           |
| <i>everolimus</i>                         |        | FINTEPLA.....                              | 40                 | <i>gabapentin</i> .....                    | 40           |
| <i>(immunosuppressive)</i> .....          | 183    | FIRMAGON KIT W                             |                    | <i>galantamine</i> .....                   | 44           |
| EVOTAZ.....                               | 73     | DILUENT SYRINGE.....                       | 23                 | <i>gallifrey</i> .....                     | 179          |
| <i>exemestane</i> .....                   | 23     | <i>flavoxate</i> .....                     | 173                | GAMUNEX-C.....                             | 183          |
| EXTENCILLINE.....                         | 15     | <i>flecainide</i> .....                    | 85                 | GARDASIL 9 (PF).....                       | 189          |
| EYSUVIS.....                              | 169    | <i>floxuridine</i> .....                   | 23                 | GAUZE PAD.....                             | 132          |
| <i>ezetimibe</i> .....                    | 91     | <i>fluconazole</i> .....                   | 55                 | <i>gavilyte-c</i> .....                    | 172          |
| <i>ezetimibe-simvastatin</i> .....        | 91, 92 | <i>fluconazole in nacl (iso-osm)</i> ..... | 55                 | <i>gavilyte-g</i> .....                    | 172          |
| FAKZYNJA.....                             | 23     | <i>flucytosine</i> .....                   | 55                 | <i>gavilyte-n</i> .....                    | 172          |
| <i>falmina (28)</i> .....                 | 101    | <i>fludrocortisone</i> .....               | 177                | GAVRETO.....                               | 24           |
| <i>famciclovir</i> .....                  | 78     | <i>flunisolide</i> .....                   | 169                | <i>gefitinib</i> .....                     | 24           |
| <i>famotidine</i> .....                   | 170    | <i>fluocinolone</i> .....                  | 111                | <i>gemfibrozil</i> .....                   | 92           |
| FANAPT.....                               | 65     | <i>fluocinolone acetonide oil</i> .....    | 169                | <i>generlac</i> .....                      | 171          |
| FANAPT TITRATION PACK                     |        | <i>fluocinonide</i> .....                  | 111                | <i>engraf</i> .....                        | 183          |
| A.....                                    | 65     | <i>fluoride (sodium)</i> .....             | 108                | <i>gentak</i> .....                        | 166          |
| FANAPT TITRATION PACK                     |        | <i>fluorometholone</i> .....               | 169                | <i>gentamicin</i> .....                    | 10, 110, 166 |
| B.....                                    | 65     | <i>fluorouracil</i> .....                  | 23, 109            | <i>gentamicin sulfate (ped) (pf)</i> ..... | 10           |
| FANAPT TITRATION PACK                     |        | <i>fluoxetine</i> .....                    | 46                 | <i>gentamicin sulfate (pf)</i> .....       | 10           |
| C.....                                    | 65     | <i>fluphenazine decanoate</i> .....        | 65                 | GENVOYA.....                               | 73           |
| FARXIGA.....                              | 48     | <i>fluphenazine hcl</i> .....              | 65, 66             | GILOTRIF.....                              | 24           |
| FASENRA.....                              | 204    | <i>flurbiprofen</i> .....                  | 6                  | <i>glatiramer</i> .....                    | 96           |
| FASENRA PEN.....                          | 204    | <i>flurbiprofen sodium</i> .....           | 169                | <i>glatopa</i> .....                       | 96           |
| <i>febuxostat</i> .....                   | 56     | <i>flutamide</i> .....                     | 23                 | GLEOSTINE.....                             | 24           |
| <i>feirza</i> .....                       | 101    | <i>fluticasone propionate</i>              |                    | <i>glimepiride</i> .....                   | 53           |
| <i>felbamate</i> .....                    | 40     | .....                                      | 111, 169, 201, 202 | <i>glipizide</i> .....                     | 53, 54       |
| <i>felodipine</i> .....                   | 89     | <i>fluticasone propion-salmeterol</i>      | 202                | <i>glipizide-metformin</i> .....           | 54           |
| <i>femynor</i> .....                      | 101    | <i>fluvastatin</i> .....                   | 92                 | <i>glutamine (sickle cell)</i> .....       | 197          |
| <i>fenofibrate</i> .....                  | 92     | <i>fluvoxamine</i> .....                   | 46                 | <i>glyburide</i> .....                     | 54           |
| <i>fenofibrate micronized</i> .....       | 92     | <i>folivane-ob</i> .....                   | 207                | <i>glyburide micronized</i> .....          | 54           |
| <i>fenofibrate nanocrystallized</i> ..... | 92     | <i>fondaparinux</i> .....                  | 79                 | <i>glyburide-metformin</i> .....           | 54           |
| <i>fentanyl</i> .....                     | 4      | <i>fosamprenavir</i> .....                 | 73                 | <i>glycopyrrolate</i> .....                | 171          |
| <i>fentanyl citrate</i> .....             | 3      | <i>fosinopril</i> .....                    | 84                 | <i>glydo</i> .....                         | 7            |
| <i>fesoterodine</i> .....                 | 173    | <i>fosinopril-hydrochlorothiazide</i> ...  | 84                 | GLYXAMBI.....                              | 48           |

|                                          |          |                                         |               |                                             |        |
|------------------------------------------|----------|-----------------------------------------|---------------|---------------------------------------------|--------|
| GOMEKLI.....                             | 24       | HUMIRA(CF) PEN CROHNS-UC-HS.....        | 183           | IMOVAX RABIES VACCINE (PF).....             | 190    |
| <i>griseofulvin microsize</i> .....      | 55       | HUMIRA(CF) PEN PEDIATRIC UC.....        | 184           | IMPAVIDO.....                               | 61     |
| <i>griseofulvin ultramicrosize</i> ..... | 55       | HUMIRA(CF) PEN PSOR-UV-ADOL HS.....     | 184           | <i>incassia</i> .....                       | 101    |
| <i>guanfacine</i> .....                  | 83, 96   | HUMULIN R U-500 (CONC) INSULIN.....     | 51            | INCONTROL ALCOHOL PADS.....                 | 134    |
| GVOKE.....                               | 197      | HUMULIN R U-500 (CONC) KWIKPEN.....     | 51            | INCONTROL PEN NEEDLE..                      | 134    |
| GVOKE HYPOPEN 2-PACK..                   | 197      | <i>hydralazine</i> .....                | 89            | INCRELEX.....                               | 178    |
| GVOKE PFS 1-PACK SYRINGE.....            | 197      | <i>hydrochlorothiazide</i> .....        | 90            | <i>indapamide</i> .....                     | 90     |
| HAEGARDA.....                            | 80       | <i>hydrocodone-acetaminophen</i> .....  | 4             | <i>indomethacin</i> .....                   | 6      |
| <i>hailey 24 fe</i> .....                | 101      | <i>hydrocortisone</i> .....             | 112, 177, 195 | INFANRIX (DTAP) (PF).....                   | 190    |
| <i>hailey fe 1.5/30 (28)</i> .....       | 101      | <i>hydrocortisone valerate</i> .....    | 112           | <i>infliximab</i> .....                     | 184    |
| <i>hailey fe 1/20 (28)</i> .....         | 101      | <i>hydrocortisone-acetic acid</i> ..... | 166           | INGREZZA.....                               | 96     |
| <i>halobetasol propionate</i> .....      | 111      | <i>hydromorphone</i> .....              | 4             | INGREZZA INITIATION PK(TARDIV).....         | 96     |
| <i>haloette</i> .....                    | 101      | <i>hydroxychloroquine</i> .....         | 61            | INGREZZA SPRINKLE.....                      | 96     |
| <i>haloperidol</i> .....                 | 66       | <i>hydroxyurea</i> .....                | 24            | INLYTA.....                                 | 25     |
| <i>haloperidol decanoate</i> .....       | 66       | <i>hydroxyzine hcl</i> .....            | 56            | INPEN (FOR HUMALOG) BLUE.....               | 134    |
| <i>haloperidol lactate</i> .....         | 66       | <i>hydroxyzine pamoate</i> .....        | 197           | INPEN (NOVOLOG OR FIASP) BLUE.....          | 135    |
| HARVONI.....                             | 77       | <i>ibandronate</i> .....                | 195           | INQOVI.....                                 | 26     |
| HAVRIX (PF).....                         | 189, 190 | IBRANCE.....                            | 24, 25        | INREBIC.....                                | 26     |
| HEALTHWISE INSULIN SYRINGE.....          | 133, 134 | IBTROZI.....                            | 25            | <i>insulin asp prt-insulin aspart</i> ..... | 51     |
| HEALTHWISE PEN NEEDLE                    | 134      | <i>ibu</i> .....                        | 6             | <i>insulin aspart u-100</i> .....           | 51, 52 |
| HEALTHY ACCENTS UNIFINE PENTIP.....      | 134      | <i>ibuprofen</i> .....                  | 6             | <i>insulin glargine-yfgn</i> .....          | 52     |
| <i>heather</i> .....                     | 101      | <i>icatibant</i> .....                  | 89            | INSULIN SYR/NDL U100 HALF MARK.....         | 135    |
| <i>heparin (porcine)</i> .....           | 79       | <i>iclevia</i> .....                    | 101           | INSULIN SYRINGE.....                        | 117    |
| HEPLISAV-B (PF).....                     | 190      | ICLUSIG.....                            | 25            | INSULIN SYRINGE MICROFINE.....              | 116    |
| HERCEPTIN HYLECTA.....                   | 24       | <i>icosapent ethyl</i> .....            | 92            | INSULIN SYRINGE NEEDLELESS.....             | 136    |
| HERNEXEOS.....                           | 24       | IDHIFA.....                             | 25            | INSULIN SYRINGE-NEEDLE U-100.....           | 136    |
| HERZUMA.....                             | 24       | <i>ifosfamide</i> .....                 | 25            | 132, 135, 136, 141, 143, 145, 150, 154, 155 |        |
| HIBERIX (PF).....                        | 190      | ILEVRO.....                             | 169           | INSULIN U-500 SYRINGE-NEEDLE.....           | 136    |
| HUMIRA.....                              | 183      | <i>imatinib</i> .....                   | 25            | INSUPEN PEN NEEDLE 136, 137                 |        |
| HUMIRA PEN.....                          | 183      | IMBRUVICA.....                          | 25            | INTELENCE.....                              | 73     |
| HUMIRA PEN CROHNS-UC-HS START.....       | 183      | IMDELLTRA.....                          | 25            | INTRON A.....                               | 78     |
| HUMIRA PEN PSOR- UVEITS-ADOL HS.....     | 183      | <i>imipenem-cilastatin</i> .....        | 14            |                                             |        |
| HUMIRA(CF).....                          | 184      | <i>imipramine hcl</i> .....             | 46            |                                             |        |
| HUMIRA(CF) PEDI CROHNS STARTER.....      | 183      | <i>imiquimod</i> .....                  | 109           |                                             |        |
| HUMIRA(CF) PEN.....                      | 184      | IMJUDO.....                             | 25            |                                             |        |
|                                          |          | IMKELDI.....                            | 25            |                                             |        |

|                                          |          |                                        |        |                                           |        |
|------------------------------------------|----------|----------------------------------------|--------|-------------------------------------------|--------|
| <i>introvale</i> .....                   | 101      | <i>junel fe 1/20 (28)</i> .....        | 102    | LANTUS U-100 INSULIN.....                 | 52     |
| INVEGA HAFYERA.....                      | 66       | <i>junel fe 24</i> .....               | 102    | <i>lapatinib</i> .....                    | 27     |
| INVEGA SUSTENNA.....                     | 66, 67   | JYLAMVO.....                           | 26     | <i>larin 1.5/30 (21)</i> .....            | 102    |
| INVEGA TRINZA.....                       | 67       | JYNNEOS (PF).....                      | 190    | <i>larin 1/20 (21)</i> .....              | 102    |
| INVELTYS.....                            | 169      | KALETRA.....                           | 73     | <i>larin 24 fe</i> .....                  | 102    |
| IPOL.....                                | 190      | KALYDECO.....                          | 204    | <i>larin fe 1.5/30 (28)</i> .....         | 102    |
| <i>ipratropium bromide</i> .....         | 166, 203 | <i>kariva (28)</i> .....               | 102    | <i>larin fe 1/20 (28)</i> .....           | 103    |
| <i>ipratropium-albuterol</i> .....       | 203      | <i>kelnor 1/35 (28)</i> .....          | 102    | <i>larissia</i> .....                     | 103    |
| <i>irbesartan</i> .....                  | 83       | <i>kelnor 1/50 (28)</i> .....          | 102    | <i>latanoprost</i> .....                  | 198    |
| <i>irbesartan-hydrochlorothiazide</i> .. | 83       | KERENDIA.....                          | 93     | LAZCLUZE.....                             | 27     |
| ISENTRESS.....                           | 73       | KESIMPTA PEN.....                      | 96     | <i>leflunomide</i> .....                  | 184    |
| ISENTRESS HD.....                        | 73       | <i>ketoconazole</i> .....              | 55     | <i>lenalidomide</i> .....                 | 27     |
| <i>isibloom</i> .....                    | 101      | <i>ketorolac</i> .....                 | 6, 169 | LENTOCILIN S.....                         | 15     |
| <i>isoniazid</i> .....                   | 59       | KEYTRUDA.....                          | 26     | LENVIMA.....                              | 27     |
| ISOPROPYL ALCOHOL.....                   | 109      | KIMMTRAK.....                          | 26     | <i>lessina</i> .....                      | 103    |
| <i>isosorbide dinitrate</i> .....        | 93       | KINERET.....                           | 184    | <i>letrozole</i> .....                    | 27     |
| <i>isosorbide mononitrate</i> .....      | 93, 94   | KINRIX (PF).....                       | 190    | <i>leucovorin calcium</i> .....           | 197    |
| ITOVEBI.....                             | 26       | <i>kionex (with sorbitol)</i> .....    | 171    | LEUKERAN.....                             | 27     |
| <i>itraconazole</i> .....                | 55       | KISQALI.....                           | 27     | <i>leuprolide</i> .....                   | 27     |
| IV PREP WIPES.....                       | 137      | KISQALI FEMARA CO-<br>PACK.....        | 26     | <i>leuprolide (3 month)</i> .....         | 27     |
| <i>ivabradine</i> .....                  | 89       | KLISYRI (250 MG).....                  | 109    | <i>levetiracetam</i> .....                | 40, 41 |
| <i>ivermectin</i> .....                  | 61       | <i>klor-con m10</i> .....              | 199    | <i>levobunolol</i> .....                  | 198    |
| IWILFIN.....                             | 26       | <i>klor-con m15</i> .....              | 199    | <i>levocetirizine</i> .....               | 57     |
| IXIARO (PF).....                         | 190      | <i>klor-con m20</i> .....              | 199    | <i>levofloxacin</i> .....                 | 16     |
| JAKAFI.....                              | 26       | KLOXXADO.....                          | 8      | <i>levofloxacin in d5w</i> .....          | 16     |
| <i>jantoven</i> .....                    | 79       | KOSELUGO.....                          | 27     | <i>levonest (28)</i> .....                | 103    |
| JANUMET.....                             | 48       | <i>kosher prenatal plus iron</i> ..... | 207    | <i>levonorgest-eth.estradiol-iron</i> ..  | 103    |
| JANUMET XR.....                          | 48       | KRAZATI.....                           | 27     | <i>levonorgestrel-ethinyl estrad</i> .... | 103    |
| JANUVIA.....                             | 48       | <i>kurvelo (28)</i> .....              | 102    | <i>levonorg-eth estrad triphasic</i> .... | 103    |
| JARDIANCE.....                           | 48       | KYLEENA.....                           | 102    | <i>levora-28</i> .....                    | 103    |
| <i>javygtor</i> .....                    | 164      | KYNMOBI.....                           | 62     | <i>levothyroxine</i> .....                | 180    |
| JAYPIRCA.....                            | 26       | <i>labetalol</i> .....                 | 86     | LEXIVA.....                               | 73     |
| JEMPERLI.....                            | 26       | <i>lacosamide</i> .....                | 40     | LIBERVANT.....                            | 41     |
| <i>jencycla</i> .....                    | 101      | <i>lactulose</i> .....                 | 171    | <i>lidocaine</i> .....                    | 7      |
| JENTADUETO.....                          | 49       | <i>lamivudine</i> .....                | 73     | <i>lidocaine hcl</i> .....                | 7      |
| JENTADUETO XR.....                       | 49       | <i>lamivudine-zidovudine</i> .....     | 73     | <i>lidocaine viscous</i> .....            | 7      |
| <i>jolessa</i> .....                     | 102      | <i>lamotrigine</i> .....               | 40     | <i>lidocaine-prilocaine</i> .....         | 7      |
| <i>juleber</i> .....                     | 102      | <i>lanreotide</i> .....                | 178    | <i>lidocan iii</i> .....                  | 7      |
| JULUCA.....                              | 73       | <i>lansoprazole</i> .....              | 170    | LILETTA.....                              | 103    |
| <i>junel 1.5/30 (21)</i> .....           | 102      | LANTUS SOLOSTAR U-100<br>INSULIN.....  | 52     | <i>lillow (28)</i> .....                  | 103    |
| <i>junel 1/20 (21)</i> .....             | 102      |                                        |        | <i>linezolid</i> .....                    | 11     |
| <i>junel fe 1.5/30 (28)</i> .....        | 102      |                                        |        | <i>linezolid in dextrose 5%</i> .....     | 11     |

|                                            |          |                                |                                            |             |
|--------------------------------------------|----------|--------------------------------|--------------------------------------------|-------------|
| LINZESS.....                               | 171      | LUTRATE DEPOT (3               | MAYZENT.....                               | 97          |
| <i>liothyronine</i> .....                  | 180      | MONTH).....                    | MAYZENT STARTER(FOR                        |             |
| LISCO.....                                 | 137      | LYBALVI.....                   | 1MG MAINT).....                            | 97          |
| <i>lisinopril</i> .....                    | 85       | <i>lyleq</i> .....             | MAYZENT STARTER(FOR                        |             |
| <i>lisinopril-hydrochlorothiazide</i> .... | 85       | LYNOZYFIC.....                 | 2MG MAINT).....                            | 97          |
| LITE TOUCH INSULIN PEN                     |          | LYNPARZA.....                  | <i>meclizine</i> .....                     | 59, 60      |
| NEEDLES.....                               | 137      | LYSODREN.....                  | <i>medroxyprogesterone</i> .....           | 180         |
| LITE TOUCH INSULIN                         |          | LYTGOBI.....                   | <i>mefloquine</i> .....                    | 61          |
| SYRINGE.....                               | 137, 138 | <i>lyza</i> .....              | <i>megestrol</i> .....                     | 29, 180     |
| <i>lithium carbonate</i> .....             | 96       | MAGELLAN INSULIN               | MEKINIST.....                              | 29          |
| <i>lithium citrate</i> .....               | 96       | SAFETY SYRNG.....              | MEKTOVI.....                               | 29          |
| LIVTENCITY.....                            | 76       | MAGELLAN SYRINGE.....          | <i>meleya</i> .....                        | 104         |
| LOKELMA.....                               | 171      | <i>magnesium sulfate</i> ..... | <i>meloxicam</i> .....                     | 6           |
| LONSURF.....                               | 28       | <i>malathion</i> .....         | <i>memantine</i> .....                     | 44          |
| <i>loperamide</i> .....                    | 171      | <i>maraviroc</i> .....         | MENACTRA (PF).....                         | 190         |
| <i>lopinavir-ritonavir</i> .....           | 73, 74   | MARGENZA.....                  | MENQUADFI (PF).....                        | 190         |
| LOQTORZI.....                              | 28       | <i>marlissa (28)</i> .....     | MENVEO A-C-Y-W-135-DIP                     |             |
| <i>lorazepam</i> .....                     | 9        | <i>marnatal-f</i> .....        | (PF).....                                  | 190         |
| <i>lorazepam intensol</i> .....            | 9        | MARPLAN.....                   | <i>mercaptopurine</i> .....                | 29          |
| LORBRENA.....                              | 28       | MATULANE.....                  | <i>meropenem</i> .....                     | 14          |
| <i>losartan</i> .....                      | 83       | MAVENCLAD (10 TABLET           | <i>mesalamine</i> .....                    | 195         |
| <i>losartan-hydrochlorothiazide</i> ....   | 83       | PACK).....                     | <i>mesna</i> .....                         | 197         |
| LOTEMAX.....                               | 169      | MAVENCLAD (4 TABLET            | <i>metformin</i> .....                     | 49          |
| LOTEMAX SM.....                            | 169      | PACK).....                     | <i>methadone</i> .....                     | 4           |
| <i>loteprednol etabonate</i> .....         | 169      | MAVENCLAD (5 TABLET            | <i>methazolamide</i> .....                 | 198         |
| <i>lovastatin</i> .....                    | 92       | PACK).....                     | <i>methenamine hippurate</i> .....         | 11          |
| <i>low-ogestrel (28)</i> .....             | 103      | MAVENCLAD (6 TABLET            | <i>methimazole</i> .....                   | 180         |
| <i>loxapine succinate</i> .....            | 67       | PACK).....                     | <i>methocarbamol</i> .....                 | 206         |
| <i>lubiprostone</i> .....                  | 171      | MAVENCLAD (7 TABLET            | <i>methotrexate sodium</i> .....           | 29          |
| LUMAKRAS.....                              | 28       | PACK).....                     | <i>methotrexate sodium (pf)</i> .....      | 29          |
| LUMIGAN.....                               | 198      | MAVENCLAD (8 TABLET            | <i>methoxsalen</i> .....                   | 109         |
| LUNSUMIO.....                              | 28       | PACK).....                     | <i>methsuximide</i> .....                  | 41          |
| LUPRON DEPOT.....                          | 28, 178  | MAVENCLAD (9 TABLET            | <i>methylphenidate hcl</i> .....           | 97          |
| LUPRON DEPOT (3 MONTH)                     |          | PACK).....                     | <i>methylprednisolone</i> .....            | 177         |
| .....                                      | 28, 178  | MAXICOMFORT II PEN             | <i>methylprednisolone acetate</i> .....    | 177         |
| LUPRON DEPOT (4 MONTH).28                  |          | NEEDLE.....                    | <i>metoclopramide hcl</i> .....            | 172         |
| LUPRON DEPOT (6 MONTH).28                  |          | MAXICOMFORT INSULIN            | <i>metolazone</i> .....                    | 90          |
| LUPRON DEPOT-PED.....                      | 178      | SYRINGE.....                   | <i>metoprolol succinate</i> .....          | 86          |
| LUPRON DEPOT-PED (3                        |          | MAXI-COMFORT INSULIN           | <i>metoprolol tartrate</i> .....           | 86          |
| MONTH).....                                | 178      | SYRINGE.....                   | <i>metronidazole</i> .....                 | 11, 57, 110 |
| <i>lurasidone</i> .....                    | 67       | MAXICOMFORT SAFETY             | <i>metronidazole in nacl (iso-os)</i> .... | 11          |
| <i>lutra (28)</i> .....                    | 103      | PEN NEEDLE.....                | <i>metyrosine</i> .....                    | 89          |

|                                         |          |                                          |         |                                          |          |
|-----------------------------------------|----------|------------------------------------------|---------|------------------------------------------|----------|
| <i>micafungin</i> .....                 | 55       | MORPHINE.....                            | 4       | <i>neomycin-polymyxin-gramicidin</i>     |          |
| <i>miconazole-3</i> .....               | 55       | <i>morphine concentrate</i> .....        | 4       | .....                                    | 167      |
| MICRODOT INSULIN PEN                    |          | MOUNJARO.....                            | 49      | <i>neomycin-polymyxin-hc</i> .....       | 167      |
| NEEDLE.....                             | 139      | MOVANTIK.....                            | 172     | <i>neo-polycin</i> .....                 | 167      |
| MICRODOT READYGARD                      |          | <i>moxifloxacin</i> .....                | 16, 166 | <i>neo-polycin hc</i> .....              | 167      |
| PEN NEEDLE.....                         | 139      | <i>moxifloxacin-sod.ace,sul-water</i> .. | 16      | NERLYNX.....                             | 30       |
| <i>microgestin 1.5/30 (21)</i> .....    | 104      | <i>moxifloxacin-sod.chloride(iso)</i> .. | 16      | <i>neuac</i> .....                       | 110      |
| <i>microgestin 1/20 (21)</i> .....      | 104      | MRESVIA (PF).....                        | 191     | NEULASTA ONPRO.....                      | 80       |
| <i>microgestin 24 fe</i> .....          | 104      | MULTAQ.....                              | 85      | <i>nevirapine</i> .....                  | 74       |
| <i>microgestin fe 1.5/30 (28)</i> ..... | 104      | <i>mupirocin</i> .....                   | 110     | <i>newgen</i> .....                      | 208      |
| <i>microgestin fe 1/20 (28)</i> .....   | 104      | MVASI.....                               | 30      | NEXLETOL.....                            | 92       |
| <i>midodrine</i> .....                  | 83       | <i>mycophenolate mofetil</i> .....       | 184     | NEXLIZET.....                            | 92       |
| MIEBO (PF).....                         | 166      | <i>mycophenolate mofetil (hcl)</i> ..... | 184     | NEXPLANON.....                           | 104      |
| <i>mifepristone</i> .....               | 49       | <i>mycophenolate sodium</i> .....        | 184     | <i>niacin</i> .....                      | 92       |
| <i>mili</i> .....                       | 104      | <i>mynatal</i> .....                     | 208     | <i>niacor</i> .....                      | 92       |
| <i>mimvey</i> .....                     | 176      | <i>mynatal advance</i> .....             | 208     | NICOTROL NS.....                         | 8        |
| MINI ULTRA-THIN II.....                 | 139      | <i>mynatal plus</i> .....                | 208     | <i>nifedipine</i> .....                  | 89, 90   |
| <i>minitran</i> .....                   | 94       | <i>mynatal-z</i> .....                   | 208     | NIKTIMVO.....                            | 184      |
| <i>minocycline</i> .....                | 17       | <i>mynatal 90 plus</i> .....             | 208     | <i>nilutamide</i> .....                  | 30       |
| <i>minoxidil</i> .....                  | 94       | MYRBETRIQ.....                           | 173     | NINLARO.....                             | 30       |
| MIPLYFFA.....                           | 164      | <i>nabumetone</i> .....                  | 6       | <i>nitazoxanide</i> .....                | 61       |
| MIRENA.....                             | 104      | <i>nafcilin</i> .....                    | 15      | <i>nitisinone</i> .....                  | 164      |
| <i>mirtazapine</i> .....                | 46, 47   | <i>naloxone</i> .....                    | 8       | <i>nitrofurantoin macrocrystal</i> ..... | 11       |
| <i>misoprostol</i> .....                | 170      | <i>naltrexone</i> .....                  | 8       | <i>nitrofurantoin monohyd/m-cryst</i> .. | 11       |
| <i>mitoxantrone</i> .....               | 30       | NANO 2ND GEN PEN                         |         | <i>nitroglycerin</i> .....               | 94, 197  |
| M-M-R II (PF).....                      | 190      | NEEDLE.....                              | 141     | <i>niva-plus</i> .....                   | 208      |
| <i>m-natal plus</i> .....               | 208      | NANO PEN NEEDLE.....                     | 141     | NIVESTYM.....                            | 81       |
| <i>modafinil</i> .....                  | 206      | <i>naproxen</i> .....                    | 6       | NORDITROPIN FLEXPOR.....                 | 179      |
| MODEYSO.....                            | 30       | <i>naratriptan</i> .....                 | 58      | <i>norelgestromin-ethin.estradiol</i> .. | 104      |
| <i>moexipril</i> .....                  | 85       | NATACYN.....                             | 166     | <i>norethindrone (contraceptive)</i> ..  | 104      |
| <i>molindone</i> .....                  | 67       | <i>nateglinide</i> .....                 | 49      | <i>norethindrone acetate</i> .....       | 180      |
| <i>mometasone</i> .....                 | 112, 169 | NATPARA.....                             | 195     | <i>norethindrone-e.estradiol-iron</i>    |          |
| MONOJECT INSULIN                        |          | NAYZILAM.....                            | 41      | .....                                    | 104, 105 |
| SAFETY SYRING.....                      | 140, 141 | <i>nebivolol</i> .....                   | 86      | <i>norgestimate-ethinyl estradiol</i> .. | 105      |
| MONOJECT INSULIN                        |          | <i>nefazodone</i> .....                  | 47      | <i>norlyda</i> .....                     | 105      |
| SYRINGE.....                            | 140, 141 | <i>neomycin</i> .....                    | 10      | <i>nortrel 1/35 (21)</i> .....           | 105      |
| MONOJECT SYRINGE.....                   | 140      | <i>neomycin-bacitracin-poly-hc</i> ....  | 167     | <i>nortrel 1/35 (28)</i> .....           | 105      |
| MONOJECT ULTRA                          |          | <i>neomycin-bacitracin-polymyxin</i> ..  | 167     | <i>nortrel 7/7/7 (28)</i> .....          | 105      |
| COMFORT INSULIN.....                    | 157      | <i>neomycin-polymyxin b-</i>             |         | <i>nortriptyline</i> .....               | 47       |
| <i>mono-lynyah</i> .....                | 104      | <i>dexameth</i> .....                    | 167     | NORVIR.....                              | 74       |
| <i>montelukast</i> .....                | 202      |                                          |         | NOVOFINE 30.....                         | 141      |
| <i>morphine</i> .....                   | 4        |                                          |         | NOVOFINE 32.....                         | 141      |

|                                             |          |                                          |                                       |                         |
|---------------------------------------------|----------|------------------------------------------|---------------------------------------|-------------------------|
| NOVOFINE PLUS.....                          | 141      | <i>olmesartan-hydrochlorothiazide</i> 83 | <i>oseltamivir</i> .....              | 76                      |
| NOVOLIN 70/30 U-100                         |          | <i>olopatadine</i> .....                 | OSEVELT.....                          | 196                     |
| INSULIN.....                                | 52       | <i>omega-3 acid ethyl esters</i> .....   | OTEZLA.....                           | 185                     |
| NOVOLIN 70-30 FLEXPEN                       |          | <i>omeprazole</i> .....                  | OTEZLA STARTER.....                   | 185                     |
| U-100.....                                  | 52       | OMNIPOD 5 (G6/LIBRE 2                    | <i>oxandrolone</i> .....              | 175                     |
| NOVOLIN N FLEXPEN.....                      | 52       | PLUS).....                               | <i>oxcarbazepine</i> .....            | 41                      |
| NOVOLIN N NPH U-100                         |          | OMNIPOD 5 G6-G7 INTRO                    | <i>oxybutynin chloride</i> .....      | 173                     |
| INSULIN.....                                | 52       | KT(GEN5).....                            | <i>oxycodone</i> .....                | 5                       |
| NOVOLIN R FLEXPEN.....                      | 52       | OMNIPOD 5 G6-G7 PODS                     | <i>oxycodone-acetaminophen</i> .....  | 5                       |
| NOVOLIN R REGULAR U100                      |          | (GEN 5).....                             | OZEMPIC.....                          | 49                      |
| INSULIN.....                                | 52       | OMNIPOD 5                                | <i>pacerone</i> .....                 | 85                      |
| NOVOTWIST.....                              | 141      | INTRO(G6/LIBRE2PLUS).....                | <i>paclitaxel protein-bound</i> ..... | 31                      |
| NUBEQA.....                                 | 30       | OMNIPOD CLASSIC PDM                      | <i>paliperidone</i> .....             | 68                      |
| NUCALA.....                                 | 204, 205 | KIT(GEN 3).....                          | PANRETIN.....                         | 109                     |
| NULOJIX.....                                | 184      | OMNIPOD CLASSIC PODS                     | <i>pantoprazole</i> .....             | 170, 171                |
| NUPLAZID.....                               | 67       | (GEN 3).....                             | <i>paricalcitol</i> .....             | 196                     |
| NURTEC ODT.....                             | 58       | OMNIPOD DASH INTRO KIT                   | <i>paromomycin</i> .....              | 61                      |
| <i>nyamyc</i> .....                         | 55       | (GEN 4).....                             | <i>paroxetine hcl</i> .....           | 47                      |
| <i>nylia 1/35 (28)</i> .....                | 105      | OMNIPOD DASH PDM KIT                     | PAXLOVID.....                         | 76, 77                  |
| <i>nylia 7/7/7 (28)</i> .....               | 105      | (GEN 4).....                             | <i>pazopanib</i> .....                | 31                      |
| <i>nymyo</i> .....                          | 105      | OMNIPOD DASH PODS                        | PEDIARIX (PF).....                    | 191                     |
| <i>nystatin</i> .....                       | 55, 56   | (GEN 4).....                             | PEDVAX HIB (PF).....                  | 191                     |
| <i>nystatin-triamcinolone</i> .....         | 56       | ONAPGO.....                              | <i>peg 3350-electrolytes</i> .....    | 172                     |
| <i>nystop</i> .....                         | 56       | <i>ondansetron</i> .....                 | PEGASYS.....                          | 78                      |
| NYVEPRIA.....                               | 81       | <i>ondansetron hcl</i> .....             | <i>peg-electrolyte soln</i> .....     | 172                     |
| <i>obstetrix dha</i> .....                  | 208      | ONTRUZANT.....                           | PEMAZYRE.....                         | 31                      |
| <i>obstetrix dha prenatal duo</i> .....     | 208      | ONUREG.....                              | <i>pemetrexed disodium</i> .....      | 31                      |
| <i>o-cal prenatal</i> .....                 | 208      | OPDIVO.....                              | PEMRYDI RTU.....                      | 31                      |
| OCREVUS.....                                | 97       | OPDIVO QVANTIG.....                      | PEN NEEDLE.....                       | 142, 143                |
| OCREVUS ZUNOVO.....                         | 97       | OPDUALAG.....                            | PEN NEEDLE, DIABETIC                  |                         |
| <i>octreotide acetate</i> .....             | 179      | OPIPZA.....                              | .....                                 | 122, 133, 139, 142, 145 |
| ODEFSEY.....                                | 74       | OPSUMIT.....                             | PEN NEEDLE, DIABETIC,                 |                         |
| ODOMZO.....                                 | 30       | ORENCIA.....                             | SAFETY.....                           | 146                     |
| OFEV.....                                   | 205      | ORENCIA (WITH MALTOSE)                   | PENBRAYA (PF).....                    | 191                     |
| <i>ofloxacin</i> .....                      | 167      | .....                                    | PENBRAYA MENACWY                      |                         |
| OGIVRI.....                                 | 30       | ORENCIA CLICKJECT.....                   | COMPONENT(PF).....                    | 191                     |
| OGSIVEO.....                                | 30       | ORFADIN.....                             | PENBRAYA MENB                         |                         |
| OJEMDA.....                                 | 30       | ORGOVYX.....                             | COMPONENT (PF).....                   | 191                     |
| OJJAARA.....                                | 30       | ORILISSA.....                            | <i>penicillamine</i> .....            | 174                     |
| <i>olanzapine</i> .....                     | 68       | ORKAMBI.....                             | <i>penicillin g potassium</i> .....   | 15                      |
| <i>olmesartan</i> .....                     | 83       | <i>orquidea</i> .....                    | <i>penicillin g procaine</i> .....    | 15                      |
| <i>olmesartan-amlodipin-hcthiazid</i> ..... | 83       | ORSERDU.....                             | <i>penicillin v potassium</i> .....   | 15, 16                  |

|                                         |          |                                          |     |                                              |          |
|-----------------------------------------|----------|------------------------------------------|-----|----------------------------------------------|----------|
| PENMENVY MEN A-B-C-W-Y (PF).....        | 191      | <i>polymyxin b sulf-trimethoprim</i> ..  | 167 | PREZCOBIX.....                               | 74       |
| PENMENVY MENACWY COMPONENT(PF).....     | 191      | POMALYST.....                            | 31  | PREZISTA.....                                | 74       |
| PENMENVY MENB COMPONENT (PF).....       | 191      | <i>portia 28</i> .....                   | 105 | PRIFTIN.....                                 | 59       |
| PENTACEL (PF).....                      | 192      | <i>posaconazole</i> .....                | 56  | PRIMAQUINE.....                              | 61       |
| <i>pentamidine</i> .....                | 61       | <i>potassium chloride</i> .....          | 200 | <i>primidone</i> .....                       | 42       |
| PENTIPS PEN NEEDLE.....                 | 143      | <i>potassium citrate</i> .....           | 200 | PRIORIX (PF).....                            | 192      |
| <i>pentoxifylline</i> .....             | 81       | <i>pr natal 400</i> .....                | 208 | PRO COMFORT ALCOHOL PADS.....                | 144      |
| <i>perampanel</i> .....                 | 41       | <i>pr natal 400 ec</i> .....             | 208 | PRO COMFORT INSULIN SYRINGE.....             | 143, 144 |
| <i>perindopril erbumine</i> .....       | 85       | <i>pr natal 430</i> .....                | 208 | PRO COMFORT PEN NEEDLE.....                  | 144      |
| <i>periogard</i> .....                  | 108      | <i>pr natal 430 ec</i> .....             | 208 | <i>probenecid</i> .....                      | 56       |
| <i>permethrin</i> .....                 | 113      | <i>pramipexole</i> .....                 | 62  | <i>probenecid-colchicine</i> .....           | 56       |
| <i>perphenazine</i> .....               | 68       | <i>prasugrel hcl</i> .....               | 81  | PROCALAMINE 3%.....                          | 82       |
| <i>perphenazine-amitriptyline</i> ..... | 47       | <i>pravastatin</i> .....                 | 93  | <i>prochlorperazine</i> .....                | 60       |
| PERSERIS.....                           | 68       | <i>praziquantel</i> .....                | 61  | <i>prochlorperazine edisylate</i> ... 60, 68 |          |
| <i>phenelzine</i> .....                 | 47       | <i>prazosin</i> .....                    | 83  | <i>prochlorperazine maleate</i> .....        | 60       |
| <i>phenobarbital</i> .....              | 41       | <i>prednisolone</i> .....                | 177 | <i>procto-med hc</i> .....                   | 112      |
| PHENYTEK.....                           | 41       | <i>prednisolone acetate</i> .....        | 170 | <i>proctosol hc</i> .....                    | 112      |
| <i>phenytoin</i> .....                  | 41       | <i>prednisolone sodium phosphate</i> 177 |     | <i>proctozone-hc</i> .....                   | 112      |
| <i>phenytoin sodium</i> .....           | 42       | <i>prednisone</i> .....                  | 177 | PRODIGY INSULIN SYRINGE.....                 | 144      |
| <i>phenytoin sodium extended</i> .....  | 42       | <i>pregabalin</i> .....                  | 42  | <i>progesterone micronized</i> .....         | 180      |
| PIFELTRO.....                           | 74       | PREHEVBRIO (PF).....                     | 192 | PROGRAF.....                                 | 185      |
| <i>pilocarpine hcl</i> .....            | 108, 199 | PREMARIN.....                            | 176 | PROLIA.....                                  | 196      |
| <i>pimecrolimus</i> .....               | 112      | PREMPHASE.....                           | 176 | <i>promethazine</i> .....                    | 60       |
| <i>pimozide</i> .....                   | 68       | PREMPRO.....                             | 176 | <i>promethegan</i> .....                     | 60       |
| <i>pimtree (28)</i> .....               | 105      | <i>prenal true</i> .....                 | 209 | <i>propafenone</i> .....                     | 86       |
| <i>pioglitazone</i> .....               | 49       | <i>prenaissance</i> .....                | 209 | <i>propranolol</i> .....                     | 87       |
| <i>pioglitazone-metformin</i> .....     | 50       | <i>prenaissance plus</i> .....           | 209 | <i>propylthiouracil</i> .....                | 180      |
| PIP PEN NEEDLE.....                     | 143      | <i>prenatabs fa</i> .....                | 209 | PROQUAD (PF).....                            | 192      |
| <i>piperacillin-tazobactam</i> .....    | 16       | <i>prenatal 19</i> .....                 | 209 | <i>protiptyline</i> .....                    | 47       |
| PIQRAY.....                             | 31       | <i>prenatal 19 (with docusate)</i> ..... | 209 | PULMOZYME.....                               | 165      |
| <i>pirfenidone</i> .....                | 205      | <i>prenatal low iron</i> .....           | 209 | PURE COMFORT ALCOHOL PADS.....               | 144      |
| <i>pirmella</i> .....                   | 105      | <i>prenatal plus</i> .....               | 209 | PURE COMFORT PEN NEEDLE.....                 | 144, 145 |
| <i>pitavastatin calcium</i> .....       | 93       | <i>prenatal plus (calcium carb)</i> .... | 208 | PURE COMFORT SAFETY PEN NEEDLE.....          | 144      |
| PLEGRIDY.....                           | 98       | <i>prenatal vitamin plus low iron</i> .. | 209 | <i>pyrazinamide</i> .....                    | 59       |
| <i>pnv 29-1</i> .....                   | 208      | <i>prenatal-u</i> .....                  | 209 | <i>pyridostigmine bromide</i> .....          | 197      |
| <i>pnv-dha + docusate</i> .....         | 208      | <i>preplus</i> .....                     | 209 |                                              |          |
| <i>pnv-omega</i> .....                  | 208      | <i>pretab</i> .....                      | 209 |                                              |          |
| <i>podofilox</i> .....                  | 109      | <i>prevalite</i> .....                   | 93  |                                              |          |
| <i>polycin</i> .....                    | 167      | PREVENT DROPSAFE PEN NEEDLE.....         | 143 |                                              |          |
|                                         |          | <i>previfem</i> .....                    | 106 |                                              |          |
|                                         |          | PREVYMIS.....                            | 77  |                                              |          |

|                                          |     |                                       |          |                                          |        |
|------------------------------------------|-----|---------------------------------------|----------|------------------------------------------|--------|
| <i>pyrimethamine</i> .....               | 61  | <i>risperidone</i> .....              | 69       | <i>select-ob (folic acid)</i> .....      | 209    |
| QINLOCK.....                             | 32  | <i>risperidone microspheres</i> ..... | 69       | <i>selegiline hcl</i> .....              | 62, 63 |
| QUADRACEL (PF).....                      | 192 | <i>ritonavir</i> .....                | 75       | <i>selenium sulfide</i> .....            | 110    |
| <i>quetiapine</i> .....                  | 68  | RITUXAN HYCELA.....                   | 32       | SELZENTRY.....                           | 75     |
| <i>quinapril</i> .....                   | 85  | <i>rivaroxaban</i> .....              | 79       | SEMGLEE(INSULIN                          |        |
| <i>quinapril-hydrochlorothiazide</i> ... | 85  | <i>rivastigmine</i> .....             | 45       | GLARGINE-YFGN).....                      | 52     |
| <i>quinidine sulfate</i> .....           | 86  | <i>rivastigmine tartrate</i> .....    | 44       | SEMGLEE(INSULIN GLARG-                   |        |
| <i>quinine sulfate</i> .....             | 61  | <i>rizatriptan</i> .....              | 58       | YFGN)PEN.....                            | 53     |
| QULIPTA.....                             | 58  | <i>r-natal ob</i> .....               | 209      | <i>se-natal 19 chewable</i> .....        | 209    |
| RABAVERT (PF).....                       | 192 | ROCKLATAN.....                        | 199      | SEREVENT DISKUS.....                     | 203    |
| <i>rabeprazole</i> .....                 | 171 | <i>roflumilast</i> .....              | 205      | SEROSTIM.....                            | 179    |
| RALDESY.....                             | 47  | ROMVIMZA.....                         | 32       | <i>sertraline</i> .....                  | 47     |
| <i>raloxifene</i> .....                  | 176 | <i>ropinirole</i> .....               | 62       | <i>setlakin</i> .....                    | 106    |
| <i>ramipril</i> .....                    | 85  | <i>rosadan</i> .....                  | 110      | <i>sevelamer carbonate</i> .....         | 173    |
| <i>ranolazine</i> .....                  | 89  | <i>rosuvastatin</i> .....             | 93       | <i>sevelamer hcl</i> .....               | 173    |
| <i>rasagiline</i> .....                  | 62  | ROTARIX.....                          | 192, 193 | SEZABY.....                              | 42     |
| RASUVO (PF).....                         | 185 | ROTATEQ VACCINE.....                  | 193      | <i>sf 5000 plus</i> .....                | 108    |
| RAYALDEE.....                            | 196 | ROZLYTREK.....                        | 32       | <i>sharobel</i> .....                    | 106    |
| <i>reclipsen (28)</i> .....              | 106 | RUBRACA.....                          | 33       | SHINGRIX (PF).....                       | 193    |
| RECOMBIVAX HB (PF).....                  | 192 | <i>rufinamide</i> .....               | 42       | SIGNIFOR.....                            | 179    |
| RELENZA DISKHALER.....                   | 77  | RUKOBIA.....                          | 75       | <i>sildenafil (pulm.hypertension)</i> .. | 207    |
| <i>repaglinide</i> .....                 | 50  | RUXIENCE.....                         | 33       | <i>silver sulfadiazine</i> .....         | 110    |
| REPATHA PUSHTRONEX.....                  | 93  | RYBELSUS.....                         | 50       | SIMBRINZA.....                           | 199    |
| REPATHA SURECLICK.....                   | 93  | RYBREVANT.....                        | 33       | <i>simliya (28)</i> .....                | 106    |
| REPATHA SYRINGE.....                     | 93  | RYDAPT.....                           | 33       | SIMPLI PEN NEEDLE.....                   | 133    |
| RETACRIT.....                            | 81  | RYKINDO.....                          | 69       | <i>simvastatin</i> .....                 | 93     |
| RETEVMO.....                             | 32  | RYTELO.....                           | 33       | <i>sirolimus</i> .....                   | 186    |
| RETROVIR.....                            | 74  | <i>sacubitril-valsartan</i> .....     | 84       | SIRTURO.....                             | 59     |
| REVUFORJ.....                            | 32  | SAFESNAP INSULIN                      |          | SKY SAFETY PEN NEEDLE.....               | 146    |
| REXULTI.....                             | 68  | SYRINGE.....                          | 145, 146 | SKYLA.....                               | 106    |
| REYATAZ.....                             | 74  | SAFETY PEN NEEDLE.....                | 146      | SKYRIZI.....                             | 186    |
| REZLIDHIA.....                           | 32  | SANTYL.....                           | 109      | <i>sodium chloride 0.45 %</i> .....      | 200    |
| REZUROCK.....                            | 185 | <i>sapropterin</i> .....              | 165      | <i>sodium chloride 0.9 %</i> .....       | 200    |
| RHOPRESSA.....                           | 199 | SAVELLA.....                          | 98       | <i>sodium fluoride-pot nitrate</i> ..... | 108    |
| RIABNI.....                              | 32  | SCEMBLIX.....                         | 33       | <i>sodium oxybate</i> .....              | 206    |
| <i>ribavirin</i> .....                   | 78  | <i>scopolamine base</i> .....         | 60       | <i>sodium polystyrene sulfonate</i> .... | 172    |
| <i>rifabutin</i> .....                   | 59  | SECUADO.....                          | 69       | <i>sodium,potassium,mag sulfates</i>     | 173    |
| <i>rifampin</i> .....                    | 59  | SECURESAFE INSULIN                    |          | <i>solifenacin</i> .....                 | 174    |
| <i>rilpivirine</i> .....                 | 75  | SYRINGE.....                          | 146      | SOLQUA 100/33.....                       | 53     |
| <i>riluzole</i> .....                    | 98  | SECURESAFE PEN NEEDLE.....            | 146      | SOLTAMOX.....                            | 33     |
| RINVOQ.....                              | 185 | SELARSDI.....                         | 185, 186 | SOMATULINE DEPOT.....                    | 179    |
| RINVOQ LQ.....                           | 185 | <i>select-ob</i> .....                | 209      | SOMAVERT.....                            | 179    |

|                                          |     |                                      |                                            |
|------------------------------------------|-----|--------------------------------------|--------------------------------------------|
| <i>sorafenib</i> .....                   | 33  | SURE COMFORT PEN                     | TECHLITE INSULN                            |
| <i>sorine</i> .....                      | 87  | NEEDLE.....                          | SYR(HALF UNIT).....                        |
| <i>sotalol</i> .....                     | 87  | SURE COMFORT SAFETY                  | TECHLITE PEN NEEDLE                        |
| <i>sotalol af</i> .....                  | 87  | PEN NEEDLE.....                      | .....                                      |
| SPIRIVA RESPIMAT.....                    | 203 | SURE-FINE PEN NEEDLES..              | 149, 150                                   |
| <i>spironolactone</i> .....              | 90  | SURE-JECT INSULIN                    | TECHLITE PLUS PEN                          |
| <i>spironolacton-hydrochlorothiaz</i> .. | 90  | SYRINGE.....                         | NEEDLE.....                                |
| SPRAVATO.....                            | 47  | SURE-PREP ALCOHOL PREP               | TECVAYLI.....                              |
| <i>sprintec (28)</i> .....               | 106 | PADS.....                            | TEFLARO.....                               |
| SPRITAM.....                             | 42  | SUTAB.....                           | <i>telmisartan</i> .....                   |
| <i>sps (with sorbitol)</i> .....         | 172 | SYMPAZAN.....                        | <i>telmisartan-hydrochlorothiazid</i> ..   |
| <i>sronyx</i> .....                      | 106 | SYMTUZA.....                         | <i>temazepam</i> .....                     |
| <i>ssd</i> .....                         | 110 | SYNJARDY.....                        | TEMIXYS.....                               |
| <i>stavudine</i> .....                   | 75  | SYNJARDY XR.....                     | TENIVAC (PF).....                          |
| STELARA.....                             | 186 | SYNRIBO.....                         | <i>tenofovir disoproxil fumarate</i> ..... |
| STERILE PADS.....                        | 146 | SYRINGE WITH NEEDLE,                 | TEPMETKO.....                              |
| STIOLTO RESPIMAT.....                    | 203 | SAFETY.....                          | <i>terazosin</i> .....                     |
| STIVARGA.....                            | 33  | TABLOID.....                         | <i>terbinafine hcl</i> .....               |
| STOBOCLO.....                            | 196 | TABRECTA.....                        | <i>terconazole</i> .....                   |
| STRENSIQ.....                            | 165 | <i>tacrolimus</i> .....              | <i>teriparatide</i> .....                  |
| <i>streptomycin</i> .....                | 10  | <i>tadalafil</i> .....               | TERUMO INSULIN                             |
| STRIBILD.....                            | 75  | TAFINLAR.....                        | SYRINGE.....                               |
| STRIVERDI RESPIMAT.....                  | 203 | <i>tafluprost (pf)</i> .....         | <i>testosterone</i> .....                  |
| <i>subvenite</i> .....                   | 42  | TAGRISO.....                         | <i>testosterone cypionate</i> .....        |
| <i>sucralfate</i> .....                  | 171 | TALVEY.....                          | <i>testosterone enanthate</i> .....        |
| <i>sulfacetamide sodium</i> .....        | 168 | TALZENNA.....                        | TETANUS,DIPHThERIA                         |
| <i>sulfacetamide-prednisolone</i> .....  | 168 | <i>tamoxifen</i> .....               | TOX PED(PF).....                           |
| <i>sulfadiazine</i> .....                | 16  | <i>tamsulosin</i> .....              | <i>tetrabenazine</i> .....                 |
| <i>sulfamethoxazole-trimethoprim</i> ..  | 16  | <i>tarina 24 fe</i> .....            | <i>tetracycline</i> .....                  |
| <i>sulfasalazine</i> .....               | 195 | <i>tarina fe 1-20 eq (28)</i> .....  | TEVIMBRA.....                              |
| <i>sulindac</i> .....                    | 6   | <i>taron-c dha</i> .....             | THALOMID.....                              |
| <i>sumatriptan</i> .....                 | 58  | <i>taron-prex prenatal-dha</i> ..... | <i>theophylline</i> .....                  |
| <i>sumatriptan succinate</i> .....       | 58  | TASIGNA.....                         | THINPRO INSULIN                            |
| <i>sunitinib malate</i> .....            | 33  | TAVNEOS.....                         | SYRINGE.....                               |
| SUNLENCA.....                            | 75  | <i>tazarotene</i> .....              | <i>thioridazine</i> .....                  |
| SURE COMFORT ALCOHOL                     |     | <i>tazicef</i> .....                 | <i>thiothixene</i> .....                   |
| PREP PADS.....                           | 147 | <i>taztia xt</i> .....               | <i>tiadylt er</i> .....                    |
| SURE COMFORT INS. SYR.                   |     | TAZVERIK.....                        | <i>tiagabine</i> .....                     |
| U-100.....                               | 146 | TDVAX.....                           | TIBSOVO.....                               |
| SURE COMFORT INSULIN                     |     | TECHLITE INSULIN                     | <i>ticagrelor</i> .....                    |
| SYRINGE.....                             | 147 | SYRINGE.....                         | TICE BCG.....                              |
|                                          |     |                                      | TICOVAC.....                               |
|                                          |     |                                      | <i>tigecycline</i> .....                   |

|                                         |         |                                          |               |                          |               |
|-----------------------------------------|---------|------------------------------------------|---------------|--------------------------|---------------|
| <i>tilia fe</i> .....                   | 106     | TREMFYA.....                             | 187           | TROGARZO.....            | 76            |
| <i>timolol</i> .....                    | 199     | TREMFYA PEN.....                         | 187           | <i>trosipium</i> .....   | 174           |
| <i>timolol maleate</i> .....            | 87, 199 | TREMFYA PEN INDUCTION                    |               | TRUE COMFORT ALCOHOL     |               |
| <i>tinidazole</i> .....                 | 61      | PK-CROHN.....                            | 187           | PADS.....                | 152           |
| <i>tiotropium bromide</i> .....         | 204     | TRESIBA FLEXTOUCH U-                     |               | TRUE COMFORT INSULIN     |               |
| TIVDAK.....                             | 34      | 100.....                                 | 53            | SYRINGE.....             | 151, 152      |
| TIVICAY.....                            | 75      | TRESIBA FLEXTOUCH U-                     |               | TRUE COMFORT PEN         |               |
| TIVICAY PD.....                         | 75      | 200.....                                 | 53            | NEEDLE.....              | 152           |
| <i>tizanidine</i> .....                 | 206     | TRESIBA U-100 INSULIN.....               | 53            | TRUE COMFORT PRO         |               |
| TOBI PODHALER.....                      | 10      | <i>tretinoin</i> .....                   | 113           | ALCOHOL PADS.....        | 152           |
| <i>tobramycin</i> .....                 | 168     | <i>tretinoin (antineoplastic)</i> .....  | 35            | TRUE COMFORT PRO INS     |               |
| <i>tobramycin in 0.225 % nacl</i> ..... | 10      | <i>tri femynor</i> .....                 | 106           | SYRINGE.....             | 151, 152, 153 |
| <i>tobramycin sulfate</i> .....         | 10      | <i>triamcinolone acetonide</i>           |               | TRUE COMFORT SAFE        |               |
| <i>tobramycin-dexamethasone</i> .....   | 168     | .....                                    | 108, 112, 177 | INSULIN SYRG.....        | 151, 152, 153 |
| <i>tolterodine</i> .....                | 174     | <i>triamterene-hydrochlorothiazid</i> .. | 91            | TRUE COMFORT SAFETY      |               |
| <i>tolvaptan (polycys kidney dis)</i>   |         | <i>triazolam</i> .....                   | 9             | PEN NEEDLE.....          | 151           |
| .....                                   | 90, 91  | <i>trientine</i> .....                   | 174           | TRUEPLUS INSULIN.....    | 153, 154      |
| TOPCARE CLICKFINE.....                  | 151     | <i>tri-estarylla</i> .....               | 106           | TRUEPLUS PEN NEEDLE..... | 153           |
| TOPCARE ULTRA                           |         | <i>trifluoperazine</i> .....             | 69            | TRULICITY.....           | 50            |
| COMFORT.....                            | 151     | <i>trifluridine</i> .....                | 168           | TRUMENBA.....            | 193           |
| <i>topiramate</i> .....                 | 42, 43  | <i>trihexyphenidyl</i> .....             | 63            | TRUQAP.....              | 35            |
| <i>toposar</i> .....                    | 34      | TRIJARDY XR.....                         | 50            | TRUXIMA.....             | 35            |
| <i>toremifene</i> .....                 | 34      | <i>tri-legest fe</i> .....               | 106           | TUKYSA.....              | 35            |
| <i>torpenz</i> .....                    | 34, 35  | <i>tri-lynyah</i> .....                  | 106           | TURALIO.....             | 35            |
| <i>torsemide</i> .....                  | 91      | <i>tri-lo-estarylla</i> .....            | 106           | <i>turqoz (28)</i> ..... | 107           |
| TOUJEO MAX U-300                        |         | <i>tri-lo-marzia</i> .....               | 107           | TWINRIX (PF).....        | 193           |
| SOLOSTAR.....                           | 53      | <i>tri-lo-mili</i> .....                 | 107           | TYBOST.....              | 197           |
| TOUJEO SOLOSTAR U-300                   |         | <i>tri-lo-sprintec</i> .....             | 107           | TYENNE.....              | 187           |
| INSULIN.....                            | 53      | <i>trimethoprim</i> .....                | 11            | TYENNE AUTOINJECTOR..    | 187           |
| TRADJENTA.....                          | 50      | <i>tri-mili</i> .....                    | 107           | TYMLOS.....              | 196           |
| <i>tramadol</i> .....                   | 5       | <i>trimipramine</i> .....                | 47            | TYPHIM VI.....           | 193           |
| <i>tramadol-acetaminophen</i> .....     | 5       | TRINTELLIX.....                          | 48            | UBRELVY.....             | 58            |
| <i>trandolapril</i> .....               | 85      | <i>tri-nymyo</i> .....                   | 107           | ULTICARE.....            | 154, 155      |
| <i>trandolapril-verapamil</i> .....     | 85      | <i>tri-previfem (28)</i> .....           | 107           | ULTICARE INSULIN         |               |
| <i>tranexamic acid</i> .....            | 81      | <i>tri-sprintec (28)</i> .....           | 107           | SYRINGE.....             | 154           |
| <i>tranylcypromine</i> .....            | 47      | TRIUMEQ.....                             | 76            | ULTICARE INSULN          |               |
| <i>travoprost</i> .....                 | 199     | TRIUMEQ PD.....                          | 76            | SYR(HALF UNIT).....      | 154           |
| TRAZIMERA.....                          | 35      | <i>triveen-duo dha</i> .....             | 210           | ULTICARE PEN NEEDLE      |               |
| <i>trazodone</i> .....                  | 47      | <i>trivora (28)</i> .....                | 107           | .....                    | 154, 155      |
| TRECATOR.....                           | 59      | <i>tri-vylibra</i> .....                 | 107           | ULTICARE SAFETY PEN      |               |
| TRELEGY ELLIPTA.....                    | 204     | <i>tri-vylibra lo</i> .....              | 107           | NEEDLE.....              | 155           |
| TRELSTAR.....                           | 35      | TRIZIVIR.....                            | 76            |                          |               |

|                                        |               |                                            |          |                                        |     |
|----------------------------------------|---------------|--------------------------------------------|----------|----------------------------------------|-----|
| ULTIGUARD SAFEPAK-<br>INSULIN SYR..... | 155, 156      | UNIFINE PENTIPS PLUS<br>.....              | 161, 162 | VERIFINE PEN NEEDLE.....               | 163 |
| ULTIGUARD SAFEPAK-<br>PEN NEEDLE.....  | 156           | UNIFINE PENTIPS PLUS<br>MAXFLOW.....       | 161      | VERIFINE PLUS PEN<br>NEEDLE.....       | 163 |
| ULTILET ALCOHOL SWAB.                  | 156           | UNIFINE PROTECT.....                       | 162      | VERIFINE PLUS PEN<br>NEEDLE-SHARP..... | 163 |
| ULTILET INSULIN SYRINGE<br>.....       | 135, 156, 157 | UNIFINE SAFECONTROL<br>PEN NEEDLE.....     | 162      | VERQUVO.....                           | 89  |
| ULTILET PEN NEEDLE.....                | 157           | UNIFINE ULTRA PEN<br>NEEDLE.....           | 162      | VERSACLOZ.....                         | 70  |
| ULTRA CMFT INS SYR<br>(HALF UNIT)..... | 133, 146      | UPTRAVI.....                               | 207      | VERSALON.....                          | 164 |
| ULTRA COMFORT INSULIN<br>SYRINGE.....  | 126, 133, 157 | <i>ursodiol</i> .....                      | 172      | VERZENIO.....                          | 36  |
| ULTRA FLO INSUL<br>SYR(HALF UNIT)..... | 157           | UZEDY.....                                 | 69, 70   | V-GO 20.....                           | 164 |
| ULTRA FLO INSULIN<br>SYRINGE.....      | 158           | <i>valacyclovir</i> .....                  | 78       | V-GO 30.....                           | 164 |
| ULTRA FLO PEN NEEDLE<br>.....          | 157, 158      | VALCHLOR.....                              | 109      | V-GO 40.....                           | 164 |
| ULTRA THIN PEN NEEDLE.                 | 158           | <i>valganciclovir</i> .....                | 78       | <i>vienva</i> .....                    | 107 |
| ULTRACARE INSULIN<br>SYRINGE.....      | 158, 159      | <i>valproate sodium</i> .....              | 43       | <i>vigabatrin</i> .....                | 43  |
| ULTRACARE PEN NEEDLE.                  | 159           | <i>valproic acid</i> .....                 | 43       | <i>vigadrone</i> .....                 | 43  |
| ULTRA-FINE INS SYR<br>(HALF UNIT)..... | 159           | <i>valproic acid (as sodium salt)</i> .... | 43       | <i>vigpoder</i> .....                  | 43  |
| ULTRA-FINE INSULIN<br>SYRINGE.....     | 159, 160      | <i>valsartan</i> .....                     | 84       | <i>vilazodone</i> .....                | 48  |
| ULTRA-FINE PEN NEEDLE<br>.....         | 159, 160      | <i>valsartan-hydrochlorothiazide</i> ...   | 84       | VIMKUNYA.....                          | 194 |
| ULTRA-THIN II (SHORT)<br>INS SYR.....  | 160           | VALTOCO.....                               | 43       | <i>vinorelbine</i> .....               | 36  |
| ULTRA-THIN II (SHORT)<br>PEN NDL.....  | 160           | <i>valtya</i> .....                        | 107      | <i>violele (28)</i> .....              | 107 |
| ULTRA-THIN II INS PEN<br>NEEDLES.....  | 160           | <i>vancomycin</i> .....                    | 11       | VIRACEPT.....                          | 76  |
| ULTRA-THIN II INSULIN<br>SYRINGE.....  | 160           | VANFLYTA.....                              | 35       | VIREAD.....                            | 76  |
| UNIFINE OTC PEN NEEDLE<br>.....        | 160, 161      | VANISHPOINT INSULIN<br>SYRINGE.....        | 163      | <i>virt-c dha</i> .....                | 210 |
| UNIFINE PEN NEEDLE.....                | 161           | VANISHPOINT SYRINGE.....                   | 163      | <i>virt-nate dha</i> .....             | 210 |
| UNIFINE PENTIPS.....                   | 142, 161      | VAQTA (PF).....                            | 194      | <i>virt-pn dha</i> .....               | 210 |
| UNIFINE PENTIPS<br>MAXFLOW.....        | 161           | <i>varenicline tartrate</i> .....          | 8        | <i>virt-pn plus</i> .....              | 210 |
|                                        |               | VARIVAX (PF).....                          | 194      | <i>vitafol gummies</i> .....           | 210 |
|                                        |               | VAXCHORA VACCINE.....                      | 194      | <i>vitafol nano</i> .....              | 210 |
|                                        |               | VEGZELMA.....                              | 35       | <i>vitafol-ob+dha</i> .....            | 210 |
|                                        |               | VELTASSA.....                              | 172      | VITRAKVI.....                          | 36  |
|                                        |               | VEMLIDY.....                               | 76       | VIVIMUSTA.....                         | 36  |
|                                        |               | VENCLEXTA.....                             | 35       | VIVOTIF.....                           | 194 |
|                                        |               | VENCLEXTA STARTING<br>PACK.....            | 36       | VIZIMPRO.....                          | 36  |
|                                        |               | <i>venlafaxine</i> .....                   | 48       | VOCABRIA.....                          | 76  |
|                                        |               | VEOZAH.....                                | 197      | <i>volnea (28)</i> .....               | 107 |
|                                        |               | <i>verapamil</i> .....                     | 88       | VONJO.....                             | 36  |
|                                        |               | VERIFINE INSULIN<br>SYRINGE.....           | 163, 164 | VORANIGO.....                          | 36  |
|                                        |               |                                            |          | <i>voriconazole</i> .....              | 56  |
|                                        |               |                                            |          | VOSEVI.....                            | 77  |
|                                        |               |                                            |          | VOWST.....                             | 197 |
|                                        |               |                                            |          | <i>vp-ch-pnv</i> .....                 | 210 |
|                                        |               |                                            |          | <i>vp-pnv-dha</i> .....                | 210 |

|                           |          |                                   |        |
|---------------------------|----------|-----------------------------------|--------|
| VRAYLAR.....              | 70       | YUFLYMA(CF) AI CROHN'S-           |        |
| VUMERITY.....             | 98       | UC-HS.....                        | 188    |
| VYALEV.....               | 63       | YUFLYMA(CF)                       |        |
| <i>vylibra</i> .....      | 107      | AUTOINJECTOR.....                 | 188    |
| VYLOY.....                | 36       | <i>yuvafem</i> .....              | 176    |
| VYZULTA.....              | 199      | <i>zafemy</i> .....               | 108    |
| <i>warfarin</i> .....     | 80       | <i>zafirlukast</i> .....          | 202    |
| WEBCOL.....               | 164      | <i>zaleplon</i> .....             | 206    |
| WELIREG.....              | 36       | <i>zatean-pn dha</i> .....        | 210    |
| WINREVAIR.....            | 205      | <i>zatean-pn plus</i> .....       | 210    |
| <i>wixela inhub</i> ..... | 202      | ZEGALOGUE                         |        |
| XALKORI.....              | 36       | AUTOINJECTOR.....                 | 197    |
| <i>xarah fe</i> .....     | 107      | ZEGALOGUE SYRINGE.....            | 197    |
| XARELTO.....              | 80       | ZEJULA.....                       | 37     |
| XARELTO DVT-PE TREAT      |          | ZELBORAF.....                     | 37     |
| 30D START.....            | 80       | <i>zenatane</i> .....             | 109    |
| XATMEP.....               | 37       | ZENPEP.....                       | 165    |
| XCOPRI.....               | 43       | <i>zidovudine</i> .....           | 76     |
| XCOPRI MAINTENANCE        |          | ZIIHERA.....                      | 38     |
| PACK.....                 | 43       | <i>zingiber</i> .....             | 210    |
| XCOPRI TITRATION PACK.... | 44       | <i>ziprasidone hcl</i> .....      | 70     |
| XDEMVY.....               | 168      | <i>ziprasidone mesylate</i> ..... | 70     |
| XELJANZ.....              | 187      | ZIRABEV.....                      | 38     |
| XELJANZ XR.....           | 187      | ZIRGAN.....                       | 168    |
| XERMELO.....              | 172      | ZOLADEX.....                      | 38     |
| XGEVA.....                | 196      | ZOLINZA.....                      | 38     |
| XIFAXAN.....              | 11       | <i>zolpidem</i> .....             | 206    |
| XIGDUO XR.....            | 50, 51   | ZONISADE.....                     | 44     |
| XIIDRA.....               | 170      | <i>zonisamide</i> .....           | 44     |
| XOLAIR.....               | 205      | <i>zovia 1/35e (28)</i> .....     | 108    |
| XOSPATA.....              | 37       | <i>zovia 1-35 (28)</i> .....      | 108    |
| XPOVIO.....               | 37       | ZTALMY.....                       | 44     |
| XTANDI.....               | 37       | ZTLIDO.....                       | 7      |
| <i>xulane</i> .....       | 108      | ZURZUVAE.....                     | 48     |
| XULTOPHY 100/3.6.....     | 53       | ZYDELIG.....                      | 38     |
| XYOSTED.....              | 175      | ZYKADIA.....                      | 38     |
| YERVOY.....               | 37       | ZYLET.....                        | 168    |
| YESINTEK.....             | 187, 188 | ZYNLONTA.....                     | 38     |
| YF-VAX (PF).....          | 194      | ZYNYZ.....                        | 38     |
| YONSA.....                | 37       | ZYPREXA RELPREVV.....             | 70, 71 |
| YUFLYMA(CF).....          | 188      |                                   |        |

This formulary was updated on 10/01/2025. For more recent information or other questions, please contact Elevate Medicare Select (HMO) Health Plan Service at 303-602-2111 or toll free at 1-877-956-2111 (TTY users should call 711), 8 a.m. to 8 p.m. seven days a week, or visit [DenverHealthMedicalPlan.org](https://denverhealthmedicalplan.org).